

Index

- Abscess(es), incision and drainage from posterior fornix, 158-160
in pouch of Douglas, incision and drainage from posterior fornix, 160
- Adhesions, as contraindication to operations by vaginal route, in ectopic pregnancy, 118
tumor, of uterus, extirpation by vaginal route contraindicated, 107
- Adnexa, removal of, with vaginal hysterectomy. *See* Hysterectomy (vaginal), with removal of adnexa
stumps, after resection of uterus body and subtotal hysterectomy (vaginal), suturing, 80, 88-89
suturing to vagina, in hysterectomy, 36, 47-50
tumors, removal, 65-69, 71, 72
- Advantages of vaginal technics, 1-2
- Anatomy, need for accurate knowledge of, 3
- Anesthesia, 8
- Artery, uterine, branches, ligation, in section of uterus body and subtotal hysterectomy (vaginal), 80, 85-86
stump, in hysterectomy, 42
- Atropine, preoperative use, 8
- Beuttner, introduction of defundation for chronically diseased adnexa, 79
- Bladder, separation (detachment), from cervix, 13-22
in hysterectomy (vaginal), 33
incision, 13-15
from vagina, dissection, blunt, 18, 20-21
sharp, 17-19
- Bozeman's needle-holder, 6
- Breisky speculum, 3, 4
- Catheterization, preoperative, 8
- Celiotomy, posterior explorative, for ectopic pregnancy, 118, 120
- Cervix, amputation, in morcellation of fibroid uterus, 55
- Change-over from vaginal technic to laparotomy in operation, 2
- Colpoceliotomy, anterior mid-line, 13-28
antefixation of uterus by abbreviation and fixation of round ligaments, 140-142
closure, 18, 26-27
detachment of bladder from cervix, 13-22
drainage, 18, 28
enucleation of fibroid tumor of uterus, 92-106
extirpation of ovarian tumors, technic, 108-117
hysterectomy, 32
with removal of adnexa. *See* Hysterectomy (vaginal), with removal of adnexa
incisions, 13-18
interposition of uterus, 148
morcellation of fibroid uterus, 52-55
opening up the vesico-uterine plica, 18, 22-25
sterilization of fallopian tube, 130, 131
posterior, 18, 29-31
extirpation of ovarian cysts, rejection by authors, 116
Wertheim's use of, 116
- Colpotomy, anterior mid-line, antefixation of uterus by abbreviation and fixation of round ligaments, 140, 141
enucleation of fibroid tumor of uterus, 94
extirpation of ovarian cysts, 110
incision, in hysterectomy, 34
interposition of uterus, vesicovaginal, 151
in morcellation of fibroid uterus, 53
resection of uterus body and subtotal hysterectomy (vaginal), 81
sterilization of fallopian tube, 131, 133
posterior, abscess, incision and drainage from posterior fornix, 159
- Contraindications to operations by vaginal route, cysts, ovarian, with adhesions, incarcerations or intraligamentary developments, 107
dermoid, 107
solid, 107
in ectopic pregnancy, 118
malignancy, 46, 52
pregnancy, advanced, ectopic, 118
tumors of uterus, multiple, 91
posterior wall, 92, 104

- Cysts, ovarian, with adhesions, incarcerations or intraligamentary developments, extirpation by vaginal route contraindicated, 107
- dermoid, extirpation by vaginal route contraindicated, 107
- diagnosis, differential, 160
- extirpation by vaginal route, 107-117
- technic, 108-117
- drainage, 108, 117
- incision, 108, 109
- suturing, 108, 115
- solid, extirpation by vaginal route contraindicated, 107
- Cystocele, vesicovaginal interposition of uterus, 148
- Defundation for chronically diseased adnexa, introduction by Beuttner, 79
- Deschamps needle, 3, 5, 32, 36, 39, 41, 55
- Diet, preoperative, 9
- Dissection, blunt, separation of bladder from vagina, 18, 20-21
- sharp, separation of bladder from vagina, 17-19
- Douches, vaginal, postoperative, hysterectomy, 46
- Douglas, pouch of. *See* Pouch of Douglas
- Drains and drainage, abscess, incision and drainage from posterior fornix, 158
- antefixation of uterus by abbreviation and fixation of round ligaments by vaginal route, 140, 147
- colpoceliotomy, anterior mid-line, 18, 28
- enucleation of fibroid tumor of uterus from vagina, 92
- extirpation of ovarian cysts by vaginal route, 108, 117
- hysterectomy, 46
- with removal of adnexa, 65, 73
- interposition of uterus, vesicovaginal, 152, 157
- pregnancy, ectopic, operation by vaginal route, 126, 129
- resection of uterus body and subtotal hysterectomy (vaginal), 80, 89
- sterilization of fallopian tube by vaginal route, 139
- "T," rubber, 8, 11
- pregnancy, ectopic, operation by vaginal route, 129
- Draping, preoperative, 8
- Enema(s), postoperative, hysterectomy, 46
- preoperative, 8
- Ephetonin, preoperative use, 8
- Ether as anesthetic agent, 8
- Evipan as anesthetic agent, 8
- Extirpation, total, of fallopian tubes, indications, 130
- Fallopian tube(s), pregnancy in, operation by vaginal route. *See* Pregnancy, ectopic, operation by vaginal route
- sterilization by vaginal route, 130-139
- difficulties immediately after interrupted pregnancy, 133
- drainage, 139
- technic, 130-139
- suturing, 133, 139
- total extirpation, 130
- Fistulas, vesicovaginal, interposition of uterus, 148
- Freund, H., conical resection of uterus body, 79
- Hematocele, drainage through pouch of Douglas, 119, 120
- Hemorrhage in vaginal hysterectomy, control, 72, 74-78
- former danger, 72
- Hysterectomy (vaginal), 32-50
- advantages of subtotal vs. total, 80, 90
- closure of peritoneum, 40, 46, 49-50
- detachment of bladder, 33
- drainage, 46
- incision, 33, 34, 37
- indications, 32
- postoperative care, 46
- pouch of Douglas, opening of, 36
- procedures, 32
- with removal of adnexa, 58-78
- hemorrhage, control, 72, 74-78
- postoperative care, 65, 72
- technic, 59-78
- adhesions, detachment, 65, 68, 69
- division of uterus, 58-66
- drainage, 65, 73
- incision, 59, 60
- pouch of Douglas, opening of, 60, 64
- severance of ligaments, 65, 70
- tumors of adnexa, 65-69, 71, 72
- vesico-uterine plica, opening of, 60, 61
- suturing, parametria, 36, 39, 41, 47, 48
- vesico-uterine plica, opening of, 33, 38
- Incision(s), colpoceliotomy, anterior mid-line, 13-18
- in hysterectomy, 34
- detachment of bladder from cervix, 13-15
- enucleation of fibroid tumor of uterus from vagina, 92, 93, 98
- extirpation of ovarian cysts by vaginal route, 108, 109

- Incision(s)—(*Continued*)
 horizontal, for colpoceliotomy, abandonment of, 18
 opening of vesico-uterine plica, 18, 23
 wall of vagina, 18, 29, 30
 hysterectomy (vaginal), 33, 34, 37
 with removal of adnexa, 59, 60
 interposition, vesicovaginal, of uterus, with vaginal bar, 149, 152
 morcellation, of uterus, fibroid, 53
 opening up the vesico-uterine plica, 18, 22-25
 resection, uterus body, and subtotal hysterectomy (vaginal), 80, 83-84
 tongue-formed, of Straussmann, abandonment of, 18
- Incontinence, urinary, vesicovaginal interposition of uterus, 148
- Instructions, preoperative, 3, 8
- Instruments, 3-12
- Iodine, tincture, painting stump after hysterectomy, 46
- Kocher clamp, 3, 9, 16, 144
- Laparotomy, advantages, hysterectomy, with removal of adnexa, 58, 60
 change-over in operation from vaginal technique to, 2
 defundation for chronically diseased adnexa, resection, 79
 indications, adhesions of uterus, 52
 appendicitis complicating tubal sterilization, 130
 malignancy, 46, 52
 tumors of uterus, fibroid, multiple, 91
 posterior wall, 92, 104
 resection of uterus body, 80
- Ligament(s), broad, severance, in vaginal hysterectomy with removal of adnexa, 65
 infundibulopelvic, severance, in extirpation of ovarian cysts by vaginal route, 113
 in vaginal hysterectomy, with removal of adnexa, 65, 70
 round, abbreviation and fixation, in vaginal antefixation of uterus. *See* Uterus, antefixation, vaginal, by abbreviation and fixation of round ligaments
 sacro-uterine, elevation, in hysterectomy, 39
 severance, in vaginal hysterectomy with removal of adnexa, 65, 70
- Logothetopoulos tampon for control of hemorrhage, 8, 72, 74-78
- Madlener clamp (forceps), 8, 12, 130, 135, 152
- Malignancy as indication for laparotomy, 46, 52
- Martin speculum (tenaculum), 3-5, 32, 76
- Mayo scissors, 3, 11
- Medication, preoperative, 8
- Menstruation, preservation for psychological reasons, 79, 90
- Metzenbaum dissecting scissors, 3, 10
- Micholitsch, T. H., and E. Wertheim, pioneer book on abdominal operations by vaginal route, 1
- Mikulicz tampon for control of hemorrhage, 72
- Morcellation, fibroid tumor of uterus, from vagina, 51-57, 82, 92, 98-103
 indications, 51-52
 technic, 52-55
 knife, 8, 9
 scissors, 3, 10
- Museaux's tenaculum forceps, 3, 5, 52, 54, 65
- Opening of abdominal cavity by vaginal route, 13-31
 colpoceliotomy, anterior mid-line. *See* Colpoceliotomy, anterior mid-line
 posterior. *See* Colpoceliotomy, posterior
- Pantopon, preoperative use, 8
- Parametria, extirpation from, 32
 ligation and division, in hysterectomy, 36, 39, 41, 47, 48
 stumps, length, in hysterectomy, 36, 42, 45, 50
- Peau forceps, 9, 120, 132, 141
- Pelvis, schematic vertical cut showing suturing of wounds from enucleation of fibroid tumor of uterus from vagina, 103
- Pentothal Sodium as anesthetic agent, 8
- Pituitrin, intravenous injection, tubal sterilization by vaginal route, 133
- Plica, vesico-uterine, closure, 26
 freeing of, 18, 21-26
 high location, 18, 24, 25
 opening up, 18, 22-23
 difficulties, 40, 42
 in hysterectomy (vaginal), 33, 38
 with removal of adnexa, 60, 61
 incision, 18, 23
 sterilization of fallopian tube by vaginal route, 137
- Position, lithotomy, 8
- Potassium permanganate solution for vaginal douch, 46
- Pouch of Douglas, abscesses, incision and drainage from posterior fornix, 160
 drainage of hemocele through, 119, 120
 opening up, difficulties, 10
 in hysterectomy (vaginal), 36
 with removal of adnexa, 60, 64
 in morcellation of fibroid uterus, 52
 with scissors, 31

- Pregnancy, advanced, as contraindication to operation by vaginal route, in ectopic pregnancy, 118
- ectopic, operation by vaginal route, 118-129
- indications and contraindications, 118
- selection of cases, 118
- technic, 120-126
- celiotomy, anterior mid-line, 120, 121
- posterior, 120-126
- drainage, 126, 129
- suturing, 126, 128
- interrupted, difficulties of tubal sterilization by vaginal route immediately after, 133
- Resection, cuneiform, of uterus body, Freund technic, 79
- uterus, body, and subtotal hysterectomy (vaginal). *See* Uterus, body, resection, and subtotal hysterectomy (vaginal)
- Scopolamine, preoperative use, 8
- Scrubbing, preoperative, 8
- Segund knife, 8, 9, 51
- Selection of cases for vaginal technics, 2
- Shaving, preoperative, 8
- Sims, blades, 3
- speculum, 3, 4
- Sponges, 8
- Straussmann's tongue-formed incision, abandonment of, 18
- Sutures and suturing, 8
- antefixation of uterus by abbreviation and fixation of round ligaments by vaginal route, 144, 145, 147
- enucleation of fibroid tumor of uterus from vagina, 92, 97, 102, 103
- extirpation of ovarian cysts by vaginal route, 108, 115
- hysterectomy, closure of peritoneum, 40, 46, 49-50
- interposition of uterus, vesicovaginal, 152, 154, 156, 157
- morcellation, of uterus, fibroid, 55
- parametria, in hysterectomy, 36
- pregnancy, ectopic, operation by vaginal route, 126, 128
- sterilization of fallopian tube by vaginal route, 133, 139
- stumps of parametria, in hysterectomy, 36, 47, 48
- Tampon for control of hemorrhage, Logothetopoulos, 72, 74-78
- Mikulicz, 72
- Tumor(s), adnexa, differential diagnosis from parametran exudate high in pelvis, 160.
- removal, 65-69, 71, 72
- of ovary, differential diagnosis of various types, difficulty of, 108
- Weibel's aids, 108
- of uterus, fibroid, enucleation (vaginal), 91-106
- technic, 92-103
- drainage, 92
- incision, 92, 93, 98
- suturing, 92, 97, 102, 103
- Uterus, adhesions, freeing, in hysterectomy, with removal of adnexa, 60, 65, 68, 69
- as indication for laparotomy, 52
- antefixation, vaginal, by abbreviation and fixation of round ligaments, 140-147
- technic, of authors, 140-147
- of Wertheim, 140
- body, resection and subtotal hysterectomy (vaginal), 79-90
- technic, 80-89
- drainage, 80, 89
- incision, 80, 83-84
- ligation of branches of uterine artery, 80, 85-86
- suturing of stump(s), adnexa, 80, 88-89
- uterus, 80, 86-87
- delivery into vagina, in hysterectomy, 36, 40, 43
- detachment from adnexa, in hysterectomy, 36, 40, 43-44
- division of, in hysterectomy, with removal of adnexa, 58-66
- implantation of bit of, into lumen of cervix for preservation of menstruation, 90
- interposition, vesicovaginal, 148-157
- technic, 148-157
- drainage, 152, 157
- incision, 149, 152
- suturing, 152, 154, 156, 157
- prolapse, correction of, relapse after, 148, 149, 152
- retroversion, after antefixation, 146
- fixed, as indication for surgery, 60
- retroversionflexion, mobile, 140
- tumor(s), fibroid, enucleation (vaginal), 91-106
- extirpation, total, vaginal. *See* Morcellation, uterus, fibroid
- morcellation. *See* Morcellation, uterus, fibroid

Vagina, wall, incision, horizontal, 18, 29, 30
Veronal, preoperative use, 8

Weibel, diagnostic aids in differentiation of various types of ovarian tumors, 108

Wertheim, and Micholitsch, pioneer book on abdominal operations by vaginal route, 1

Wertheim—(*Continued*)

technic, antefixation of uterus by abbreviation and fixation of round ligaments, 140

vesicovaginal interposition of uterus, 148

use of posterior colpoceliotomy for extirpation of ovarian cysts, 116

Zelnik probe, 74