

Index

Illustrations are indicated by **bold-faced** figures.

A

- A₁** and **A₂** agglutinogens, 407
A and B substance (Witebsky), 407
Abscess, amebic, 530
Absidia corymbifer, 234
Absorption of agglutinin, 288
Acacia, gum, solutions of, 413
Acanthocephala, 558
Acanthocheilonema perstans, 621, 687
Acarina, 661
Acetanilid poisoning, 449
Acetone in urine, 834
Acetyl-methyl-carbinol reaction, 138
Achlorhydria gastrica, 866
 in idiopathic hypochromic anemia, 433
 in pernicious anemia, 437
Achrestic anemia, 436
Achromia (red cells), 416
Achyilia gastrica, 866
Acid, free hydrochloric, 863
 normal curve (gastric), **864**
 lactic, 863
 production, bacterial, 16
 titratable, in urine, 840
 urine sediment, 823
Acid-base equilibrium, 797
 disturbances of, **803**
 tests for, 805
Acid digestion mixture, 766
Acid-fast bacteria, 75
 staining of, 365
Acidosis, 802, 804
 clinical determination of, 805, 806
 in diabetes, 805
 in renal insufficiency, 805
Ackee poisoning, 933
Acne bacillus, 743
Acocanthera, 934
Aconite poisoning, 941
Actinobacillus, 122
 ligneresi, 90, 122
 mallei, 120
 pseudomallei, 121
Actinomyces bovis, 89
 minutissimus, 248
 muris ratti, 147
 tenuis, 237
Actinomycetin, 271
Actinomycin (A and B), 272
Actinomycosis, 89
Adaptation, of parasites, 12
 of viruses, 192
Addis counts of cells in urine, 821
Addison's disease, water test, 786
Adjuvants (antigenic), 283
Aedes aegypti, 220, 222, 688, **690**
 albopictus, 688, **690**
 geographic distribution of species, 691
 hebrideus, 688
 leucocelaneus, 221
 pseudoscutellaris, 619, 690
 scutellaris, 688, **690**
Aerobacter, 102
 aerogenes, 139
 cloacae, 140
Agar (*see* Culture media)
 blood, 341, 346
 nutrient, 341
 plates, 13
Agglutination, 285
 diagnostic use of, 286
 Dreyer's standard emulsions, 287
 in brucellosis, 112
 in dysentery (bacillary), 137
 in infectious mononucleosis, 464
 in *Leptospira* infection, 160, 287
 in primary atypical pneumonia, 213,
 411
 in rickettsial infections, 180, 184
 in tularemia, 116
 in typhoid fever, 127
 macroscopic, 286
 microscopic, 287
 of human red blood cells, 403
 of meningococci, 52, 54
 slide test, 287
Agglutinins, 285
 absorption of, 288
 auto-, 213, 411
 cold, 213, 411
 group, 286
 heterophil, 281, 464
 human iso-, 402
 anti-O, 408
 minor, 410

INDEX

- Agglutinins—(Continued)**
 preparation of, 283
 Rh, 408
Agglutinogens, 403, 407, 409, 412
Aggressins, 11, 279
Agranulocytic angina, 465
Alastrim, 195
Albumin, in cerebrospinal fluid, 749
 in plasma, 788
 in urine, 826
 removal of, from urine, 828
Albumin-globulin ratio, 789
Albuminocytologic dissociation, 749
Alcohol in body fluids, 792
 Bogen's method of determining, 792
 intoxication, 793
Alcoholic polyneuritis, 890
Alcoholism, cerebrospinal fluid in, 754
Aldehyde reaction in kala-azar, 523
Aleukemic lymphadenosis, 458
 myelosis, 457
 reticulo-endotheliosis, 461
Aleukia, 442
Aleurisma albiciscans, 270
Alexin, 284
Alkali, deficit, primary, 804
 indirect tests for (table), 807
 excess, primary, 804
 reserve, 800
Alkaligenes faecalis, 138
Alkalosis, 804
Alkaptonuria, 819, 834
Allergy, 292
Allescheria, 267
Alsever's solution, 321
Alveolar air, CO₂ tension of, 806
Amanita poisoning, 939
Amaurotic family idiocy, 463
Amblyomma americanum, 667
 cajennense, 666
 hebraeum, 667
Amboceptor, 284
Amebae, 485, 524
 cultivation of, 554
 cysts of, 525
 concentration of, 554
 table of, 541
 differentiating characteristics of, in aqueous
 smear, 539
 in iodine smear, 540
 in saline smear, 537
 in stained smear, 541
 life cycle of, 527, 528
 motility of, 538
 nuclear structure, 526
 of intestines, 525
 of mouth, 530
 staining of, 553
 trophozoites (table), 540
Amebiasis, 528
Aminopyrine, 466
Ammonia, formation by kidney, 802
 in urine (Folin-Bell), 838
Ammonium biurate crystals in urine, 823,
 oxalate-crystal violet, 364
Amylase estimation, 868
Amyloidosis, 831
Anaerobes, cultivation of, 918
 Buchner's method, 919
 McIntosh and Fildes' method, 919
 Novy jar, 919
 partial oxygen tension, 920
 Tarozzi's method, 920
 pathogenic, 62, 146
 in war wounds, 62
Anaerobiosis, 918
Anamnestic reaction, 128
Anaphylactic shock, 292
Anaphylactoid purpura, 469
Anaphylaxis, 292
 in man, 294
Anatomic normals, 930
Ancylostoma, 602
 braziliense, 603
 duodenale, 601, 602
Anemia, 431
 achlorhydric, 433
 achrestic, 436
 aplastic, 442
 aregeneratory, 442
 cholesterol (blood) in, 791
 classification of, 431
 congenital erythroblastic, 452
 Cooley's Mediterranean, 453
 due to acetanilid, 449
 copper deficiency, 435
 Diphyllobothrium latum, 440
 folic acid deficiency, 901
 hookworm, 433, 608
 iron deficiency, 432
 liver factor deficiency, 435
 radiation, 442
 erythroblastic, 443, 452
 hemolytic, 444
 hyperchromic, 431
 hypochromic, 431, 432
 idiopathic aplastic, 442
 hypochromic, 433
 in cancer of the stomach, 441
 in children, 454
 in favism, 936
 in hemolytic jaundice, 451
 in idiopathic steatorrhea, 440
 in infections, 442, 445
 in lead poisoning, 448
 in myxedema, 441
 in nephritis, 442

INDEX

- emia—(Continued)
 in poisonings, 442, 445
 in pregnancy, 441
 in scurvy, 443
 in sprue, 440
 Lederer's acute hemolytic, 448
 macrocytic, 431
 microcytic, 431, 432
 myelophthistic, 443
 normochromic, 431
 normocytic, 431
 osteosclerotic, 443
 pernicious, 436
 posthemorrhagic, 431
 primary, 431
 pseudoleukemica infantum, 454
 secondary, 431
 sickle cell, 449
 table of, 450
 tropical megalocytic, 439
- Anemone (sea) poisoning, 726
- Angina, agranulocytic, 465
 Vincent's, 154, 155
- Animal, inoculation, 17
 diagnosis of infectious diseases by (table),
 22-28
 methods of, 20
 with blood, 818
 with sputum, 740
 parasites, epidemiology of, 477
 general classification, 476, 479
 general considerations, 477
 in blood, 818
 in cerebrospinal fluid, 755
 in skin, 744
 in sputum, 740
 in urine, 849
 key to, 481
 life cycle of, 477
 mounting of, 650
 nomenclature of, 480
 preservation of, 644
 transmission of, 478
 ringworms, 251
- Animals, domesticated, as transmitters of dis-
 ease, 17, (table) 18
 laboratory, natural infections of, 21
- Anisochromia, 416
 Anisocytosis, 416
 Annelida, 559
 Ano-genital syndrome, 215
- Anopheles*, 693
culicifacies, 695
farauti, 693
fluviatilis, 695
gambiae, 695
 key, pictorial, to adults, 696
 to larvae, 697
 larva, 694
- Anopheles*—(Continued)
maculipennis, 694
minimus, 695
quadrifasciatus, 694
 transmitters of malaria, 693
- Anophelini, 689
 Anoplura, 673, 678
 Anstie's reagent (alcohol), 792
 Antennal characters of diptera, 683, 684
 Anthrax, 57
 clinical manifestations, 60
 diagnosis of, 60
 in animals, 59
 symptomatic, 66
- Antibacterial sera, 283
 Antibiotics, 271
 Antibodies, 281
 anaphylactic, 293
 chemical nature of, 282
 mechanism of production, 281
 neutralizing, 192, 194
 in dengue, 222
 in epidemic encephalitis, 199
 in herpes, 198
 in influenza, 209
 in lymphocytic choriomeningitis, 202
 in lymphogranuloma inguinale, 216
 in measles, 212
 in poliomyelitis, 205
 in Rift-Valley fever, 223
 in yellow fever, 220
- Anticoagulants, 377
 Antigen, 281
 bacterial, 291
 cardiolipin, 331
 flagellar (H), 125, 285
 Forssmann, 281
 heterophil, 281
 Kahn, 307
 Kolmer, 322
 of *Salmonella*, 129
 somatic (O), 125, 285
 Vi (typhoid), 125
- Antimony test in kala-azar, 523
 Antitoxin, 283
 botulism, 73
 diphtheria, 94
 dysentery, 137
 gas bacillus, 65, 67
 preparation of, 282
 pyocyaneus, 146
Staphylococcus, 47
Streptococcus, 36
 tetanus, 70
- Antivenins, 720
 Ants, 675
 Aperture, numerical, 911
 Apparatus, 911
 for gas analysis (blood), 808

INDEX

Appendicitis, leukocyte count in, 426, 428
 Arachnida, 658
 Araneida, 659
Arctomys bobac, 118
Argas, 670
 Argasidae, 654, 666, 669
 key to, 670
 Arneth's numerical index, 426
 Aronson's medium (cholera), 357
 Arotheca, 271
 Arrow poisons, 934
 Arsenic in urine, 837
 Arthritis, gonococcal, 50
 infectious, 37
 synovial fluid in, 761
 Arthropods, 655
 preservation of, 708
 transmitters of disease, 653
 Arthrospores, 229
 Arthus reaction, 300
Ascaris lumbricoides, 604
 ova of, 605
 Aschheim-Zondek test for pregnancy, 881
 Ascitic fluid (cytodiagnosis in), 760
Ascomycetes, 237
 Ascorbic acid, 892
 Ascospores, 229
 Aspergillic acid, 272
 Aspergillosis, 265
Aspergillus, 266, 267
 fumigatus, 266
 niger, 265
 oryzae, 265
 Assassin bugs, 676
 Asthma, 298
 Atabrine, action in malaria, 493
 Athericera, 683, 699
 antennal characters of, 684
 mouth parts of, 700
 Atomic weights, abbreviated table of, opposite
 back cover
 Atopy, 292
 Atriplicism, 934
Auchmeromyia luteola, 707, 708
 Auer's bodies, 419
 Aural myiasis, 736
Australorbis (snail), 570
 Autoagglutination, 411
 Autoclave, 337
 Autohemolysin, 446, 452
 Autopsy culture methods, 30
 Autumn fever, 160
 Avery's culture medium (pneumococcus), 43,
 346
 Avidin, 902
 Avitaminosis A, 887
 B₁, 889
 D, 893
 Ayerza's disease, 455

Azotorrhea, 852
 Azure granules, 421

B

Babesia, 488
 Bacillus, coliform, in water, 139
 of avian tuberculosis, 80
 of Bordet-Gengou, 107
 of bovine tuberculosis, 80
 of chancroid, 107
 of gas gangrene, 63
 of Hoffmann, 97
 of hog cholera, 133
 of Koch-Weeks, 106
 of malignant edema, 66
 of Morax, 106
 of Pfeiffer, 104
 of rat leprosy, 88
 of Schmitz, 134
 of smegma, 78
 of symptomatic anthrax, 66
 of timothy grass, 77
Bacillus abortus, 108
 acidophilus, 99
 acnes, 743
 aerogenes capsulatus, 63
 aertrycke, 132
 anthracis, 57, 58, 59, 61, 62
 bifidus, 99
 botulinus, 71
 brevis, 272
 bulgaricus, 99
 cereus, 61
 chauvoei, 66
 cloacae, 140
 coli, 138
 communior, 138
 diphtheriae, 91
 dysenteriae, 134
 enteritidis (Gaertner), 132
 faecalis alkaligenes, 138
 fallax, 64
 flexneri, 134
 fusiformis, 154
 histolyticus, 68
 hoffmannii, 97
 influenzae, 104
 lactis aerogenes, 139
 leprae, 85
 mallei, 120
 mucosus capsulatus, 122
 oedematis, 67
 oedematis-maligni, 66
 paratyphosus (A, B, and C), 131
 perfringens, 63
 pertussis, 107
 pestis, 116
 pestiscaviae, 132

INDEX

- Bacillus*—(Continued)
- pneumoniae* (Friedländer), 122
 - prodigiosus*, 146
 - proteus*, 140
 - pseudodiphtheriticus*, 97
 - pseudotuberculosis rodentium*, 120
 - psittacosis*, 132
 - pyocyaneus*, 145
 - smegmatis*, 78
 - sordelli*, 67
 - sporogenes*, 68
 - subtilis*, 61
 - suipestifer*, 133
 - tertius*, 64
 - tetani*, 62, 68
 - tuberculosis*, 78
 - typhimurium*, 132
 - typhosus*, 124, 125
 - violaceus*, 146
 - welchii*, 63
 - xerosis*, 97
- Bacteremia, 816
- Bacteria, classification of, 3, 4
- cultural characteristics of, 15
 - food requirements of, 9
 - identification of, 14
 - isolation, methods of, 12
 - metabolic products of, 10
 - microscopic examination of, 12
 - morphology of, 9, 10, 14
 - motility of, 14
 - mutation of, 277
 - nuclear materials of, 9
 - oxygen requirements of, 10
 - reproduction, methods of, 9
 - serologic reactions, 16
 - study of, 12
 - toxic products of, 11
- Bacterial allergy, 300
- Bacteriolysins, 284
- preparation of, 283
- Bacteriophage, 224
- Bacterium abortum*, 108
- melitense*, 108
 - pneumosintes*, 106
 - tularensis*, 113
 - whitmori*, 121
- Bacteriuria, 848
- Bacteroides fragilis*, 146
- funduliformis*, 146
 - melanogenicus*, 146
 - serpens*, 146
- Baermann apparatus, 648
- Balantidium coli*, 533, 533, 548
- Banti's disease, 454
- Barbers' itch, 255
- Barber's technic for isolation of bacterium, 14
- Barnett and Chapman's method (pH), 926
- Barracuda, 722, 723
- Bartonella bacilliformis*, 186, 684
- canis*, 187
 - muris*, 187
- Bartonellosis, 187
- Basal metabolism, 877
- normal standards of, 879
- Basidiospores, 229
- Basket cells, 422
- Basophilia of red cells, 417
- Basophilic aggregation test, 392
- Basophilic leukocytosis, 429
- Basophils, 393, 419
- Bass and John's concentration method (malaria), 505
- B.C.G. vaccine, 85
- Beadsnake, 714
- Beck's stain (diphtheria), 366
- Bedbug, 676
- Bees, 675
- Bejel, 166
- Bence-Jones protein, 463, 831
- Benedict's test for sugar, 831, 832
- Benzidine test (blood), 856
- Beriberi, 889
- Berkefeld filters, 917
- Bernstein's theory (blood groups), 411
- Beta-hydroxybutyric acid in urine, 805, 834
- Bezoar, 941
- Bicarbonate, in blood, 799
- tolerance test for, 806
- Bicolor method of pH determinations, 926
- Bile, cultures of, 869
- disturbances of excretion of, 871
 - in duodenal contents, 868
 - in feces, 855
 - in urine, 835
 - methylene blue test, 835
 - pigments, 835, 871
 - salts-citrate-agar (*Salmonella*, *Shigella*), 354
 - solubility test, 369
- Bilharziasis, 570 (see Schistosomiasis)
- Bilirubin, excretion tests, 874
- in blood, 871
- Biologic test for blood, 289
- Biopsy examinations, 399
- for parasites, 647
- Biotin, 902
- Bismuth sulfite medium (*Shigella*), 355
- Bitot's spots, 887
- Black flies, 685
- Black widow spider, 660
- Blackwater fever, 496
- Blastocystis hominis*, 549, 550
- Blastomyces brasiliensis*, 242, 242
- dermatitidis*, 239, 240, 241, 242
- Blastomycosis, 239
- European, 243
 - North American, 239
 - South American, 242

- Blastospores, 229
- Bleeding time, 401
- Blood, agar, 341
- alcohol in, 792
 - alkali reserve, 800
 - animal inoculation with, 818
 - animal parasites in, 818
 - arterial, obtaining, 809
 - bicarbonate in, 799
 - bromides in, 797
 - cadaver, for transfusion, 414
 - calcium in, 781
 - capillary, obtaining, 377
 - carbon dioxide in, 799, 800
 - combining power of plasma (Van Slyke), 806
 - content, of plasma, 808
 - of whole blood, 809
 - carbon monoxide in, 814
 - cells, origin of, 422
 - plate of, (Plate II) facing 420
 - chemical constituents, table of, 764
 - chemical examination of, 763
 - chlorides in, 779
 - cholesterol in, 790
 - esters in, 791
 - coagulation, mechanism of, 467
 - time, 401
 - color index of, 416
 - counting platelets, 386
 - red cells, 383
 - reticulocytes, 392
 - white cells, 385
 - creatinine in, 771
 - crises, 437
 - cultures of, 816
 - in bartonellosis, 187
 - in brucellosis, 112
 - in endocarditis, 38
 - in meningococcus infections, 51
 - in pneumonia, 42
 - in staphylococcal infections, 47
 - in tuberculosis (miliary), 83
 - in typhoid fever, 127
 - diastase in, 797
 - differential count, normal, 390, 425
 - films, 387, 391, 506, 507
 - fixation of films, 389
 - fragility test, 394
 - fresh preparations of, 378, 393, 520
 - glucose in, 773
 - groups, 402
 - determination of, microscopic method, 405
 - open slide method, 405
 - sources of error in, 406
 - tube method, 406
 - hemoglobin in, 378
 - iron in (Wong), 382
 - medicolegal test for species of, 289
- Blood—(*Continued*)
- microfilariae, examination for, 646
 - nonprotein nitrogen in, 766, 767
 - normal cell count, 415, 418
 - occult, test for, 836, 856
 - oxygen capacity of, 415, 809
 - content of, 812
 - saturation of, 812
 - pH of, 798, 799
 - phosphatase in, 784, 785
 - phosphorus (inorganic) in, 782
 - plasma proteins in, 787
 - platelets, 430
 - counting, 386
 - precipitation of protein, 763
 - preservation for transfusion, 413
 - reaction of, 799
 - red cells of, 415
 - Rh factor, 408
 - saturation index of, 416
 - sedimentation rate of, 395
 - serum media, 345
 - spectroscopic tests for, 812
 - spots, determination of group of, 412
 - staining films of, 388
 - subgroups, 407
 - substitutes for, 413
 - sugar in, 773
 - tolerance tests, 776
 - sulfonamides in, 794
 - supravital staining of, 392
 - tests for, 812
 - thick films of, 391
 - thiocyanates in, 796
 - transfusion of, 404
 - tubes for collection of, 377, 762
 - urea nitrogen in, 768
 - uric acid in, 771
 - venous, obtaining, 377, 762
 - volume of, 398
 - index of, 416
 - white cells of, 418
 - Blow flies, 703
 - Boas' reagent, 863
 - Boas-Oppler bacilli, 99, 862
 - Bodies, Donovan's, 148
 - Howell-Jolly, 418
 - inclusion, 191
 - Leishman-Donovan, 516
 - Boeck and Drbohlav's media (amebae), 555
 - Bollinger bodies, 192
 - Bone marrow, aspiration of, 399
 - differential count (normal) of, 400
 - Boöphilus annulatus*, 192, 658
 - palpi of, 669
 - Bordet-Gengou bacillus, 107
 - medium (pertussis), 344
 - Borrel bodies, 192

, 150, 152
babylonensis, 154
berbera, 154
buccalis, 155
carteri, 154
cultivation of, 153
duttoni, 153
novyi, 154, 154
persica, 154
recurrentis, 152, 152
vincentii, 154, 155, 156

Bot flies, 707

Bottle bacillus, 743
flies, 703

Botulism, 71

Boutonneuse fever, 177

Bovine tuberculosis, 80

Brachycera, 683, 698
antennal characters of, 683

Brain medium, 347

Bromcresol purple milk, 347

Bromides, in blood, 797
Katznelbogen and Czarski-Wuth method, 797
in urine, 797

Bromsulfalein excretion test, 873

Broth media, 340 (*see* Culture media)
Liebig's extract in, 340
meat infusion, 341
nutrient, 341, 359
sugar-free, 343

Brownian movement, 15

Brucella abortus, 108
bronchiseptica, 30, 108
differentiation of species, 109
hydrogen sulfide production by, 351
incidence in man, 110
melitensis, 108
suis, 108

Brucellergin, 113

Brucellosis, 108
blood cultures in, 817
clinical manifestations of, 111
diagnosis of, 112
intracutaneous test for, 113, 302
opsonocytaphagic index, 113, 290

Bubo, climatic, 215

Buchner's anaerobic method, 919, 920

Buffalo gnats, 685

Buffered phosphate solution, for blood stains, 388
for urease, 769

Buffers, 798, 923

Bulinus (snail), 570, 572

C

Cabot's rings, 418
Calabar swellings, 624

Calciferol, 894

Calcium, in blood, 782, 783
Clark-Collip method of determination, 781
in coagulation, 467
oxalate in urine, 823

Calculi, urinary, 825

Calliphora erythrocephala, 703, 708
vomitorea, 703

Cambridge's method (fats), 857

Candida albicans, 246, 246, 247
table of species of, 249

Candidiases, 246

Canicola fever, 158

Cannabis indica, 935
sativa, 935

Cantharisis, 674

Capillaria hepatica, 609

Capillary pipets, 918
resistance test, 402

Capsule stains, 366

Capsule-swelling reaction, with influenza bacilli, 105
with meningococci, 53
with pneumococci, 43

Carate, 172

Carbohydrate metabolism, 775

Carbohydrates, fermentation of, 16

Carbolfuchsin stain, 365

Carbon dioxide, combining power of plasma, 806
content, in plasma, 808
in whole blood, 809
deficit, primary, 804
excess, primary, 803
in blood, 799, 800
tension, in alveolar air, 806
increased, for cultures, 920
of *Brucella abortus*, 109

Carbon monoxide, tests for, 814

Carbonate-free alkali solution, 922

Carcinoma, gastric, 441, 866

Cardiolipin antigen, 331

Carotin, 873

Carriers, in amebiasis, 527, 530
in cholera, 143
in diphtheria, 97
in dysentery, 136
in malaria, 492
in meningococcus infections, 54
in pneumonia, 41
in poliomyelitis, 204
in typhoid fever, 127

Carrion's disease, 187

Casoni reaction (*Echinococcus*), 594, 649

Castaneda's stain (rickettsiae), 368

Casts in urine, 822, 822

Cat-bite fever, 161

Cat fish, 724

INDEX

- Caterpillars, 674
- Celiac disease, 440
- Cells, in cytodagnosis, 748, 759
 in urine, 820
- Centipedes, 656
- Cephalin-cholesterol flocculation test, 875
- Cephalosporium granulomatis*, 267
- Ceratophyllus fasciatus*, 118
- Ceratopogonidae, 687
- Cercaria, 562, 563
- Cercarial dermatitis, 571
- Cerebrospinal fluid, 745
 bacteriologic examination of, 755
 cell count in, 748
 chemistry of, 749
 colloidal gold test of, 750
 globulin, increase in, 748
 in disease, 754, (table) 756
 Kahn reaction in, 314
 Kolmer complement fixation reaction in, 326,
 327, 329
 mastic test of, 753
 pressure of, 745
 effect of hypertonic solutions on, 746
 puncture for, 745
 tubercle bacilli in, 755
- Cestodes, 578, 637 (see Tapeworms)
 ova of, 588, 630
- Chagas' disease, 520
- Chamberland filters, 917
- Chancres, aspiration from, 368
- Chancroid, 107
 cultures from, 107
 intracutaneous tests for, 107, 302
- Charcot-Leyden crystals, 738
 in feces, 549, 550, 853
- Cheese mites, 665
 skipper, 707
- Cheilosis, 890
- Chick embryos, cultivation in, 17
- Chicken mite, 665
 pox, 197
- Chickens, natural infections of, 30
- Chiggers, 662
- Chilomastix mesnili*, 531, 548, 548
- Chilopoda, 656
- Chlamydospores, 229
- Chloral-gum media, 710
- Chlorides, in blood, 779
 Van Slyke-Sendroy method of determina-
 tion, 779
 Whitehorn method, 779
 in cerebrospinal fluid, 750
 in urine (Volhard-Harvey method), 839
- Chlorinated water, bottles for, 361
- Chloroma, 461
- Chloroquine, 493
- Chlorosis, 434, 435
 chronic, 433
- Chocolate agar, 341, 343
- Cholecystitis, 869
- Cholera, 141
 acidosis in, 804
 blood chlorides in, 780
 carriers in, 143
 clinical manifestations of, 143
 diagnosis of, 143
 in water, 143, 145
 media for, 357
 red reaction, 142, 358
 transmission of, 143
- Cholesterol, in blood, 790
 in Schüller-Christian disease, 464
 esters, 791, 870
- Chorionepithelioma, 884
- Chromatin dust, 418
 stains, 388
- Chromatoid bodies, 539
- Chromobacterium ianthinum*, 146
 violaceum, 146
- Chromoblastomycosis, 270
- Chromogenic bacilli, 145
- Chronic passive congestion, N.P.N. in, 770
- Chrysomyia* (see also *Cochliomyia*)
 bezziana, 706, 708
- Chrysops dimidiata*, 621, 698
 discais, 114, 698, 699
 silacea, 621, 698
- Chyluria, 819
- Ciguatera, 723
- Ciliata, 486, 487, 533
- Cimex hemipterus*, 676
 lectularius, 676, 677
- Cimicidae, 676
- Cisterna puncture, 747
- Citrate agar (coliform bacilli), 349
 utilization test (coliform bacilli), 138
- Citrovorum factor, 901
- Clasmatocytes, 394
- Classification, of amebae, 524
 of anemias, 431
 of animal parasites, 476, 479
 of bacilli, acid-fast, 75
 branching, 74
 Gram-negative, 101
 spore-bearing, 57
 of bacteria, 3, 4
 of cestodes, 578
 of cocci, 31
 of diptera, 682
 of flagellates, 530
 of flatworms, 560, 578
 of flukes, 560
 of fungi, 226
 of helminths, 557
 of insects, 671
 of malaria, 488
 of mites, 662

INDEX

- sification—(Continued)
- of mosquitoes, 687
 - of nematodes, 595
 - of pneumococci, 40
 - of Protozoa, 485
 - of roundworms, 595
 - of ticks, 665, 668, 670
 - of streptococci, 31
 - of viruses, 194
 - iceps purpurea*, 228
 - ormin, 272
 - Cleaning, fluid, 361
 - glassware, 337, 387
 - imatic bubo, 215
 - Clonorchis sinensis*, 571, 725
 - ovum of, 571
 - Clostridium*, 7, 63
 - bifermentans*, 67
 - botulinum*, 71, 72
 - chauvoei*, 66
 - fallax*, 64
 - histolyticum*, 68
 - novyi*, 67
 - perfringens*, 62, 63
 - culture of, 65
 - septicum*, 66
 - sporogenes*, 68
 - tertium*, 64
 - tetani*, 68
 - welchii*, 63
 - Coagulase test, 46
 - Coagulation, 467
 - inhibitors, 467
 - time, Lee White method, 401
 - Cobra, 718
 - Coca's solution, 297
 - Cocci, 31, 33
 - Gram-negative, 48
 - Coccidia, 534
 - Coccidioidal granuloma, 234
 - Coccidioides immitis*, 235, 235
 - Coccidioidin, 236
 - Cochliomyia americana*, 704, 705, 708
 - macellaria*, 704
 - Cockroaches, 672, 673
 - Coelenterates, 726
 - Coenurus* larva, 582
 - Cold, agglutinins, 213, 411
 - the common, 212
 - Coleoptera, 673, 674
 - Coliform bacilli, 138
 - detection in water, 139
 - Colitis, amebic, 529
 - Colloidal gold test, 750
 - mastic test, 753
 - Colombian spotted fever, 177
 - Colon bacillus, 138
 - Colonies, characteristics of, 15
 - isolation of, 12
 - Colonies—(Continued)
 - G colonies, 9
 - rough type, 8, 8, 105
 - smooth type, 8, 8, 105
 - Color index (red cells), 416
 - Colorado tick fever, 223
 - Colorimeters, 927
 - Colorimetry, 927
 - Colubrine snakes, 714
 - Combined sclerosis, 437, 891
 - Commensalism, 475
 - Common cold, 212
 - Complement, 284
 - fixation, bacterial, 291
 - in amebiasis, 555
 - in blastomycosis, 241
 - in *Coccidioides* infection, 236
 - in *Echinococcus* infection, 594
 - in gonorrhoea, 50
 - in helminth infections, 649
 - in leishmaniasis, 517
 - in lymphogranuloma inguinale, 216
 - in malaria, 505
 - in rickettsial infections, 183
 - in schistosomiasis, 576
 - in syphilis, 317
 - in trichiniasis, 615
 - in trypanosomiasis, 523
 - preparation of, 321
 - preservation of, 322
 - titration of, 325
 - Concentration methods, of amebic cysts, 554
 - of microfilariae, 646
 - of ova in feces, 641
 - of tubercle bacilli, 82
 - tests of renal function, 842
 - Condensers for microscopes, 913, 914
 - Cone-nosed bugs, 654, 676
 - Conglutination, 410
 - Congo floor maggot, 707
 - red test for amyloidosis, 831
 - Conidia, 229, 238
 - Conidiophore, 238
 - Conjunctival infections, 731
 - Contact dermatitis, 299
 - Control measures for *Aedes*, 692
 - Anopheles*, 694
 - bedbugs, 676
 - black flies, 686
 - cockroaches, 674
 - Culex*, 693
 - fleas, 680
 - flukes, 565
 - Glossina*, 701
 - house fly, 702
 - lice, 679
 - midges, 687
 - nematodes, 599
 - Phlebotomus*, 685

- Control measures—(Continued)
 reduviid bugs, 678
 rodents, 681
 spiders, 661
 tapeworms, 583, 590
 ticks, 668, 670
 trichinae, 613
 trombiculids, 663
 Cooley's anemia, 453
 Coombs' test, 414
 Copper deficiency anemia, 435
 Copra itch, 665
 Coproporphyrin excretion, 438
 Coracidium, 580
 Coral poisoning, 726
 snakes, 715
Cordylobia anthropophaga, 707
 Cornmeal agar (fungi), 359
Corynebacterium, 90
 acnes, 743
 diphtheriae, 91, (Plate I) facing 90
 gravis, 91
 mitis, 91
 pseudodiphtheriticum, 97
 pseudotuberculosis, 120
 xerosis, 97
 Cotton-blue lactophenol, 233, 368
 Cough plate culture, 740
 Counting, blood cells, 383
 cells in cerebrospinal fluid, 748
 Coxsackie viruses, 205
 Crab louse, 679
 Creatinine, in blood, 771
 in urine, 839
 Creeping eruption, 603, 707
 Crisis, blood, 437
Cristispira balbiani, 150
Crithidia, 512
 Crush syndrome, 446
 Crustacea, 656
 Cryptococcosis, 243
Cryptococcus farciminosus, 243
 neoformans, 243
 Crystal-violet agar, 346
 lactose broth (water analysis), 359
 Crystals in urine, 823, 823, 824
Ctenocephalides canis, 680
 combs of, 681
 felis, 680
Culex, 692
 larva of, 692
 pipiens, 199, 200, 692
 quinquefasciatus, 619, 692
 tarsalis, 199, 200, 692
 tritaeniorhynchus, 692
 Culicidae, 687
 Culicini, 688, 689
Culicoides, 686, 687
 austeni, 621
Culicoides—(Continued)
 jurens, 621, 687
 grahami, 621
Culiseta inornata, 199, 200
 Culture media, 338
 agar, 341
 Aronson's (cholera), 357
 Avery's (pneumococcus), 43, 346
 bile-salts citrate agar (*Salmonella*, *Shigella*),
 354
 media, 354
 bismuth sulfite agar (*Salmonella*), 355
 blood agar, 341
 blood-glucose-cystine agar (*P. tularensis*),
 346
 Boeck and Drbohlav's (amebae), 555
 Bordet-Gengou (pertussis), 344
 brain medium (clostridia), 347
 bromcresol-purple milk, 347
 broth, 340
 for water analysis, 359
 carrot agar, 231
 casein hydrolysate-starch (*Neisseria*), 344
 chick embryo-Tyrode's solution, 191
 chick embryos, 17
 chocolate agar, 341
 for gonococci, 343
 cholera media, 357
 citrate agar (coliform bacilli), 349
 clearing of, 338
 cooked meat medium (Clostridia), 347
 cornmeal agar (fungi), 359
 crystal-violet agar, 346
 lactose broth (water analysis), 359
 cystine-blood-glucose agar (*Brucella*), 346
 cystine-tellurite agar (diphtheria), 345
 dehydrated media, 338
 desoxycholate agar (enteric bacilli), 360
 Dieudonne's (cholera), 358
 digest broth, 344
 diphtheria, media for, 345
 egg-yolk media, 347, 348
 Endo's (typhoid-colon), 353
 Enlow's sugar-free, 343
 eosin-methylene blue agar (enteric bacilli),
 353
 fecal bacteria, media for, 123, 353
 Fildes' peptic digest (*Hemophilus*), 344
 fuchsin lactose broth (water analysis), 360
 gelatin, 349
 glucose-cystine-blood agar (*P. tularensis*),
 346
 glycerin agar, 341
 gonococcus, media for, 343
 Hemophilus, media for, 344
 indicators, 339
 Kirchner's (synthetic, for tubercle bacillus),
 349
 Kligler's iron agar (enteric bacilli), 356

Culture media—(Continued)

- Krumwiede's triple sugar, 357
 lead acetate, 351
Leishmania, media for, 523
Leptospira, media for, 159
 Levinthal's, 344
 Loeffler's blood serum, 345
 Löwenstein's (tubercle bacillus), 347
 MacConkey's (enteric bacilli), 354
 meat, cooked (Clostridia), 347
 infusion, 341
 methyl-red test medium, 350
 milk, 347
 Mueller's starch-casein hydrolysate (*Neisseria*), 344
 nitrate peptone water, 352
 peptic digest, Fildes' (*Hemophilus*), 344
 peptone-dextrose solution (coliform bacilli), 350
 peptone water, 352
 alkaline (cholera), 358
 Petriagnani's (tubercle bacillus), 348
 phenol-red broth, 342
 proteose peptone chocolate agar (gonococcus), 343
 protozoa, media for, 523, 555
 reaction of, 339
 Russell's double sugar (enteric bacilli), 356
 Sabouraud's (fungi), 231, 358
 selenite enrichment (*Salmonella*), 353
 Senekjic's (*Leishmania*), 523
 sodium hippurate broth (streptococci), 349
 spirochetes, media for, 153
 SS agar (*Salmonella*, *Shigella*), 354
 standardization of, 339
 starch-casein hydrolysate (*Neisseria*), 344
 sterilization of, 340
 sugar-free medium (Enlow's), 343
 sugar media, 356, 357
 synthetic, for tubercle bacilli, 349
 tartrate (*Salmonella*), 350
 tellurite (diphtheria), 345
 tetrathionate broth (*Salmonella*), 352
 thioglycollate, 342
 tomato juice agar (lactobacilli), 357
 tryptose (*Brucella*), 346
 tryptose-glucose-extract-milk agar (milk), 359
 tubercle bacilli, media for, 347
 urea medium, 351
 Verwoort's (*Leptospira*), 358
 violet-red bile agar (coliform bacilli), 360
 viruses, media for, 191
 water analysis, media for, 359
- Cultures, deep tubes, 14
 necropsy, 30
 specimens for, 12
 stock, 14
- Curare, 934
 Curschmann's spirals, 737

Cutaneous reactions (see also Hypersensitivity)

- in blastomycosis, 240
 in brucellosis, 113
 in chancroid, 107
 in *Coccidioides* infection, 236
 in diphtheria, 95
 in echinococcosis, 594
 in filariasis, 626
 in glanders, 121
 in granuloma inguinale, 149
 in helminth infections, 649
 in histoplasmosis, 245
 in leishmaniasis, 517
 in leprosy, 87
 in lymphogranuloma inguinale (Frei), 216
 in pollinosis, 297
 in scarlet fever, 36
 in serum disease, 295
 in trematode infections, 576
 in trichiniasis, 615
 in trichophytosis, 256
 in tuberculosis, 84
 table of diagnostic tests, 302
 technic of tests, 295, 299
 types of, 300
- Cutler's method (sedimentation rate), 396
 graphic chart, 397
- Cyanogenetic glucosides, poisoning with, 940
- Cyclops, 584, 616, 622, 656
- Cyclorrhapha, 683
- Cysticercoid, 581
- Cysticercus*, 581, 592
 cellulosae, 591
- Cystine agar, 345, 346
- Cystinuria, 824
- Cystitis, 848
- Cytodiagnosis, 748

D

- Daboia russelli*, 715, 716
- D'Antoni's iodine solution, 553
- Darkfield illumination, 914
- Datura poisoning, 941
- D.D.T., action on bedbugs, 676
 black flies, 687
 cockroaches, 674
 fleas, 681
 house fly, 702
 lice, 679
 midges, 687
 mites, 664
 mosquitoes, 698
Phlebotomus, 685
 spiders, 661
 ticks, 669
- Deer flies, 698
- Definitive host, 475

INDEX

- Degeneration, basophilic, 417
 toxic, of leukocytes, 422
 Degenerative shift of leukocytes, 427
 Dehydration, 902
 nonprotein nitrogen in, 770
 plasma protein in, 789
 Della Vida's formula, 438
 Delousing, 679
Demodex folliculorum, 664
 Dengue, 222, 688
 Dental caries, 99
Derma-centor andersoni, 114, 177, 200, 223, 666,
 667
 palpi of, 669
 variabilis, 114, 177, 199
Dermanyssus gallinae, 200, 665
 Dermatitis, contact, 299
 from lepidoptera, 674
 venenata, 936
Dermatobia hominis, 706, 708
 Dermatomycoses, 248
 Dermatophytes, key to, 250
 Dermatophytids, 255, 257, 301
 Dermatophytoses, 248
 Dermotropic viruses, 194
 Derris poisoning, 941
 Desensitization, 293
 methods of, 295
 Desert fever, 234, 235
Desmodus rotundus, 206
 Dhoobie itch, 258
 mark dermatitis, 936
 Diabetes mellitus, acidosis in, 805
 blood sugar in, 775
 carbohydrate metabolism in, 776
 cerebrospinal fluid in, 754
 chlorides in, 780
 cholesterol in, 791
 glucose tolerance test in, 777
 phosphorus (inorganic) in, 784
 renal, 779
 Diacetic acid in urine, 834
Dialister pneumosintes, 106
Diamanus, combs of, 681
 montanus, 680
Diaptomus, 656
 Diarrhea, acidosis in, 804
 chlorides in, 780
 Diasone, 85, 88
 Diastase in blood, 797
 in duodenal contents, 868
 in feces, 855
 in urine, 840
 Diazo reaction in urine, 836
 reagent, 872
Dibothriocephalus (see *Diphyllobothrium*), 584
 Dick test, scarlet fever, 36, 302
Dientamoeba fragilis, 527, 529, 546, 547
 Diet, Schmidt's test, 851
 Dieudonne's cholera medium, 358
 Differential leukocyte count, 389
 normal, 425
 prognostic significance of, 426, 428
 Schilling's, 427
 Digestive leukocytosis, 425
 Diluting fluid, 385
 Dilution test, 842
Dioctophyme renale, 645
 Diphtheria, 91, 733
 antitoxin unit, 94
 carriers, 97
 diagnosis of, 92
 immunization from, 96
 media for, 345
 Schick reaction, 95, 302
 serum treatment of, 96
 toxin, 92, 94
 toxoid, 92, 96
 virulence test, 93
 Diphtheroid bacilli, 90, 97
Diphyllobothrium latum, 440, 584, 656, 725
 ovum of, 584
 mansonoides, 593
Diplococcus pneumoniae, 39
 Diplopoda, 657
 Diptera, 682
 larvae of, 707
 stigmatal plates of, 708
Dipylidium caninum, 587, 679
 ovum of, 587
Dirofilaria immitis, 626
 Dissociation, 8
 in animal body, 9
 Dittrich's plugs, 737
 Döderlein's bacillus, 99
 Donath-Landsteiner phenomenon, 446
 Donnan's equilibrium, 801
 Donor for transfusion, 404
 dangerous universal, 407
 universal, 404
 selection of, 404
Donovania granulomatis, 148, 744
 Donovan's bodies, 148
 Dorner's spore stain, 367
 Dourine, 517
Dracunculus medinensis, 621, 624, 656
 Droplet infection, 107, 119
 Drug idiosyncrasies, 300
 Ducrey test, 107, 302
 Dunham tubes, fermentation, 343
 Dunham's peptone solution, 352
 Duodenal contents, 867
 ferments in, 867
 Duodenal tubes, 860
 Dust extract, 298
 Dwarf tapeworm, 586
 Dyes, bacteriostatic action on *Brucella*, 109
 solubility of (table), 363

INDEX

Dysentery, amebic, 529, 535
 bacillary, 133
 stools in, 137, 535, 536
 Dysphagia, anemia with, 433

E

- Ear infections, 735
Eberthella typhosa, 124
Echidnophaga gallinacea, 680
 hind coxa of, 681
 Echinococcosis, 593
Echinococcus, cysts, 591
granulosus, 590
 hooklets of, 740, 825
 scolex of, 591
 intracutaneous tests for, 302, 649
multilocularis, 591
 serologic reactions for, 649
Echinostoma ilocanum, 574
 Ectoparasite, 475
 Ectothrix ringworm, 254
 Ectromelia, infectious, 21
 Edema, 789, 790, 906
 Egg-yolk media, 347, 348
 Ehrlich's diazo reagent, 872
 urobilinogen reagent, 835
Eimeria stiedae, 534
Elaps, 714
 Elastic fibers, 737
 Elementary bodies, 192
 Elephantiasis, 622
 Elman-McMaster method (urobilin), 855
 Encephalitis, 198
 allergic, 294
 cerebrospinal fluid in, 201, 754
 epidemic, Economo type, 198
 Japanese type B, 200, 692
 Russian spring-summer, 201
 St. Louis type, 199
 lethargic, 198
 mumps, 201
 postvaccinal (variola), 201
 antirabic, 209
 Encephalomyelitis, acute, disseminated, 294
 equine, eastern type, 200
 Venezuelan type, 198
 western type, 200, 677, 692
Endamoeba, 524, 526
coli, 544
 cysts of, 537, 541, 544
 cultivation of, 554
gingivalis, 530, 547
histolytica, 529, 530, 542, 543
 cysts of, 525, 541, 543
 Endemic index (malaria), 492
 Endocarditis, subacute bacterial, 38
 Endocrine glands, 877
Endodermophyton (see *Trichophyton*)
Endolimax nana, 526, 546, 547
 Endoparasites, 475
 Endo's medium (typhoid-colon), 353
 Endospores, 9
 Endothrix ringworm, 254
 Endotoxins, 11, 281
 Enlow's sugar-free medium, 343
Entamoeba (see *Endamoeba*), 524
 Enteric bacilli, 123
Enterobius vermicularis, 607
 ovum of, 606
 Enterococci, 39
Enteromonas hominis, 532
 Enzymes, proteolytic, 10
 Eosin-methylene blue agar (enteric bacilli), 353
 Eosinophilia, 428
 in trichinosis, 615
 tropical, 609
 Eosinophilic leukemia, 461
 Eosinophils, 393, 419
 Ephemeroptera, 673, 675
 Epidemic cerebrospinal meningitis, 50
 encephalitis, 198
 Epidemiology, of amebiasis, 527
 of animal parasites, 477
 of bartonellosis, 187
 of brucellosis, 111
 of cholera, 143
 of coccidioidal infections, 236
 of diphtheria, 97
 of encephalitis, St. Louis type, 199
 of equine encephalomyelitis, 199, 200
 of filariasis, 619
 of infectious hepatitis, 217
 of leprosy, 86
 of *Leptospira* infections, 158
 of lymphocytic choriomeningitis, 202
 of pinta, 174
 of plague, 118
 of poliomyelitis, 204
 of psittacosis, 214
 of relapsing fever, 152
 of *Salmonella* infections, 131
 of serum jaundice, 218
 of *Shigella* infections, 136
 of tuberculosis, 81
 of tularemia, 114
 of typhoid fever, 127
 of yaws, 171
 of yellow fever, 220
 Epidermatophytids, 255, 301
Epidermophyton floccosum, 258, 260, 261, 262
 Epidermophytosis, 258
 Equivalent normal solutions, 921
Eratyrus cuspidatus, 677
 Ergosterol, activated, 894
 Ergotism, 228
Eristalis tenax, 707, 708
 Erysipelas, 35

- Erysipeloid, 98
Erysipelothrix rhusiopathiae, 98
Erythraema multiforme, 469
 nodosum, 234
 Erythrasma, 248
 Erythremia, 455
 Erythroblast, 417
 Erythroblastosis foetalis, 452
 Erythrocyte-maturing factor, 435, 436
 Erythrocytes, 415
 Erythrocytosis, 454
 Esbach's albuminometer, 827
Escherichia coli, 138
 communior, 138
 Espundia, 516
 Esthiomène, 215
Eusimulium, 621, 686
Eutriatoma, 677
Eutrombicula alfreddugesi, 662
 Ewald breakfast, 860
 Exflagellation of plasmodia, 509, 510
 Exoerythrocytic cycle (malaria), 489
 Exotoxins, 280
 Exton-Rose glucose tolerance test, 778
 Extrinsic factor, 435
 Exudates, 755, 760
 Eye, flies, 702
 infections of, 731
- F**
- Faget's sign, 219
 Falba, 283
Fannia scalaris, 708
 Farcy, 120
Fasciola hepatica, 572
 ovum of, 572
Fasciolopsis buski, 573
 ovum of, 573
 Fat in feces, 852, 852, 857
 Fatty acid crystals, 852
 Favism, 445, 936
 Favus, 257
 Feces, 850
 amebae in, 536
 bacteria in, 854
 bile in, 855
 chemical examination of, 855
 collection of specimens of, 551
 cultures of, 144, 854
 diet for examination of, 851
 examination, for helminths, 640, 641
 for ova and larvae, 641
 fats in, 852, 852, 857
 in amebic dysentery, 535
 in bacillary dysentery, 137
 in cholera, 143, 144
 in sprue, 440
- Feces—(Continued)
 microscopic constituents of, 851
 occult blood in, 856
 pancreatic ferments in, 855
 plating media for, 353
 preservation of specimens of, 644
 pseudoparasites in, 549, 550
 soaps in, 852
 starch in, 852
 urobilin in, 855
 Felix-Weil reaction (typhus), 141, 180
 Fermentation, by bacteria, 16
 tests for glucose, 832
 tubes, 343
 Ferments in duodenal fluid, 867
 Fever, basal metabolism in, 880
 Fibers in urine, 825
 Fibrinogen, 467, 788
 determination of, 787
 in diseases of the liver, 876
 Fibrinolysin test, 370
 Fibrinopenia, 467
 Field's stain (protozoa), 508
 Filariasis, 622, 690, 692
 diagnosis of, 624
 geographical distribution of, 617
 insect transmission of, 616
 Filariform larvae, 598, 633
 table of, 611
 Fildes' peptic digest (*Hemophilus*), 344
 Films, bacterial, 362
 blood, on coverslips, 387
 on slides, 387, 507
 staining, technic of, 388
 thick, 391, 506, 507
 Filters, 917
 Filtrability of viruses, 189
 Filtrable viruses (*see* Viruses), 189
 Filtration, 918
 Fish, poisonous, 722, 723
 Fish-handlers' disease, 98
 Fishberg concentration test, 842
 Fixation, of arthropods, 712
 of blood films, 389
 of complement, 291, 317
 of tissues, 920
 Flagella, 15
 of typhoid bacillus, 125
 Flagellata, 511
 morphologic forms of, 512, 513
 Flagellates, 485
 intestinal, 530
 Flatworms, 560, 578
 Flavocidin, 272
 Flavicin, 272
 Fleas, 654, 679
 preservation of, 712
 vectors of plague, 118
 Flesh flies, 704

Flies, 654, 682, 698
 larvae, stigmal plates of, 708
 Flocculation reactions in syphilis, 305
 Flotation methods, 609, 642
 Flukes, 560, 561, 635
 classification of, 560
 immature stages of, 562
 life history of, 563, 564
 of blood, 566
 of intestines, 573
 of liver, 571
 of lungs, 574
 ova of, 567, 568, 629
 Foam cells, 463
 Focus, microscopical, 912
 Folic acid, 901
 in pernicious anemia, 901
 in sprue, 440
 Folinic acid, 901
 Folin-Wu system of blood analysis, 763
 Fontana stain (spirochetes), 367
 Fontes' staining method (mycobacteria), 366
 Food-deficiency diseases, 885
 Food poisoning, 46, 72, 131
 Foot-and-mouth disease, 197
 Formalin fixation, 921
 Formol-gel test (kala-azar), 523
 Forssmann antigen, 281, 465
 Fowls, natural infections of, 30
 Fractional gastric analysis, 860
 sterilization, 340
 Fragility of red cells, 394, 414
 Frambesia, 170
 Frei test (lymphogranuloma inguinale), 216,
 302
 inverted test, 216
 Friedländer group, 122
 Friedman test for pregnancy, 882
 rabbit ovaries in, 881, 882, 883
 Frog test for pregnancy, 884
 Froin's syndrome, 747
 Fuchsin lactose broth (water analysis), 360
 Fuguism, 722
 Fumagatin, 272
 Functional tests, of digestion, 851
 of kidney, 840
 of liver, 870
 of pancreas, 858, 867
 Fungi, 226
Aleurisma, 270
Allescheria, 267
Arotheca, 271
Ascomyces, 237
Aspergillus, 265
Blastomyces, 239
Candida, 246
Cephalosporium, 267
 classification of, 226
Coccidioides, 235

Fungi—(Continued)
Cryptococcus, 243
 cultivation of, 230
Endodermophyton (see *Trichophyton*)
Epidermophyton, 258
 examination of, 230
Glenospora, 267
Haplosporangium, 236
Histoplasma, 244
Hormodendrum, 271
 Imperfecti, 238
 in hair, 232
 in pus, 233
 in skin, 232
 in sputum, 233, 738
Indiella, 267
Madurella, 267
Malassezia, 248
Microsporium, 251
Monilia, 246
Monosporium, 267
 morphology of, 228
Mucor, 234
Penicillium, 265
Phialophora, 270
Phycomycetes, 233
Piedraia, 237
Rhinosporidium, 238
Rhizopus, 234
Rubromadurella, 267
Scopulariopsis, 265
Sporotrichum, 268
Sterigmatocystis, 267
Trichophyton, 254
Trichosporum, 237, 270
Zymonema, 242
 Fuseaux, 229
 Fusiform bacillus, 154
 in sputum, 739
Fusififormis dentium, 154
nucleatum, 155
polymorphum, 155
Fusobacterium plauti-vincenti, 154
 Fusospirochetosis, 155

G

G colonies, 9
 Gabbett's solution, 365
Gaffkya tetragena, 32, 45
 Galactose tolerance test, 875
 Gall-bladder, drainage of, 868
 Gall-stones, 851
 in feces, 851
 Gametocytes, 491, 502
 Gangliosides, 463
 Gangosa, 172
 Gaertner group of bacilli, 132

INDEX

- Gas bacillus, 63
 gangrene, 63
- Gastric cancer, 866
 anemia in, 441
 in pernicious anemia, 441
- Gastric contents, 859, 861, **862**
 chemical examination of, 862
 tubercle bacilli in, 865
- Gastric ulcer, 866
- Gastrodiscus hominis*, 574
- Gastroenteritis (*Salmonella*), 131
- Gastrophilus intestinalis*, 707
- Gaucher's disease, 463
- Gelatin medium, 349
 liquefaction of, 15
- Gelatinase, 15
- General paresis, cerebrospinal fluid in, 753, 754
- Geohelminth, 600
- Gerhardt's test (diacetic acid), 834
- Giardia lamblia*, 531, 548
- Giardiasis, 532
- Giemsa's blood stain, 388, 507
- Gigantic acid, 272
- Ginger paralysis, 937
- Glanders, 120
- Glandular fever, 464
- Glassware, cleaning of, 337, 387
- Glenospora*, 267
- Gliotoxin, 272
- Globulin, antihemophilic, 470
 immune, 282
 in cerebrospinal fluid, 748
 in plasma, 788, 789
 precipitation test, 523
- Glomerular filtrate, 840
- Glossina*, 518, 700
 head of, 701
morsitans, 701
palpalis, 700, **701**
tachynoides, 701
- Glucose, in blood, 774
 Folin-Wu method of determination, 773
 micromethod, 774
 in urine, 831
 rapid fermentation of, 875
 tolerance test, 776
 two-dose test (Exton and Rose), 778
- Glycerin agar, 341
- Glycerol, buffered, 360
- Glyciphagus*, 665
- Glycosuria, renal, 779
 significance of, 833
- Glycuronic acid in urine, 834
- Gmelin's test (bile), 835
- Gnathostoma spinigerum*, 607
- Gongylonema pulchrum*, 674
- Gonococcal arthritis, 50
 meningitis, 50
 ophthalmia, 50
- Gonococcus, 48
 delayed planting of cultures of, 368
 penicillin, action on, 50
 selective media for, 343
 sulfonamides, action on, 50
- Gonorrhoea, 48
 complement fixation in, 50
 diagnosis of, 49
- Goodpasture's stain (peroxidase), 389
- Gordiacea, 559
- Goundou, 172
- Gout, blood uric acid in, 772
- Grain itch mite, 665
- Gram-negative bacilli, 101
 cocci, 48
- Gram-positive bacilli, 57, 74
 cocci, 31
- Gramacidin, 272
- Gram's stain, 15, 363
 iodine solution, 364
- Granulocytes, 418
- Granuloma inguinale, 149
- Grawitz granules, 417
- Gregerson's test (occult blood), 856
- Grocers' itch, 665
- Ground itch, 608
- Group agglutinins, 286
 reactions, 281
- Groups, blood, 402
- Growth factors, bacterial, 10
 biotin, 902
L. casei factor, 901
 P factor, 900
- Guarnieri bodies, 195
- Guillain-Barré syndrome, 749
- Guinea pigs, inoculation of, 83, 369
 natural infections of, 30
- Guinea worm, 621
- Gum ghatti solution, 767

H

- Haden-Hausser hemoglobinometer, **380**
- Haemadipsa zeylanica*, 559
- Haemagogus capricornii*, 221
- Haemaphysalis humerosa*, 667
- Haematopota*, 699
- Haemoproteus*, 488
- Haemosporidia, 488
- Haffkine's cholera vaccine, 145
 plague vaccine, 119
- Haffkrankheit, 446
- Hair, examination for fungi, 232
- Hair-follicle mites, 664
- Hair worms, 559
- Haldane's test for CO, 814
- Halometer, 391
- Halzoun, 734

- Hanging block cultures, 232
 drop, 362
Haplosporangium parvum, 236
 Haptenes, 281
 Hashish, 935
 Haverhill fever, 147
 Hay fever, 297
 Hayem's blood diluent, 385
 Hay's test (bile salts), 835
 Heart failure cells, 738
 Heat exhaustion, chlorides in, 780
 Heidenhain's iron hematoxylin (amebae), 553
 Heller's test for albumin, 827
 Helminths, 556
 key to, 634
 larvae, key to, 632
 ova, key to, 628
 preservation of specimens of, 644, 650
Heloderma, 721
 Helvolic acid, 272
 Hemacytometer, 382, 384
 Hematocrit tube, Van Allen, 386
 Wintrobe, 386
 Hematoxylin stain, 389
 Hematuria, 821
 Hemin crystals, 812
 Hemiptera, 673, 675
 Hemlock poisoning, 937
 Hemochromogen crystals, 812
 Hemoglobin, buffer action of, 800
 derivatives, spectroscopic tests for, 812, 813
 estimation of, 378
 Hemoglobinemia, 444
 Hemoglobinometer, Haden-Hausser, 380, 380
 photoelectric, 381
 Sahli, 379
 Sahli-Hellige, 379
 standardization of, 381
 Tallqvist, 381
 Hemoglobinophilic bacilli, 104
 Hemoglobinuria, 444, 836
 in blackwater fever, 445, 497
 march, 446
 paroxysmal, 445
 nocturnal, 448
 paralytic, 446
 test for, 836
 Hemolysin, 284
 titration of, 323
 Hemolytic jaundice, 451
 Hemophilia, 470
Hemophilus, 104
 accessory food factors for, 104
 conjunctivitis, 106
 culture media for, 344
 ducreyi, 107
 hemolyticus, 106
 influenzae, 104, 104, 105
 types of, 105
Hemophilus—(Continued)
 lacunatus, 106
 parainfluenzae, 106
 parapertussis, 108
 pertussis, 107, 108
 relationship to influenza, 105
 suis, 106
 Hemorrhagic diseases, 467
 of the newborn, 468
 septicemia group of bacilli, 120
 Hemosiderin granules in urine sediment, 444,
 820
 Henderson-Hasselbalch equation, 799
 Henoch's purpura, 469
 Heparin, 467
 Hepatitis, amebic, 530
 enzootic, 223
 homologous serum, 218
 infectious, 217
 Herpes febrilis, 198
 zoster, 197
Herpetomonas, 512
 Herring poisoning, 723
Heterodera marioni, 609
 Heterophil antibodies, 281
 antigens, 281
Heterophyes heterophyes, 573
Hippelates pallipes, 171
 Hippuric acid excretion test, 874
 Hirudinea, 559
Hirudo medicinalis, 559
 Hiss' capsule stain, 366
 Histamine, 861
 Histiocytes, 394
Histoplasma capsulatum, 244
 Histoplasmin, 245
 Histoplasmosis, 243
 pulmonary calcification in, 245
 Hodgkin's disease, 461
 sarcoma, 462
 Homogeneous cysts, 549, 550
 Homogentisic acid in urine, 834
 Hookworms, 602
 cultivation of larvae of, 648
 filariform larva of, 633
 ovum of, 603
Hoplopyllus anomalus, 680
Hormodendrum compactum, 271
 pedrosoi, 271
 Horn fly, 700
 Horse bot, 707
 flies, 698
 Hosts, 475, 478
 House fly, 702
 Howell-Jolly bodies, 418
 Howell's theory of coagulation, 467
 Hr factor, 409
 Huppert-Nakayama test (bile), 835

- Huyghenian oculars, 912
 Hydatid disease, 591
 larvae, 582
 Hydrogen ion concentration, 798
 determination of, 922
 bicolor method, 926
 in stomach contents, 863
 in urine, 819, 926
 Hydrogen sulfide, detection of, 351
 production of, by *Brucella*, 110
 Hydrophobia, 206
 Hydrops foetalis, 452
Hymenolepis diminuta, 586, 657, 674
 ovum of, 587
 nana, 586
 ovum of, 586
 nana-fraterna, 586
 Hymenoptera, 673, 675
Hyoscyamus poisoning, 941
 Hyperacidity, gastric, 865
 Hyperbilirubinemia, 871
 Hyperglycemia, 775
 Hyperimmunization, 280
 Hyperinfection, 601
 Hyperinsulinism, 775, 778
 Hypermotility, gastric, 865
 Hypersensitiveness, 292 (*see also* Cutaneous reactions)
 in dermatomycoses, 256, 301
 in *Echinococcus* infection, 594
 in filariasis, 626
 in man, 294
 in schistosomiasis, 570, 576
 in trichiniasis, 615
 intracutaneous tests for, 295, 299
 ophthalmic tests for, 295
 passive transfer of, 293, 296
 patch tests for, 299
 relation to immunity, 294
 scratch test for, 299
 tissue, 294
 to bacteria, 300
 to drugs, 300
 to dust (house), 298
 to foods, 298
 to homologous protein, 293
 to Mayflies, 675
 to nervous system (central) tissue, 293
 to pollen, 297
 to serum, 295, 296
 to spores of fungi, 298
 to tuberculin, 83, 300
 Hypersplenism, 466
 Hyperthyroidism, basal metabolism in, 880
 cholesterol (blood) in, 791
 glucose tolerance test in, 778
 Hyperventilation, 804
 Hyphae, 228, 228
 Hyphomycetes (*see* Fungi Imperfecti), 238
Hypoderma lineatum, 708
 Hypoglycemia, 775
 Hypothyroidism (*see* Myxedema), 880
- I
- Ichthyotoxism, 722
 Icterus, gravis neonatorum, 452
 hemolytic, 451
 index, 872
 spherocytic, 451
 Idiosyncrasy, 292
 Illumination, 913
 darkfield, 914
 Immediate reaction (revaccination), 197
 Immersion objectives, 912
 Immune bodies, 281
 serum, antibacterial, 283
 antitoxic, 283
 in diagnosis, 286
 preparation of, 282
 treatment with (*see also* Antitoxin)
 in anthrax, 61
 in botulism, 73
 in *Clostridium* infections, 67
 in diphtheria, 96
 in dysentery (bacillary), 137
 in *Hemophilus* infections, 106
 in *Leptospira* infections, 160
 in meningococcus infections, 55
 in plague, 120
 in pneumococcus infections, 44
 in poliomyelitis, 205
 in scarlet fever, 36
 in tetanus, 70, 71
 in tularemia, 116
 in virus infections, 195
 Immunity, 279
 active, 279
 in anthrax, 59
 in botulism, 73
 in cholera, 145
 in diphtheria, 96
 in influenza, 210
 in *Leptospira* infections, 159
 in malaria, 496
 in plague, 119
 in poliomyelitis, 205
 in relapsing fever, 153
 in Rift-Valley fever, 223
 in scarlet fever, 36
 in smallpox, 195, 197
 in *Staphylococcus* infections, 47
 in syphilis, 163, 168
 in tetanus, 70
 in *Treponema* infections, 163
 in tuberculosis, 84
 in tularemia, 115
 in virus infections, 192

Immunity—(Continued)
 in yellow fever, 220
 natural, 280
 passive, 280
 Imvic reaction, 138
 Inactivation of serum, 284
 Inclusion bodies, 191
 in herpes febrilis, 198
 zoster, 197
 in lymphogranuloma inguinale, 215
 in psittacosis, 214
 in rabies, 207
 in Rift-Valley fever, 223
 in smallpox, 195
 in varicella, 197
 in yellow fever, 219
 Index, Arneith's, 426
 color, 416
 malarial, 492
 of resistance, 426
 saturation, 416
 volume, 416
 India ink method (treponemata), 170
 Indican in urine, 836
 Indicators, 339, 923
Indiella, 267
 Indol, production of, 16, 138
 test for, 352
 Infection, factors determining, 11
 of war wounds, 62
 Infectious mononucleosis, 98, 464
 Infestation, 475
 Influenza, 105, 209
 bacillus, 104
 in swine, 106, 211
 vaccination, 211
 Infusoria, 533
 Inhibitory agents, 16
 Inoculation, of animals, 20, 22
 of media, 12
 Inositol, 899
 Insecta, 671
 orders of, 673
 Inspissators, 345
 Insulin, functions of, 775
 Interference of viruses, 193
 Intermediate host, 475
 Intestinal obstruction, blood chlorides in, 780
 N.P.N. in, 770
 Intracutaneous tests, 297, 299 (see also Cutaneous reactions)
 Intrinsic factor, 435
 Inulin clearance, 841
Iodamoeba bütschlii, 526, 546, 547
williamsi, 525
 Iodine solution, 553
 Iron, agar, 356
 deficiency anemia, 432
 hematoxylin saline solution (feces), 552

Iron—(Continued)
 hematoxylin stain (protozoa), 553
 in blood (Wong), 382
Isidora, 570
 Isoagglutinins, human, 402
 inheritance of, 404
 preparation of stock sera, 407
Isospora hominis, 534
 Itch mite, 664
Ixodes, palpi of, 669
persulcatus, 201, 667
 Ixodidae, 654, 666, 667
 key to, 668

J

Jaksch anemia, 454
 Janus green (stain), 393
 Japanese river fever, 177
 Jaundice, 871
 catarrhal, 217
 hemolytic, acquired, 452
 familial, 451
 homologous serum, 218
 infectious, 158, 217
 obstructive, cholesterol in, 791
 phosphatase in, 785
 postarsphenamine, 218
 van den Bergh reaction in, 872
 Jellyfish poisoning, 726
 Jengkol poisoning, 937
 Jigger, 680
 Johne's disease, 77
 Jongkok test (beriberi), 889
 Jugendformen (leukocytes), 427
 Jungle yellow fever, 221

K

Kahn reaction, 306, 318, 319, 320
 antigen, 307
 presumptive test, 316
 quantitative test, 313
 spinal fluid procedure, 314
 standard test, 307
 Kala-azar, 515
 formol-gel test in, 523
 plasma globulin in, 789
Katayama (snail), 570
 Katayama's test for CO, 814
 Kava, 937
 Kelling's test (lactic acid), 863
 Kerasin, 463
 Keratoconjunctivitis, epidemic, 198
 Kerion, 255
 Kernicterus, 452
 Ketogenic diet, 835

- Ketone bodies in urine, 805, 834
 Ketosis, 804
 Key, to animal parasites of man, 481
 to branching bacilli, 74
 to cestodes, 636
 to cocci, 31
 to cockroaches, 672
 to corynebacteria, 74
 to dermatophytes, 250
 to Gram-negative bacilli, 101
 to helminths, adult, 634
 larval, 632
 to malaria parasites, 503
 to mosquito larvae, 697
 to mosquitoes, 696
 to mycobacteria, 74
 to nematodes, 637
 to ova of helminths, 628
 to snakes, 715
 to spore-bearing bacilli, 57
 to ticks: Argasidae, 670
 Ixodidae, 668
 to trematodes, 636

- Kidney, ammonia formation by, 802
 diseases, table of, 830
 function, tests of, 840
 tubular absorptive mass, 841
 excretory mass, 841
 worm, 645

- Kirchner's medium (tubercle bacilli), 349
Klebsiella pneumoniae, 122
 Kligler's iron agar (enteric bacilli), 356
 Knott's concentration method, 646
 Koch-Weeks bacillus, 106
 Koilonychia, 433
 Kolmer reaction (syphilis), 317
 Krumwiede's triple sugar medium, 357
 Kundrat's lymphosarcoma, 462

L

- Labile factor, 467
 Lactic acid (gastric), 863
Lactobacillus, 75, 98
 acidophilus, 99
 arabinosus, 100
 bifidus, 99
 boas-oppleri, 99, 862
 bulgaricus, 99
 casei, 100
 factor, 901
 fermenti, 100
 Lactophenol, 233
 Lactose in urine, 834
*Lambli*a (see *Giardia lamblia*), 548
 Lane's D.C.F. concentration method (ova), 643
 Lange's colloidal gold test, 750
 Large mononuclears, 422
 Larva migrans, 603, 707

- Larvae, fly, 707
 mosquito, 692, 694, 697
 mounting, 710
 Lathyrism, 938
Latrodectus mactans, 660
 Lead, in urine, 837
 poisoning, 448
 cerebrospinal fluid in, 754
 Lead acetate medium, 351
 Lederer's anemia, 448
 Leeches, 559
 Leishman-Donovan bodies, 244, 516
Leishmania, 244, 512, 684
 brasiliensis, 513, 698
 culture media for, 523
 donovani, 512, 515
 infantum, 513
 life cycle of, 514, 515
 serologic tests for, 523
 tropica, 513, 516
 Leishmaniasis, 515
 geographical distribution of, 514
 vectors of, 514
 Lepidoptera, 673, 674
 Lepra reaction, 87
 Lepromin, 86, 87
 Leprosy, 85
 clinical features of, 86
 diagnosis of, 87
 in rats, 88
 staining methods, 365
 treatment of, 88
 Wassermann reaction in, 88
Leptomonas, 512
Leptopsylla, combs of, 681
Leptospira, 157
 agglutination test for, 287
 autumnalis, 160
 canicola, 158
 cultivation of, 159
 hebdomadis, 160
 icterohaemorrhagiae, 157, 159
 Lethargic encephalitis, 198
 Leucin in urine, 824
 Leukemia, 456
 acute, 458, 459, 459, 460
 aleukemic, 460
 chronic lymphatic, 457, 457
 myelogenous, 456, 456
 eosinophilic, 461
 leukopenic, 460, (Plate III) facing 458
 mast cell, 461
 megakaryocytic, 461
 mixed, 460
 monocytic, 460, (Plate IV) facing 460, (Pl
 V) facing 462
 plasma cell, 461
 Leukocytes, 418, (Plate II) facing 420
 differential count of, 390, 425

ocytes—(Continued)
 immature, 419, 421
 in urine, 820
 normal count of, 418
 origin of, 423
 pathologic, 422
 toxic injury to, 422
 Leukocytosis, 425, 427
 significance of, 426, 428
 Leukopenia, 429
 Leukosarcoma, 462
 Levinthal's medium, 344
 Levy-Hausser counting chamber, 382, 384
 Lice, 654, 678
 destruction of, 679
 disease transmitted by, 678
 Life cycle, of animal parasites, 477, 478
 of cestodes, intestinal, 582, 583
 somatic, 589, 590
 of *Endamoeba histolytica*, 527, 528
 of *Leishmania donovani*, 514, 515
 of malaria, 489, 490
 of nematodes, intestinal, 598, 599
 somatic, 616
 of trematodes, 563, 564
 of *Trichinella spiralis*, 612, 614
 of *Trypanosoma cruzi*, 521
 gambiense, 518
Limnatis nilotica, 559
 Line test (McCullum-Shipley), 895
Linguatula serrata, 735
 Lipase estimation, 868
Liponyssus bacoti, 665
 Liquefaction of gelatin, 15
Listeria monocytogenes, 98
 Liver, abscess, amebic, 530
 acute necrosis of, cholesterol esters in, 791
 fibrinogen in, 876
 plasma protein in, 789
 urea nitrogen in, 876
 antianemic principle of, 435
 flukes, 571
 function, tests of, 870
 Lizards, 721
Loa loa, 621, 698
 Localization, selective, of treponemas, 163
 Locke's egg-serum medium, 555
 Loeffler's blood serum, 345
 methylene blue, 363
 Loiasis, 623
 Louping ill, 28
 Louse mites, 665
 Löwenstein's medium (tubercle bacilli), 347
Lucilia caesar, 704
 sericata, 704
 Luetin, 169
 Lugol's solution, 553
 Lumbar puncture, 745
 Lung flukes, 574

Lutz-Splendore-De Almeida's disease, 242
 Lymphangitis epizootica, 243
 Lymphatic leukemia, 457, 457
 Lymphoblastoma, 461
 follicular, 462
 Lymphoblasts, 421
 Lymphocytes, 393, 421
 Lymphocytic choriomeningitis, 202, 754
 Lymphocytosis, 429
 acute infectious, 465
 Lymphogranuloma inguinale, 215, 302
 Lymphosarcoma, 462
 Lyon's blood tube, 918

M

M and N agglutinogens, 412
 MacConkey's medium (enteric bacilli), 354
Macracanthorhynchus hirudinaceus, 559, 674
 Macroblasts, 417
 Macroconidia, 229, 255
 Macrocytes, 416
 Macrogamete, 492
 Macrophages, 422
 Madura foot, 90, 266, 268, 269
Madurella mycetomi, 267
 Maduromycosis, 266, 268, 269
 Magnifying power, 912
 Malabar itch, 261
 Malaria, 488
 blackwater fever in, 496
 clinical manifestations of, 493
 temperature charts, 494
 diagnosis of, 497
 drugs, action of, 493, 499
 geographic distribution of, 496
 immunity from, 496
 in monkeys, 489
 index, 492
 mosquito vectors of, 693
 parasites, 498
 concentration of, 505
 cultivation of, 505
 density of, 508
 in thick films, (Plate VII) facing 498
 in thin films, (Plate VI) facing 498
 key to, 503
 life cycle of, 489, 490
 pernicious, 495
 prevention of, 492
 provocative measures, 499
 relapses in, 497
Malassezia furfur, 248
 ovalis, 743
 Malignant disease, exudates in, 760
 plasma globulin in, 789
 neutropenia, 465
 pustule, 60
 Mallein, 121

- Malleomyces mallei*, 120
pseudomallei, 121
 Malta fever (*see* Brucellosis), 108
 Manchineel poisoning, 938
 Mandioca poisoning, 940
 Mandler filters, 917
 Mange, 664
 Mangoes poisoning, 936
Mansonella ozzardi, 621, 687
Mansonina, 223, 619
 Mantoux tuberculin test, 84
 Marble bone disease, 443
 Marihuana, 935
 Marmite, 439
 Marrow, bone, aspiration of, 399
 differential count (normal) of, 400
 Mast cell, 419
 leukemia, 461
 Mastic test, 753
 Mastigophora, 485, 511, 530
 Maturation, arrest of, 438, 442
 Maurer's spots, 502
 Mayflies, 675
 McIntosh and Fildes' anaerobic method, 919
 McKinnon's test (smallpox), 195
 Measles, 212
 Meat poisoning, 131
 Media (*see* Culture media), 338
 Medina worm, 621
 Medusa, 726
 Megakaryocytes, 430, 469
 Megakaryocytic leukemia, 461
 Megaloblast, 417
Megalopyge opercularis, 675
 Melaena neonatorum (*see* Hemorrhagic disease
 of the newborn), 468
 Melioidosis, 121
 Meningitis, aseptic, acute, 202
 epidemic cerebrospinal, 50
 cerebrospinal fluid in, 754
 diagnosis of, 52
 influenzal, 105
 lymphocytic chorio-, 202
 tuberculous, cerebrospinal fluid in, 754, 755
 Meningococæmia, 50
 Meningococcus, 50, 51
 agglutination tests for, 54
 capsule swelling, test for, 53
 carriers of, 54
 classification of, 52
 in nasopharynx, 54, 734
 penicillin, action on, 54
 serum, immune, action on, 55
 sulfonamides, action on, 54
 Meningopneumonitis virus, 213
 Mercury in urine, 836
 Metabolism, basal, 877
 Metacercaria, 562, 563
Metagonimus yokogawai, 573, 725
 Metamyelocytes, 419
 Methemalbumin, 444
 Methemoglobin, 449, 814
 Methyl red test, 138, 350
 medium for, 350
 Methylene blue, 363
 Mett's test (pepsin), 864
 Mice, natural infections of, 21
Micrococcus, 31, 45
 catarrhalis, 55
 citreus, 45
 pharyngis siccus, 56
 pyogenes, var. *albus*, 45
 var. *aureus*, 45
 tetragenus, 45
 Microcytes, 416
 Microfilaria, 624, 625, 634
 examination of blood for, 646
 periodicity of, 620, 624
 staining of, 647
 table of, 625
 Microgametocytes, 492
 Micrometer, ocular, 915
 standardization of, 916
 Microscope, 911, 912
 Microsporosis, 251
Microsporium audouini, 251, 252
 canis, 251, 253
 felinum, 251
 gypseum, 252, 258
 minutissimum, 248
 scolaceus, 251
Micruroides euryxanthus, 714
Micrurus fulvius, 714, 715, 718
 Midges, 687
 Miescher's tubes, 534
 Milk, media, 347
 Brucella in, 111
 diet, anemia due to, 432
 sickness, 938
 tubercle bacilli in, 80
 Millipedes, 657
 Minas Geraes fever, 177
 Minimal lethal dose, 92
 Miracidium, 562, 562
 Mites, 654, 659, 662
 mouth parts of, 661
 preservation of, 711
 Moccasin venom test, 470
 Molds (*see* Fungi), 226
 Mollusk hosts, 565, 650
 in schistosomiasis, 570
 of *S. japonicum*, 570
Monilia albicans, 246, 246
 Moniliasis, 246
Moniliformis moniliformis, 559, 674
 Monkeys, natural infections of, 30
 Monoblasts, 422
 Monocytes, 393, 422

Monocytic leukemia, 460
 Monocytoma, 462
 Monocytosis, 429
Monosporium apiospermum, 267
 Morax-Axenfeld bacillus, 106
Moraxella lacunatus, 106
 Mörner's reagent, 824
 Mosaic disease of tobacco virus, 191
 Mosaic structures, 233
 Mosquitoes, 654, 687
 blood in, identification of, 712
 classification of, 687
 control of, 692, 693, 694, 695
 development of, 688
 dissection of, 509, 510
 larvae of, 697, 710
 malaria parasites in, 491
 oöcysts in, 492, 510
 ova of, 710
 preservation of, 709
 terminalia of, 709, 710
 transmitters of malaria, 693
 tribal characters, 689
 Moth midges, 687
 Motility, 14
 Brownian, 15
 Mountain sickness, 455
 Mounting, arthropods, 710
 parasites, media for, 710
 Much's granules, 79
 Mucin, bacterial suspension in, 51, 105, 128
 in urine, 827
Mucor, 234
 corymbifer, 234
 mucedo, 234
 Mucous colitis, 850
 Mucus in urine, 822
 Mueller's starch-casein hydrolysate medium
 (*Neisseria*), 344
 Multiple myeloma, 462
 sclerosis, hypersensitiveness in, 294
 cerebrospinal fluid in, 754
 Mumps, 201, 212
 Murexide test (uric acid), 839
Musca domestica, 702, 703, 708
 sorbens, 705
 Muscarin, 939
 Mushroom poisoning, 939
 Mussels, poisoning by, 725
 Mustard oil poisoning, 939
 Mutation, of *Hemophilus influenzae*, 277
 of influenza virus, 210
 of meningococci, 277
 of viruses, 192
 of yellow fever virus, 220
 Mycetoma, 90, 266
Mycobacterium, 74, 75
 avium, 80
 butyricum, 77

Mycobacterium—(Continued)

johneii, 77
 lacticola, 76, 78
 leprae, 85
 leprae-murium, 88
 nonpathogenic species, 76, 77
 phlei, 77
 tuberculosis, var. *bovis*, 80
 var. *hominis*, 78, (Plate I) facing 90
 culture of, 79
 media for, 347
 staining of, 365
 Mycoses, 227
 Myeloblasts, 394, 419
 Myelocytes, 393, 419
 Myelocytosis, 429
 Myelogenous leukemia, 456
 Myeloma, 462
 cell, 463
 plasma protein in, 789
 Myelosclerosis, 444
 Myiases, 702, 704, 707
 aural, 736
 nasal, 735
 ocular, 732
 Myoglobinuria, 446
 Myxedema, anemia in, 441
 basal metabolism in, 880
 blood cholesterol in, 791

N

Nagana, 517
 Nasal infections, 735
Necator americanus, 601, 602
 Necropsy, cultural methods, 30
 Negri bodies, 207
Neisseria, 32, 48
 catarrhalis, 55
 flava, 55
 flavescens, 55
 gonorrhoeae, 48, (Plate I) facing 90
 intracellularis, 50
 meningitidis, 50
 perflava, 55
 sicca, 56
 subflava, 55
Nemathelminthes, 595
Nematocera, 683
 antennal characters of, 683
 Nematodes, 595, 596
 intestinal, 598, 638
 clinical symptoms of, 608
 diagnosis of, 609
 key to, 637
 larvae of, 632
 filariform, 598, (table) 611, 633
 key to, 632
 rhabditiform, 597, 600, (table) 611, 632

- Nematodes, intestinal—(Continued)
 life cycle of, 598, 599
 ova of, (table) 610, 631
 somatic, 615, 639
 key to, 640
 life cycle of, 616
- Nematomorpha, 559
- Nephritis, acidosis in, 805
 anemia in, 442
 chlorides in, 781
 cholesterol in, 791
 creatinine in, 771
 glomerular, 37
 nonprotein nitrogen in, 770
 phosphorus in, 784
 plasma proteins in, 789
 uric acid in, 772
- Nephrosis, 831
 chlorides in, 789
 cholesterol in, 791
 plasma proteins in, 789
- Nessler's solution, 766
- Neubauer ruling, 382, 384, 385
- Neurotropic viruses, 194
- Neutral red (supravital stain), 393
- Neutralization tests (see Antibodies, neutralizing)
- Neutropenia, malignant, 465
 primary splenic, 466
- Neutrophilic leukocytes, 393, 418
- Neutrophils, "pernicious anemia," 437
- Niacin, 891
- Nicotinic acid, 891
- Niemann-Pick's disease, 463
- NIH anal swab, 644, 645
- Nitrate peptone water, 352
- Nitrogen, determination (nonprotein), 766
 metabolism after trauma, 904
 total in urine, 837
- Nitroso-indol reaction, 142
- Nocardia*, 74, 89
asteroides, 90
gypsoides, 90
madurae, 90
- Nomenclature, botanic, 3
 law of priority in, 480
 zoologic, 480
- Nonne's syndrome, 749
- Nonprotein nitrogen, blood, 766
 Buell-Gentzkow method of determination, 767
 Folin-Wu method, 766
 significance of, 769
- Noon's unit (pollen), 297
- Normal solutions, 921
- Normoblasts, 417
- Nose, infections of, 735
- Nosopsyllus*, combs of, 681
fasciatus, 680
- Novy jar, 919
- Nuclear particles, 418
- Nucleoalbumin in urine, 827
- Nucleus, of bacteria, 9
 of protozoa, 484
- Numerical aperture, 911
- Nutritional edema, 906
- O
- Obermeyer's reagent (indican), 836
- Objectives, 911, 912
- Occult blood, 836, 856
- Ochrogaster contraria*, 674
- Ocular infections, 731
 animal parasites in, 732
- Oculars, 912
- Oidiomycin, 301
- Oidium albicans*, 247
- Oil immersion, 912
- Onchocerca volvulus*, 621
- Onchocerciasis, 623
- Oncomelania* (snail), 570
- Onychomycosis, 262
- Oöcysts, 492, 510
- Oöspores, 229
- Opisthorchis felineus*, 572
viverrini, 572
- Opium poisoning, 940
- Opsonic index, 290
- Opsonins, 290
- Opsonocytaphagic test (brucella), 113, 290
- Oriental sore, 516
- Origin of blood cells, 422
- Ornithodoros hermsi*, 154, 670
moubata, 153, 669
talaje, 670
tholozani, 670
turicata, 670
- Ornithosis, 214
- Oroya fever, 187
- Orthoptera, 672
- Orthorrhapha, 683
- Orthostatic albuminuria, 829
- Orthotolidine test (blood), 836
- Osteomalacia, 893
 calcium and phosphorus in, 784
 phosphatase in, 785
- Osteoporosis, 893
- Otitis, 736
 externa, 266
- Ova, in feces, 640
 concentration methods, 641, 853
 enumeration of, 643
 of cestodes, 588, 630
 of nematodes, 610, 631
 of trematodes, 577, 629
- Oxalate tubes, 377
- Oxidase reaction, 49

INDEX

, combining capacity (blood), 809
 content (blood), 812
 requirements, bacterial, 10, 16
 saturation (blood), 812
 tension, partial, 920
 Oysters, 725

P

- Paget's disease, phosphatase in, 785
 Paludrine, 493
 Panagglutination, 411
 Pancreatic disease, diastase in blood, 797
 fats in feces, 858
 ferments, in duodenal contents, 867
 in feces, 855
 tumors, hypoglycemia with, 775
 Pandy's globulin test, 748
Panonia, 699
 Panhematopenia, primary splenic, 466
 Panoptic stain (blood films), 389
Panstrongylus geniculatus, 677, 678
 megistus, 677
 Pantothenic acid, 898
 Pappataci fever, 224, 684
 Pappenheim's stain (tubercle bacilli), 365
 Paracholera vibrios, 145
 Paracoccidioidal granuloma, 242
 Paracolon bacilli, 139
Paragonimus kellicotti, 574
 westermani, 574, 656
 ovum of, 575
 Parasites, animal, table of, 476
 Parasitidae, 665
 Parasitism, 475
 Parathyroid, hypersecretion of, 783, 785
 hyposcretion of, 783
 Paratyphoid fever, 131
 Parentage, blood tests for, 411
 Parotitis, epidemic, 201, 212
 Partial oxygen tension, 10, 920
 Paschen bodies, 195
 Pasteur treatment (rabies), 208
Pasteurella, 101, 113
 avicida, 120
 aviseptica, 120
 cuniculicida, 30, 120
 leptiseptica, 120
 multocida, 120
 muricida, 21
 pestis, 116, 117
 pseudotuberculosis, 30, 120
 suilla, 120
 suisepctica, 120
 tularensis, 113, 114, 698
 culture media for, 346
 Pasteurelloses, 120
 Patch tests, 299
 Patulin, 272
 Paul-Bunnell agglutination test, 464
 Paul's test (smallpox), 195
 Pectinate bodies, 228
Pediculoides ventricosus, 665
Pediculus humanus, var. *capitis*, 679
 var. *corporis*, 678, 678
 Pel-Ebstein fever, 462
 Pellagra, 891
 Penicillic acid, 271
 Penicillin, 273
 assay of, 276, 370
 agar-cup method, 276, 370
 micromethod, 371
 serial dilution method, 371
 in blood using *S. pyogenes*, 372
 in anthrax, 61
 in gonococcus infections, 50
 in meningococcus infections, 54
 in pneumococcus infections, 44
 in *Staphylococcus* infections, 47
 in *Streptococcus* infections, 35
 in *Streptobacillus moniliformis* infection, 148
 resistance to, acquired, 276
 sensitiveness to, determination of, 372
 types of, 275
 Penicillinase, 340
Penicillium, 265, 266
 chrysogenum, 274
 crustaceum, 265
 notatum, 271
 Pentosuria, 834
 Pepsin, tests for, 864
 Peptone-dextrose solution (coliform bacilli),
 350
 Peptone water, 352
 Peritonitis, exudate in, 760
 Perlèche, 248
 Permutit, 767
 Pernicious anemia, 436
 neutrophils, 437
 Peroxidase stains, 389
 Pertussis, 107
 Petraghani's medium (tubercle bacilli), 348
 Petri plates, 12
 Pfeiffer's bacillus, 104
 phenomenon, 142, 284
 in *Leptospira* infection, 160
 pH, 798
 Phagocytosis, 290
 Pharynx, infections of, 733
 Phenol-red broth, 342
 Phenolsulfonphthalein test, 843
 Phenylhydrazine test (sugars), 832
Phialophora verrucosa, 270
Phlebotomus, 514, 685
 argentipes, 684
 chinensis, 684
 fever, 224
 intermedius, 684

- Phlebotomus*—(Continued)
major, 684
noguchii, 187, 684
papatasi, 224, 684
sergenti, 684
verrucarum, 187, 684
Phormia regina, 704
Phosphatase, acid, 785
 alkaline, 784
Phosphatid, 463
Phosphorus, inorganic, in blood, 783
 Fiske-Subbarow method of determination, 782
Photoelectric colorimeter, 928
Phthirus pubis, 679
Phycomycetes, 233
Physaloptera caucasica, 607
Physiologic normals, 931
Physopsis, 570
Phytomonas, 512
Piedra, 237
Piedraia hortai, 237
Pigments, bile, in feces, 855
 in urine, 835
Pinta, 172
 clinical manifestations of, 173
 epidemiology of, 174
 relation to syphilis, 174
Pinworm, 607
Piophilina casei, 707
Pipet, bacteriologic, 918
 capillary bulb, 918
 diluting, for cell counts, 383
Pirquet's tuberculin test, 84
Pityriasis versicolor, 248
Plague, 116
 clinical manifestations of, 118
 diagnosis of, 119
 fleas as vectors of, 118, 680
 in rats, 118
 prophylactic vaccination, 119
 transmission of, 118
Planorbis (snail), 570
Plants, poisoning by, 933
Plasma, cells, 421
 CO₂, 799, 808
 proteins, 787
 in disease of the liver, 870
Plasma-cell leukemia, 461
Plasmodium, 488
 falciparum, 500, 501
 in monkeys, 489
 key to, 503
 knowlesi, 502
 malariae, 501
 ovale, 500, 502
 vivax, 500, 500, 510, 511
Platelets, blood, 430
 counting, 386
Plates, poured, 13
 streaked, 12, 13
Platyhelminthes, 558
Pleocytosis in cerebrospinal fluid, 748
Pleomorphism, of bacteria, 8
 of fungi, 226
Plerocercoid larva, 581
Pleural fluids, 755
Pleuropneumonia organisms, 148
Plummer-Vinson syndrome, 433
Pneumococcus, 39, 40
 bile solubility test for, 34, 369
 infections due to, 39
 isolation of, 42
 Neufeld's Quellung reaction, 43
 specific polysaccharides of, 41
 types of, 40
 determination of, 43
 incidence of, 41
 vaccines, prophylactic, 45
 variation of, 42
Pneumonia, acute lobar, 39
 blood cultures in, 42
 chlorides in, 780
 nonprotein nitrogen in, 770
 penicillin, treatment with, 44
 sputum cultures in, 42
 sulfonamides, treatment with, 44
 primary atypical, 212
Pneumonitis, feline, virus of, 213
 mouse, virus of, 213
Poikilocytes, 416
Poison ivy, 936
Poisoning, acute, anemia in, 445
 chronic, anemia in, 442
 lead, anemia in, 448
Poisonous arthropods, 658, 660, 675
 coelenterates, 726
 fish, 722, 723
 plants, 933
 snakes, 714
Polar bodies, 91
Poliomyelitis, 203
 cerebrospinal fluid in, 205, 754
 vaccination against, 205
Pollen extracts, 297
Polychromatophilia, 417
Polycythemia, 454
Polymorphonuclear neutrophils, 393, 418
Polyneuritis, infectious, 749
Polyp, 726
Polysaccharides, specific, 41
Pork tapeworm, 585, 591
Portal of entry, 11
Potamon, 656
Potassium permanganate, standard solution, 782
Prausnitz-Küstner passive transfer, 296
Precipitation reactions in syphilis, 305

- Precipitins, 288
 for anthrax, 61
 for bacteria, 288
 for blood (protein), 289
 for helminths, 649, 650
 for *Hemophilus influenzae*, 105, 288
 for pneumococci, 44
 for *Rickettsia*, 184
 for streptococci, 34, 289
 Pregnancy, anemia in, 441
 tests for, 881
 Price-Jones curve, 390, 391
 Proagglutinoid zone, 287
 Proceroid larva, 580
 Promine, 88
 Promizole, 85, 88
 Promyelocyte, 419
 Prostatic carcinoma, phosphatase in, 787
 secretion, 821
 Protection tests, 292
 Protein, body, destruction of, 769
 shock, 305
 Proteins, in cerebrospinal fluid, 749
 in plasma, 787
 in transudates and exudates, 758
 in urine, 826
 quantitative estimation of, 827, (table) 828
 precipitation of, 763
 Proteose peptone chocolate agar (gonococcus),
 343
 Proteoses in urine, 828
Proteus morgani, 141
 vulgaris, 140
 strains OX₂ and OX₁₀, 140, 181
 OXK, 181
 variation of, 140
 Prothrombin, deficiency, 467, 896
 in diseases of the liver, 876
 time, Quick's method of determination, 401
 Protozoa, 483, 484
 classification of, 485
 table, 486
 culture media for, 523, 555
 in feces, 524
 staining of, 522, 553
 Protozoal diseases, table of, 483
 Prozone phenomenon, 287
 Pseudohemophilia, hereditary, 470
 Pseudoleukemia, 461
Pseudomonas aeruginosa, 145
 Psittacosis, 214
Psorophora, 706
 Psychodidae, 684
 Pteroylglutamic acid, 439
Ptinus tectus, 674
 Ptomaine poisoning, 131
Pulex irritans, 680
 distinguishing features of, 681
 Purified protein derivative (tuberculin), 84
 Purpura, anaphylactoid, 469
 due to vascular abnormalities, 469, 471
 haemorrhagica, 468
 Henoch's, 469
 Schönlein's, 469
 thrombocytopenic, 468, 471
 Pus, cultures from, 741
 fungi in, 233
 in urine, 820
 Pyelitis, 848
 Pyloric obstruction, 865
 blood chlorides in, 780
 nonprotein nitrogen in, 770
 plasma bicarbonate in, 804
 Pyocyanase, 271
 Pyridoxin, 899
 Pyuria, 820, 848
- Q
- Q fever, 178
 Quartan malaria, 494, 501
 Queckenstedt's test, 746
 Quellung reaction, 43
- R
- Rabbits, natural infections of, 30
 Rabies, 206
 Pasteur treatment, 208
 Radesyge, 166
 Radiation, anemia due to, 442
 Rand scurvy, 890
 Rat-bite fever, 147, 160
 Rat hosts, 680
 mite, tropical, 665
 poisons, 682
 Raticides, 681
 Rats, natural infections of, 30
 plague in, 118
 Rattlesnake, 718
Rattus norvegicus, 680
 Ray, electric, 724
 fungus (*see Actinomyces*), 89
 stinging, 723, 724
 Reaction of media, 339
 Reactivation of serum, 284
 Reagents, 297
 Receptors, 284
 Red blood cells, counting of, 383
 diameter of, 390
 elliptical, 449
 fragility of, 394
 immature types of, 417
 indices, 416
 mean corpuscular hemoglobin, 415
 corpuscular volume, 415
 hemoglobin concentration, 415

INDEX

Red blood cells—(*Continued*)
 morphology, 416
 normal values of, 415
 nucleated, 417
 origin of, 423
 removal of, 424
 reticulocytes, 392, 417
 sedimentation rate of, 395
 stippled, 417
 volume of, 386
 Red bugs, 662
 Redia, 562, 563
 Reduviidae, 676
 head and proboscis of, 676
 Reed's formula, 881
 Rees and Ecker solution (platelets), 386
 Regenerative shift (leukocytes), 427
 Relapsing fever, 151
 Renal albuminuria, 829
 disease, types of (table), 830
 function, tests of, 840
 Reproduction, of bacteria, 9
 of protozoa, 485
 Reservoir hosts, 479
 in epidemic encephalitis, 200
 Respiratory quotient, 877
 Reticulocytes, 417
 crises, 434, 438
 in lead poisoning, 448
 staining of, 392
 Reticulo-endothelial system, 422
 Reticulum cells, 422
 cell sarcoma, 462
Retortomonas hominis, 532
 Retractility of clot, 401
 Revaccination, types of reaction to, 196
 Rh factor, 408
 blocking antibodies, 410
 groups, 409
 in erythroblastosis foetalis, 452
 inheritance of, 409
 test for, slide, 410
 tube, 409
 Rhabditiform larva, 597
 of *Strongyloides stercoralis*, 600
 table of, 611
Rhabditis, 610
 Rheumatic fever, acute, 37
 Rhinitis, allergic, 297, 298
 Rhinosporidiosis, 238
Rhinosporidium seeberi, 238, 239
Rhipicephalus sanguineus, 177
 palpi of, 669
Rhizoglyphus parasiticus, 665
Rhizopus, 234
 niger, 234
 parasiticus, 234
Rhodnius prolixus, 678
 Rhus poisoning, 936

Riboflavin, 890
 Rickets, 893, 895
 calcium and phosphorus in, 784
 phosphatase in, 785
Rickettsia, 176, 178, 180
 animal inoculation with, 179, 185
 antigens, 182, 183
 burneti, 178
 conori, 177
 cultivation of, 186
 mooseri, 176
 orientalis, 177
 prowazeki, 176, 178
 rickettsii, 177
 toxic substance of, 179, 184
 vaccine, 180, 184
 Rickettsial infections, 176
 Rieder cell, 421
 Rift-Valley fever, 223
 Ringworm, 251, 252
 Rivalta's test (seromucin), 758
 Robert's reagent (albumin), 827
 Rocky Mountain spotted fever, 177
 Romanowsky blood stains, 367, 388
 Ross-Jones test (globulin), 748
 Rotenone, 941
 Rothera's test (acetone), 834
 Rough colonies, 8, 8, 105
 Roundworms, 595
Rubromadurella, 267
 Rumpel-Leede phenomenon, 402
 Russell's double sugar medium (enteric bacilli),
 356
 viper, 715, 716

S

Sabin's supravital stain, 393
 Sabouraud's medium (fungi), 231, 358
 Sahli hemoglobinometer, 379
 Sahli-Hellige hemoglobinometer, 379
Salmonella, 129
 aertrycke, 132
 antigenic structure of, 129
 table, 132
 choleraesuis, 133
 enteritidis, 132
 hirschfeldii, 131
 morgani, 141
 paratyphi A, B, and C, 131
 pestiscaviae, 132
 psittacosis, 132
 pullorum, 30
 schottmuelleri, 131
 suipestifer, 133
 typhi, 124, 125
 colonies of, 8
 typhimurium, 21, 132
 typhosa, 124

INDEX

- Joaquin Valley fever, 234
 d flea, 680
 flies, 684
 fly fever, 224, 684
 São Paulo exanthematic typhus, 177
Saprosira grandis, 150
Sarcina, 32, 45, 862
 lutea, 45
 ventriculi, 32
Sarcocystis, 534, 535
 Sarcodina, 485, 524
Sarcophaga, 704, 708
 haemorrhoidalis, 705
Sarcoptes scabiei, 664, 664
 Satellite phenomenon, 105
 Sato and Sekiya's peroxidase stain, 389
 Saturation index (red cells), 416
 Sayers and Yant's test (CO), 814
 Scabies, 664
 Scarlet fever, 35
 Schaudinn's fixative, 553
 Schick test, 95, 302
 Schilling differential leukocyte count, 427
Schistosoma, 566
 cercariae, hatching of, 643, 646
 geographic distribution of, 567
 haematobium, 566
 cercaria of, 569
 japonicum, 566
 life cycle of, 565, 568
 mansoni, 566
 ova of, 568
 Schistosomiasis, 570
Schistosomophora, 570
 Schlesinger's test (urobilin), 836
 Schmidt's test diet, 851
 test for bile, 855
 Schmitz' bacillus, 134
Schöngastia blestowei, 662
 Schönlein's purpura, 469
 Schüffner's granules, 500
 Schüller-Christian disease, 463
 cholesterol in, 791
 Schultz-Charlton reaction (scarlet fever), 36
 Sclerosis, combined, 437, 891
 Sclerotia, 228
Scopulariopsis brevicaulis, 265, 266
 konigi, 266
Scorpaena, 723, 724
 Scorpions, 658, 659
 Scott-Wilson reagent (acetone), 792
 Scratch test, 299
 Screw worm, 735, 736
 Scrotal reaction (ricketsial), 185
 Scrub itch, 662
 Scurvy, 892
 anemia in, 443
 button, 166
 Sea snake, 715
 Seatworm, 607
 Sedimentation rate, 395
 correction for anemia (chart), 396
 Cutler's method, 396
 graphic chart, 397
 Wintrobe-Landsburg method, 395
 Seitz filters, 917
 Selenite enrichment medium (*Salmonella*), 353
 Semliki forest virus, 198
 Sensitization, 292
 of bacteria, 284
 Septicemia, 816
 Serologic reactions, 285, 305
Serratia marcescens, 146
 Serum, antibacterial, 284
 antitoxic, 283
 diagnosis, 282
 immune, 280
 sickness, 296
 Seven-day fever, 160
 Sheep red blood cells, 318
 Shift to the left (Arneht), 427
 Shiga bacillus, 134
Shigella, 133
 alkalescens, 136
 ambigua, 134
 arabino tarda, 134
 ceylonensis, 136
 dispar, 136
 dysenteriae, 134
 flexneri, 136
 madampensis, 136
 paradysenteriae, 134
 serologic classification of (table), 136
 sonnei, 135
 Ship beriberi, 890
 Shock organ, 296
 Sia's test (leishmaniasis), 523
 Sibbens, 166
 Sick cell anemia, 449, 449
 Simuliidae, 685
Simulium, 686
 damnosum, 621, 686
 haematopotum, 174
 neavei, 621, 686
Siphona, 700, 701
 Siphonaptera, 673, 679
 Skin, examination, for fungi, 232
 for ova, 644
 infections, 743
 maggot, African, 707
 parasites in, 744
 Slant cultures, 14
 Sleeping sickness, 519
 Slides, cleaning, 387, 508
 Smallpox, 195
 Smegma bacillus, 78, 848
 staining of, 365
 Smooth colonies, 8, 8, 105

INDEX

- Smudged cells, 422
- Snails, 650, 651
 cercariae in, 651
 radulae of, 652
- Snake bite, treatment of, 719
 venom, 716
- Snakes, 714
 anatomical features of, 717
- Snuffles, 30
- Sodium chloride tolerance test, 840
 citrate test (coliform bacilli), 138, 349
 hippurate-broth (streptococci), 349
- Sore, oriental, 516
- Sparganosis, 593
- Sparganum*, 581
 mansonoides, 593
- Spectra of hemoglobin, etc., 813
- Spectroscopic tests, 812
- Spherocytes, 451
- Spiders, 659
 black widow, 660
- Spinal fluid, 745
- Spirillum cholerae asiaticae*, 141
 minus, 160
 obermeieri, 152
- Spirochaeta* (see *Borrelia*), 150, 152
 morsus-muris, 151
 plicatilis, 150
- Spirochetes, 150, 151
 in sputum, 739
 staining of, 367
- Spirochetosis, bronchial, 156
- Splenectomy, 447
 in Banti's disease, 454
 in hemolytic jaundice, 451
 in primary splenic neutropenia, 466
 in thrombocytopenic purpura, 469
- Splenomegaly in diseases of blood, table, 447
- Spore-bearing bacilli, aerobes, 57
 anaerobes, 62
- Spore formation, 9
 of fungi, 228, 229
- Spores, staining of, 367
- Sporocyst, 562, 563
- Sporotrichosis, 268, 269
- Sporotrichum beurmanni*, 268
 schenckii, 268
- Sporozoa, 485, 486, 534
- Sporozoites, 489, 511
- Sprue, 440
- Sputum, 737
 animal inoculation with, 740
 concentration of tubercle bacilli in, 82, 739
 cultures of, 739
 fungi in, 233
 parasites and ova in, 645
 spirochetes in, 739
- SS agar (*Salmonella*, *Shigella*), 354
- Stable fly, 700
- Stabzellen, 419
- Staining methods, 362
 for blood films, 388
 for protozoa, 522, 553
- Stains, acid-fast, 365
 azur II (reticulocytes), 392
 Beck's (diphtheria), 366
 brilliant cresyl blue (reticulocytes), 392
 capsule, 366
 carbol-fuchsin, 365
 Castaneda's (rickettsiae), 368
 cotton blue (fungi), 233, 368
 Dorner's (spore), 367
 Field's (protozoa), 508
 Fontana's (spirochetes), 367
 Fontes' method (mycobacteria), 366
 for Negri bodies, 207
 Gabbett's solution, 365
 Giemsa's, 388, 507
 Goodpasture's peroxidase, 389
 Gram's method, 363
 Heidenhain's iron-hematoxylin (protozoa)
 553
 hematoxylin, 647
 Hiss' capsule, 366
 iodine (amebae), 553
 iodine-eosin, 853
 iron-hematoxylin (protozoa), 553
 saline (Lawless), 552
 Janus green (supravital), 393
 leprosy bacilli, 365
 Loeffler's methylene blue, 363
 Manson's methylene blue, 392
 Martinotti (fungi), 233
 methylene blue-fuchsin, 366
 neutral red (supravital), 393
 panoptic (blood films), 389
 Pappenheim's (mycobacteria), 365
 peroxidase, 389
 protozoal, 522, 553
 Romanowsky (blood), 367, 388
 Sato and Sekiya's peroxidase, 389
 smegma bacillus, 365
 spore, 367
 supravital (blood), 392
 Wayson's, 366
 Wilson's (blood), 388
 Wright-Giemsa, 508
 Wright's (blood), 388
 Ziehl-Neelsen, 365
- Standard solutions, 921
- Staphylococcus*, 31, 45
 albus, 46
 aureus, 46
 citreus, 46
 coagulase, 46
 epidermidis, 46
 food poisoning by, 46
 immunity from, 47

INDEX

- phylococcus*—(Continued)
 - penicillin, action on, 47
 - sulfonamides, action on, 47
 - toxins of, 46
- Starch granules, 825
 - in feces, 852
- Stasis meal, 860
- Steatorrhea, 852
 - idiopathic, 440
- Stem cells, 421, 423
- Sterigmata, 229
- Sterigmatocystis, 267
- Sterilization of glassware, 337
- Sterilizers, 337
- Stippled cells, 417, 448
- Stomach, cancer of, anemia in, 441
 - stomach contents in, 866
 - contents, 859, 861
 - Boas-Oppler bacilli in, 862
 - chemical examination of, 862
 - dried, defatted, in pernicious anemia, 439
 - motility of, 865
- Stomoxys calcitrans*, 700, 701, 708
- Stools, examination of, 850
 - preservation of, 644
- Straus reaction (glanders), 121
- Streptobacillus moniliformis*, 147
- Streptococcus*, 31, 32, 33
 - agalactiae*, 35
 - bovis*, 31
 - classification of, 34
 - equi*, 31, 35
 - equinus*, 31
 - equisimilis*, 31
 - fibrinolysin, test for, 370
 - groups, Lancefield's, 34
 - precipitin test for, 289
 - mastitidis*, 31
 - mitis*, 31
 - pyogenes*, 34, (Plate I) facing 90
 - salivarius*, 31
 - scarlatinae*, 35
 - susceptibility to drugs, 35
 - variation of, 34
 - viridans*, 31, 37
- Streptococcus*, anaerobic, 38
 - hemolytic, infections with, 35
 - in arthritis, 37
 - in endocarditis, 38
 - in erysipelas, 35
 - in glomerular nephritis, 37
 - in rheumatic fever, 37
 - in scarlet fever, 35
 - nonhemolytic, infections with, 37
 - sore throat, 733
- Streptomyces griseus*, 277
- Streptomycin, 277
 - assay of, 278
- Streptomycin—(Continued)
 - in *Hemophilus* infections, 106, 277
 - in *Klebsiella* infections, 122
 - in meningococcus infections, 277
 - in plague, 120
 - in tuberculosis, 85
 - in tularemia, 116
 - resistance to, acquired, 277
 - unit of, 278
- Streptothrycin, 272
- Strongyloides stercoralis*, 600
 - filariform larva of, 633
 - rhabditiform larva of, 600
- Strophanthus*, 934
- Strychnos*, 934
- Subarachnoid hemorrhage, cerebrospinal fluid
 - in, 754
- Sudan blindness, 623
- Sugar, in blood, 774
 - in cerebrospinal fluid, 749
 - in urine, 831
 - media, 356, 357
 - tolerance test, 776
- Sulfhemoglobin, 814
- Sulfonamides, action of, in anthrax, 61
 - in *Clostridium* infections, 67
 - in dysentery, bacillary, 137
 - in gonococcus infections, 50
 - in *Hemophilus* infections, 106
 - in lymphogranuloma inguinale, 217
 - in meningococcus infections, 54
 - in plague, 120
 - in pneumococcus infections, 44
 - in *Staphylococcus* infections, 47
 - in *Streptococcus* infections, 35
 - conversion factors (table), 795
 - crystals in urine, 824
 - determination in blood (Bratton-Marshall), 794
 - Engelfried's simplified method, 795
- Sulfosalicylic acid test (albumin), 827
- Sulfur granules, 89
- Superinfection, 279
 - in *Treponema* infections, 164
- Supravital staining, 392
- Surface area chart, 878
- Swabs, NIH anal, 644, 645
- Swine influenza, 106, 211
- Sycosis vulgaris, 255
- Symbiosis, 11
 - in fusospirochetosis, 154
 - in influenza, 106, 211
- Symptomatic anthrax, 66
- Syneresis, 401
- Synovial fluid, 760
- Syphilis, 167
 - cardiolipin antigen, 331
 - cerebrospinal fluid tests in, 754
 - clinical stages of, 168

Syphilis—(Continued)

- complement fixation reaction (Kolmer) in, 317
 - diagnosis of, 169
 - flocculation reaction (Kahn) in, 306
 - immunity from, 163, 168
 - relation to pinta, 174
 - to yaws, 172
 - serologic reactions in, 169, 305
 - false positive reactions, 336
 - in infants, 336
 - in leprosy, 88
 - in malaria, 506
 - in miscellaneous diseases, 336
 - interpretation of, 335
 - persistent ("fest") positive reactions in, 336
 - V.D.R.L. slide test for, 333
 - Wassermann reaction in, 305
- Syphiloids, 165

T

Tabanus, 699

- Tables: *Aedes*, geographical distribution of, 691
- alkali deficit, indirect tests for, 807
- animal inoculation, diagnosis by, 22
- basal metabolism, normal standards of, 879
- blood, chemical constituents of, 764
 - gas analyses, correction factors for, 810, 811
- bone marrow, normal differential count of, 400
- differential leukocyte count, normal, 425
- domesticated animals, diseases acquired from, 18
- Kahn reaction, presumptive test, 317
 - serial dilutions of serum, 313, 314
 - spinal fluid test, 315
 - types of positive and negative reactions, 311, 312, 313
- Kolmer complement fixation test: comple-
ment, dilution of, 325
 - titration of, 325
- hemolysis, dilution of, 324
 - titration of, 324
- quantitative test, with cerebrospinal fluid, 327
 - half-quantity method, 329
 - with serum, 327
 - half-quantity method, 328
- nephritis, types of, 830
- of amebae (trophozoites), 538, 540
 - cysts of, 538, 541
 - in stained films, 545
- of anemias, 450
- of animal parasites of man, 476
- of antibiotics, from *Actinomyces*, 274
 - from bacteria, 272
 - from fungi, 273
- of buffers, 925

Tables—(Continued)

- of candidae, differentiation of, 249
- of cerebrospinal fluid changes in disease, 756
- of cestode ova, 588
 - proglottides, 582, 588
- of clostridia, 64
- of corynebacteria, fermentation reactions of, 97
- of dyes, solubility of, 363
 - action on *Brucella*, 110
- of filariform larvae, 611
- of flagellates, morphologic forms of, 512
- of helminths, classification of, 557
- of hookworms, distinguishing features of, 602
- of human blood groups, 403
- of indicators, 339, 923
- of intestinal bacilli, inside of back cover
- of intracutaneous diagnostic tests, 302
- of lobar pneumonia, organisms in, 39
- of malaria parasites, 504
- of microfilariae, 625, 626
- of mycobacteria, 77
- of *Neisseria*, fermentation reactions of, 55
- of nematode ova (intestinal), 610
- of pH, bicolor method of determination, 926
 - of KH_2PO_4 —NaOH mixtures, 339
 - of phosphate mixtures (Sørensen), 925
 - values of buffer solutions, 925
- of pneumococcus types, 41
- of pressure and temperature (sterilizers), 338
- of protein in urine (quantitative determina-
tion), 828
- of Protozoa, 486
 - cysts of (living), 541
 - in stained films, 545
 - trophozoites of (living), 540
- of protozoal diseases, 483
- of red blood cells, normal values of, 415
- of rhabditiform larvae, 611
- of rickettsial antigens, 183
- of *Salmonella*, antigenic structure of, 132
- of Schilling differential counts, 428
- of schistosomes, features of adults, 568
- of *Shigella*, carbohydrate fermentation by, 135
 - serologic classification of, 136
- of *Strongyloides stercoralis*, features of fe-
males, 600
- of *Taenia* (species), features of, 585
- of tapeworms, proglottides of, 582, 588
- of trematode ova, 577
- origin of blood cells, 424
- Schick reaction, age incidence of, 95
- splenomegaly in diseases of the blood, 447
- sulfonamides, conversion factors of, 795
- Taenia*, ovum of, 586
 - pisiformis*, 30
 - saginata*, 585
 - solium*, 585, 591
 - cysticercus larva of, 592

- Tallqvist's hemoglobin scale, 381
 Tampan, 669
 Tapeworms, 578, 579
 beef, 585
 diagnosis of, 587, 593
 dwarf, 586
 fish, 584
 immature stages of, 581
 intestinal, 582
 life cycle of, 582, 583, 589, 590
 ova of, 588, 630
 pork, 585
 prevention of infection with, 583, 590
 proglottides, gravid (table), 588
 rat, 586
 somatic, 589
 life cycle of, 589
 Tarantula, 661
 Tarozzi's anaerobic method, 920
 Tarsonemidae, 665
 Tartrate medium (*Salmonella*), 350
 Tay-Sachs disease, 463
 Tellurite medium (diphtheria), 345
Ternidens deminutus, 604
 Test breakfast, 860
 Tetanus, 68
 antitoxin, 70
 immunization from, 70
 toxin, 69
 treatment of, 71
 Tetany, 783, 804, 896
 Tetrathionate broth (*Salmonella*), 352
Tetrodon, 722, 723
 Texas fever, 658
 Thalassemia, 453
 Thallophyta, 226
 Thallospores, 229
 Theiler's disease, 30
 virus, 204
 Thiamin, 888
 Thick films (blood), 391, 503
 Thiocyanates in blood, 796
 Thioglycollate medium, 342
 Thoma diluting pipet, 383
 Thorny-headed worm, 558
 Threshold of glucose excretion, 833
 Throat, examination of, 733
 Thrombasthenia, hereditary hemorrhagic,
 471
 Thrombocytes, 430
 Thrombocytopenia, 430
 Thrush, 246, 734
 Thymol turbidity test, 876
 Thyroxin, 880
 Tick fever, 152
 Colorado, 223
 paralysis, 666
 Ticks, 654, 659, 665
 classification of, 665
 Ticks—(Continued)
 hard, 666, 667
 key to, 668
 life history of, 667
 mouth parts of, 661
 preservation of, 712
 soft, 669
 key to, 670
 Tinea circinata, 251
 cruris, 258, 261
 imbricata, 261, 263, 264
 pedis, 256
 versicolor, 248
 Tissues, dehydration of, 921
 fixation of, 920
 Titration, of complement, 325
 of hemolysin, 323
 Tobacco mosaic virus, 191
 Tobia fever, 177
 Toisson's solution, 385
 Tokelau, 261
 Tomato juice agar (lactobacilli), 357
 Tonsillitis, 734
 Töpfer's reagent, 863
Torula histolytica, 243
 Torulosis, 243
 Toxic plants, diseases due to, 933
 Toxin, 280
 in botulism, 71
 in diphtheria, 92, 94
 in gas gangrene, 65
 in tetanus, 69
 of *Clostridium*, 65
 of *Pseudomonas*, 145
 of *Rickettsia*, 179, 184
 of *Shigella*, 134
 of *Staphylococcus*, 46
 of *Streptococcus*, 36
 of viruses, 191
 Toxoid, diphtheria, 92, 96
 tetanus, 70
 Toxoplasma, 535
Trachinus draco, 723, 724
 Trachoma, 215
 Transfusion of blood, 404
 preservation of blood for, 413
 Transitional leukocytes, 422
 Transmission of parasites, biologic, 653
 mechanical, 653
 Transudates, 755, 760
 Trematoda (see Flukes), 560, 635
 diagnosis of infections with, 575
 ova of, 562, 629
 prevention of infection with, 565
 Trench fever, 178
 Trenner diluting pipet, 383
Treponema, 150
 carateum, 173
 cuniculi, 168

- Treponema*—(Continued)
 inoculation into animals, 164
macrodentium, 155
microdentium, 155
mucosum, 155
 oral, 157
pallidum, 167, 167
pertenue, 170
 selective localization of, 163
 staining of, 170, 367
- Treponemiasis, 162
 immunity in, 163
 pathologic lesions, 163
 superinfection, 164
- Triatoma dimidiata*, 677
infestans, 677
longipes, 677
protracta, 677
rubida, 677
rubrofasciata, 678
sanguisuga, 200, 677
- Trichinella spiralis*, 612
 blood, examination of, for larvae, 646
 intracutaneous tests for, 302, 650
 larva in muscle, 613
 life cycle of, 614
 muscle, examination of, 647
- Trichinosis, 614
- Trichocephalus* (see *Trichuris*), 606
- Trichomonas hominis*, 531, 548
tenax, 532
vaginalis, 532, 548
- Trichonocardiasis, 237
- Trichophytin, 256, 301
- Trichophyton concentricum*, 261, 264
flavum, 254
gypseum, 255, 258
indicum, 262
interdigitale, 255, 259
magnini, 254
mentagrophytes, 254
muris, 258
pedis, 255
purpureum, 259
quinckeanum, 258
roqueti, 262
roseum, 254
rubrum, 259
sabouraudi, 254
schoenleini, 250, 258
tonsurans, 254
violaceum, 254, 258
- Trichophytosis, 254
- Trichosporosis, 237
- Trichosporum giganteum*, 237
khartoumensis, 270
- Trichostrongylus colubriformis*, 604
orientalis, 604
- Trichuris trichiura*, 606
 ovum of, 606
- Triorthocresyl phosphate poisoning, 937
- Triple phosphate in urine, 823, 824
- Trombicula akamushi*, 177, 662, 663
deliensis, 177, 662
- Trombiculidae, 662
- Tropical eosinophilia, 609
- Trypanosoma*, 517
cruzi, 517, 522, 676
 culture media for, 523
 life cycle of, 521
gambiense, 517, 519, 701
 life cycle of, 518
 of animals, 517
rhodesiense, 517, 701
- Trypanosomiasis, African, 518
 American, 519
 geographical distribution of, 517
- Trypsin, 867
- Tryptose-glucose-extract-milk agar (milk), 359
- Tryptose media (*Brucella*), 346
- Tsetse flies, 700
- Tsuchya's reagent (albumin), 827
- Tsutsugamushi disease, 177, 662
- Tuberculin, 83
 hypersensitiveness to, 83, 300
 old tuberculin, 84
 purified protein derivative, 84
 tests, 84, 302
- Tuberculosis, 78
 atrium of infection, 81
 bacillus of, 78
 in urine, 848
 types of, 77, 78
 B.C.G. vaccine, 85
 blood cultures in, 83
 concentration of bacilli, 82
 culture media for, 347
 diagnosis of, 81
 exudates in, 760
 immunization from, active, 84
 inoculation of guinea pigs, 83, 369
 meningitis, 754, 755
 Much's granules, 79
 sputum examinations in, 738
 staining methods, 365
 tuberculin tests, 84, 302
- Tubes, duodenal, 860
 fermentation, 343
 for collecting blood, 928
 Lyon's blood tube, 918
 stomach, passage of, 859
 Wright's U-tube, 918
- Tularemia, 113, 115, 116
 clinical manifestations of, 114
 diagnosis of, 115
 transmission of, 114

- unga penetrans*, 680
- distinguishing features of, 681
- Türk's blood diluent, 385
- irritation cell, 421
- Typhoid fever, 124
 - agglutination in, 127
 - bacilli in water, 127
 - blood cultures in, 127
 - carriers, 127
 - gall-stones in, 126
 - infection in man, 126
 - oysters as transmitters of, 725
 - stool cultures in, 123, 127
 - vaccination, prophylactic, 128
- Typhus fever, 176
 - endemic, 176
 - epidemic, 176
 - flea transmission of, 176, 680
 - louse transmission of, 176, 678
 - murine, 176
 - scrub, 177
- Tyrocidine, 272
- Tyroglyphidae, 665
- Tyroglyphus longior*, 665
- Tyrosin, in urine, 824
- Tyrothricin, 272

U

- Ulcer, tropical, 91
- Ultracentrifuge, 190
- Ultrafiltration, 190
- Uncinariasis (*see* Hookworm), 603
- Undulant fever, 108, 111
- Urates in urine sediment, 823
- Urea, clearance test, 844
 - concentration test, 846
 - in blood, 768
 - significance of, 769
 - in urine, 837, 838
 - medium, 351
- Urease, 769
- Uremia, acidosis in, 805
 - blood creatinine in, 771
 - nonprotein nitrogen in, 770
 - phosphorus in, 784
 - uric acid in, 772
- renal function tests in, 846
- Uric acid, crystals in urine, 823
 - in blood, 772
 - Folin's method of determination, 771
 - in urine, 838
- Urine, 819
 - acidity of, titratable (Folin), 840
 - albumin in, 826
 - ammonia in, 838
 - animal parasites in, 849
 - arsenic in, 837

Urine—(Continued)

- bacteriologic examination of, 847
- bile in, 835
- blood in, 821
- bromides in, 797
- calculi in, 825
- casts in, 822
- chemical examination of, 826
- chlorides in, 839
- chylous, 819
- creatinine in, 839
- crystalline sediment in, 823
- cultures of, 848
- diastase in, 840
- epithelial cells in, 820
- glucose in, 831
- hemoglobin in, 444, 822, 836
- hydrogen-ion concentration of, 840, 926
- indican in, 836
- ketone bodies in, 834
- lead in, 837
- leukocytes in, 820
- mercury in, 836
- nitrogen partition in, 839
 - total nitrogen in, 837
- parasites in, 849
- proteoses in, 828
- reaction of, 819
- red cells in, 821
- Schistosoma ova* in, 645
- sediment in, 819
- smegma bacillus in, 78, 848
- starch granules and fibers in, 824, 825
- sugar in, 831
- tubercle bacilli in, 848
- urea in, 837
- uric acid in, 838
- Urobilin, in feces, 855
 - in urine, 835
 - test of liver function, 856
- Urobilinogen in urine, 835, 873
- Uta (*see* *Espundia*), 516

V

- Vaccination, reactions to, 196
 - technic of, 196
- Vaccines, 301
 - autogenous, 301
 - Bartonella*, 187
 - cholera, 145
 - Hemophilus pertussis*, 108
 - influenza virus, 211
 - plague, 119
 - pneumococcus, 45
 - poliomyelitis, 205
 - preparation of, 301
 - rabies, 208

Vaccines—(Continued)

- Rickettsia*, 180, 184
- Shigella*, 137
- smallpox, 195
- standardization of, 304
- therapeutic use of, 305
- typhoid and paratyphoid, 128
- viruses, 193
- yellow fever, 221
- Vaccinia, 195
- Vagabond's disease, 678
- Vaginitis, gonococcal, 49
 - mycotic, 248
 - trichomonad, 532
- Vampire bat, 206
- van den Bergh test (bilirubin), 871
- Vanillism, 665
- Variation, bacterial, 8
 - of anthrax bacilli, 59
 - of diphtheria bacilli, 91
 - of *Hemophilus influenzae*, 105
 - pertussis*, 108
 - of *Klebsiella pneumoniae*, 123
 - of meningococci, 51
 - of pneumococci, 42
 - of *Proteus*, 140
 - of *Salmonella*, 129
 - of staphylococci, 46
 - of streptococci, 34
 - of tetanus bacilli, 69
 - of typhoid bacilli, 125
- Varicella, 197
- Variola, 195
- Vectors, 477
- V.D.R.L. slide test (syphilis), 333
- Vegetable cells, in feces, 851
 - in urine, 825
- Veillonella*, 32
- Venom, snake, 716
- Ver du Cayor, 707
- Ver macaque, 706
- Verruca vulgaris, 198
- Verruga peruana, 187
- Verwoort's medium (cholera), 358
- Vi antigen (typhoid), 125
- Vibrio comma*, 141, 141, 144
 - types of, 142
 - El Tor, 142
 - metchnikovi*, 143
- Vibrion septique, 66
- Vincent's angina, 154, 155, 734
- Violet-red bile agar (coliform bacilli), 360
- Viperine snakes, 715
- Virulence, 279
- Viruses, 189
 - chemical composition of, 191
 - classification of, 194

Viruses—(Continued)

- cultivation of, 17, 191
- diseases due to, 193
- laboratory diagnosis of, 194
- masked, 212
- neurotropic, 194, 223
- purification of, 190
- size of, 190
- viability of, 192
- Vital staining, 392
- Vitamins, 885
 - A, 886
 - B₁, 888
 - B₂, 890
 - B₃, 898
 - B₁₂, 436, 439
 - C, 892
 - D, 893
 - E, 898
 - K, 467, 896
 - miscellaneous, 900
- Voges-Proskauer test, 138, 351
- Volume index (red cells), 416
 - of blood, 398
- Vomiting, alkali excess in, 804
 - blood chlorides in, 780
 - blood phosphorus in, 784
 - nonprotein nitrogen in, 770
 - sickness of Jamaica, 933
- von Jaksch anemia, 454
- von Pirquet's tuberculin test, 84

W

- War wounds, anaerobes in, 62
 - treatment of, 67
- Warts, 198
- Wasps, 675
- Wassermann reaction, 305
- Water, bacteriologic examination of, 139
 - cholera vibrio in, 143
 - coliform bacilli in, 139
 - culture media for, 359
 - tests for, 138
 - typhoid bacilli in, 127
 - requirements of the body, 903
- Waterhouse-Friderichsen syndrome, 51, 55
- Wayson's stain, 366
- Weil-Felix reaction (typhus), 171, 180
- Weil's disease, 158
 - agglutination reaction in, 287
- Welch bacillus, 63
- Wenyon's iodine-eosin solution, 853
- West Nile virus, 198
- Whipworm, 606
- White blood cells, 418
 - counting of, 385
 - differential count of, 390
- Whooping cough, 107

Widal agglutination test, 127
 Willebrand's syndrome, 470
 Wilson's blood stain, 388
 Wintrobe and Landsberg's method (sedimentation rate), 395
Wohlfahrtia magnifica, 706
vigil, 706
 Wong's method (blood iron), 382
 Woolsorters' disease, 60
 Worms, flat, 560, 578
 round, 595
 thorny-headed, 558
 Wright-Giemsa stain, 508
 Wright's blood stain, 388
 tube, 918
Wuchereria bancrofti, 618, 692
 infective larvae of, 619
 microfilariae of, 618
malayi, 618

X

Xanthochromia, 747
 Xanthomata, 464
 blood cholesterol in, 791
 Xenodiagnosis, 522

Xenopsylla cheopis, 118, 680
 distinguishing features of, 681
 Xerophthalmia, 886
 Xerosis bacillus, 97

Y

Yaws, 170
 clinical symptoms of, 171
 epidemiology of, 171
 forest, 516
 relation to syphilis, 172
 Yeasts, 237
 Yellow fever, 219
 immunity from, 220
 jungle type, 221
 mosquito transmitters of, 220, 221
 vaccination, 221
 Yersin's antiplague serum, 120

Z

Zenker's fluid, 921
 Ziehl-Neelsen stain, 365
 Zygosporos, 229
Zymonema brasiliensis, 242