



## INDEX OF AUTHORS\*

*Numbers in bold type indicate papers; numbers in roman type indicate contributions to discussions*

- |  |   |
|--|---|
| <p>Ajello, L. 20, 23, 90, 93, 108, 109, <b>130</b>,<br/>142, 143, 162, 177, 192,<br/>200, 252, 276, 277</p> <p>Austwick, P. K. C. 20, 92, 123, 175, 178,<br/>197, 240, 268, 270, 272,<br/>276, 277</p> <p>Baker, R. D. <b>9</b>, 19, 22, 109, 111, 140, 141,<br/>159, 178, 192</p> <p>Brygoo, E. R. . . . . 202, 204, 252</p> <p>Clark, Betty M. 111, 123, <b>179</b>, 195, 196,<br/>197</p> <p>Cockshott, W. P. 72, 110, 111, <b>113</b>, 123,<br/>124, 125, 127, 128, 252,<br/>268</p> <p>Desai, S. C. 21, 48, 87, 89, 110, 111, 127,<br/>128, 140, 141, 161, 177,<br/>196, <b>253</b>, 262, 266, 267</p> <p>Drouhet, E. 21, 49, 53, 74, 95, 109, 142,<br/>161, <b>206</b>, 251, 252, 263,<br/>268, 270, 272, 277</p> <p>Edington, G. M. <b>2</b>, <b>5</b>, 19, 20, 25, 49, 51, 53,<br/>73, 74, 89, 90, 93, 109,<br/>110, 124, 128, 140, 141,<br/>172, 176, 177, 178, 193,<br/>195, 196, 197, 200, 252,<br/>263, 266, 268, 270, 272,<br/>273, 276, <b>278</b></p> <p>Emmons, C. W. 19, 21, 49, 142, 161, 162,<br/>195, 197, 262, 266, 267,<br/>268, 273, 275</p> <p>González Ochoa, A. 86, 159, 161, 162, 241,<br/>252</p> <p>Hutt, M. S. R. 124, 177, 193, 196, 197, 273,<br/>274, 275</p> | <p>Kashkin, P. N. . . . . 204, 264</p> <p>Lambo, T. A. . . . . <b>I</b></p> <p>Lucas, A. O. <b>96</b>, 108, 109, 110, 124, 129,<br/>142, 195, 197, 201, 250,<br/>251, 273</p> <p>Mackinnon, J. E. 22, 89, 143, 161, 162, <b>164</b>,<br/>175, 176, 178, 262, 266</p> <p>Mahgoub, E. S. 21, 72, 109, 125, 127, 142,<br/>175, 193, 195, 240, 252,<br/>265, 270</p> <p>Mariat, F. 22, 23, 49, 51, 89, 90, 127, 128,<br/>129, <b>144</b>, 161, 162, 175,<br/>195, 241, 270, 275</p> <p>Murray, I. G. 73, 76, <b>78</b>, 87, 89, 90, 91,<br/>128, 141, 143, 176, 196,<br/>204, 240, 241, 263</p> <p>Seeliger, H. P. R. 20, 22, 23, 49, <b>54</b>, 72, 73,<br/>74, 76, 85, 90, 141, 162,<br/>175, 262, 265, 266, 275,<br/>276</p> <p>Symmers, W. St. C. 20, 21, 22, 23, <b>26</b>, 51,<br/>53, 92, 93, 110, 128, 193,<br/>196, 200, 201, 267, 273,<br/>275, 276</p> <p>Utz, J. P. 124, 192, 196, <b>242</b>, 250, 251, 267</p> <p>Vanbreuseghem, R. 21, 22, 25, 76, 87, 91,<br/>93, 109, 124, 127, 128,<br/>162, 176, 195, 251, 252,<br/>263, 266, 272</p> <p>Winner, H. I. 20, 48, 73, 77, 91, 108, 128,<br/>142, 143, 177, 200, 241,<br/>250, 265</p> <p>Wolstenholme, G. E. W. . . . . 3</p> |
|--|---|

\* Indexes compiled by Mr. William Hill

## INDEX OF SUBJECTS

- Abdominal viscera, in histoplasmosis, 106, 121-122
- Abortion, mycotic in cattle, 178
- Abscesses, due to dematiaceous fungi, 274-275
- Absidia*, 23
- Actinomyces bovis*, 23, 131
- Actinomyces israelii*, 12, 15, 23, 48, 49  
ecology and epidemiology, 130-131
- Actinomycetes*, causing mycetoma, 81
- Actinomycosis,  
clinical features, 48, 99  
club form, 49  
incidence, 131, 142  
pathogenesis, 12, 15  
staining properties, 38  
tissue reactions in, 36  
transmission, 130-131, 137  
treatment, 243, 265
- Aflatoxin, 25, 270
- African histoplasmosis, 12, 14  
amphotericin B in, 251  
clinical features, 101, 104-108, 124  
diagnosis, 31, 106-107  
immunological diagnosis, 58-60  
incidence, 108, 109  
microscopic appearances, 112  
pulmonary, 123  
radiological appearances, 113-123  
treatment, 93, 110
- Allescheria boydii*, 12, 17, 31, 81, 82, 90, 116, 125, 215
- Amphotericin B,  
action of, 131, 225, 228, 241, 244-246  
administration, 223, 244-245  
hydrocortisone and, 250-251  
duration of treatment, 251-252  
in African histoplasmosis, 251  
in cryptococcal meningitis, 95, 244-245, 250, 251-252  
in histoplasmosis, 93, 109  
in North American blastomycosis, 244, 245  
in phycomycosis, 196  
physical and chemical properties, 213-214
- Amphotericin B—*continued*  
resistance to, 220, 263  
side effects, 245-246, 250  
specific activity, 215, 216, 217  
toxicity in animals, 226-227
- Antibiotics, *see also* Antifungal agents  
antifungal spectrum, 210, 215  
as predisposing factor for candidosis, 140-141  
biological activities and mode of action, 206-241  
categorization, 208-210  
*in vitro* testing, 240-241, 254-258  
polyene, 212-230  
administration, 222-227  
bioassay, 219  
chemical structure and properties, 212-214  
fungicidal activity, 218  
fungistatic activity, 214-218  
mode of action, 228-230  
resistance to, 219-222  
toxicity, 226  
secondary properties of, 210
- Antifungal agents, *see also* Antibiotics  
assessment, 253-263  
clinical, 260-261  
*in vitro*, 254-258  
*in vivo*, 258-260  
importance of route of administration, 268  
problems of terminology, 253-254
- Aspergillosis, 193  
epidemiology, 204  
immunological diagnosis, 55, 61-63  
in animals, 270  
incidence, 277  
microscopic appearances, 36  
pathogenesis, 12, 16  
radiological appearances, 114  
staining methods for, 38  
treatment, 223
- Aspergillus bouffardii*, 23
- Aspergillus flavus*, 31
- Aspergillus fumigatus*, 12, 20  
identification, 49

- Aspergillus fumigatus*—continued  
immunological properties, 61-63, 68, 72
- Aspergillus nidulans*, 23
- Aspergillus* spp., 19, 21  
nomenclature, 23  
problems with staining, 95
- Asthma and fungi, 197
- Baikie, W. B., biography, 5-8
- Basidiobolus meristosporus*, 12, 16
- Basidiobolus* spp., 99, 179-180, 195  
action of griseofulvin, 231  
identification, 180, 181  
morphology and habitat, 189, 197
- Biopsy,  
in diagnosis, 30  
in mycetoma, 80, 81, 87  
dangers of, 87
- Blastomyces dermatitidis*, 12, 15, 31, 109  
action of antibiotics on, 215, 216, 233, 234  
ecology and epidemiology, 132-133  
immunological properties, 60-61, 76  
strains, 143
- Blastomyces* spp., nomenclature, 23
- Bone lesions,  
in histoplasmosis, 104, 117, 124  
in mycetoma, 97, 114-115, 126  
radiological diagnosis of, 114-117
- Bovine farcy, 270
- Buruli ulcer, 194
- Calcification, in histoplasmosis, 11, 12, 112
- Candidin,  
administration, 224  
specific activity, 215, 216  
toxicity, 226
- Candida albicans*, 12, 16  
action of cyanein, 235  
ecology and epidemiology, 131  
experimental infection, 91-92
- Candida* spp.,  
action of antibiotics, 215, 216  
resistant strains, 219-220, 240
- Candidosis, 12, 16  
5-fluorocytosine in, 248  
following heart surgery, 141  
iatrogenic factors, 140-141  
immunological diagnosis, 63-64, 73, 76  
incidence, 132, 141-142  
microscopic appearances, 36  
of kidney, 92
- Candidosis—continued  
pathogenesis, 48  
radiological appearances, 119  
staining methods, 38  
transmission, 131, 137  
treatment, 223, 264-265
- Cardiovascular system, fungal lesions of, 122
- Central nervous system,  
in cladosporiosis, 37, 39, 48  
in cryptococcosis, 95, 122, 245, 250, 251
- Cephalosporium falciforme*, 97
- Cephalosporium recifei*, 97
- Cephalosporium* spp., 12, 17, 31, 81
- Cercospora apii*, 18, 21
- Cercosporamycosis, 18, 21
- Cheloidal blastomycosis, see Lobo's disease
- Chemotherapy, see Antibiotics
- Chromomycosis, 12, 17, 39, 201  
causative organisms, 273-274  
clinical features, 100  
effect of temperature, 170-171  
epidemiology, 202-203, 204  
microscopic appearances, 37  
treatment, 170-171, 217, 252
- Cladosporiosis, of central nervous system, 12, 17, 37, 39, 48-49, 201
- Cladosporium* spp., 12, 17, 203, 204
- Climatic conditions, and mycoses, 177, 178,  
see also under specific mycoses
- Coccidioides immitis*, 12, 14  
action of antibiotics, 215, 216, 235  
factors for growth, 173
- Coccidioidomycosis,  
amphotericin B in, 245  
central nervous system lesions, 122  
diagnosis, 31  
epidemiology, 201  
immunological diagnosis, 54, 56-57  
microscopic appearances, 37  
pathogenesis, 12, 14  
radiological appearances, 119  
saramycetin in, 233  
staining methods, 39  
treatment, 223, 264
- Cryptococcal granuloma, 31
- Cryptococcal meningitis, 95, 245, 250, 251
- Cryptococcosis, 95, 132  
clinical features, 100  
diagnosis, 31, 49  
ecology and epidemiology, 133-134  
effect of temperature on, 170

- Cryptococcosis—*continued*  
 epidemiology, 142-143, 205  
 5-fluorocytosine in, 248  
 hamycin in, 248  
 immunological diagnosis, 64-66  
 in animals, 269  
 incidence, 134  
 microscopic appearances, 37, 40  
 pathogenesis, 14-15  
 radiological appearances, 117, 119  
 staining methods, 39, 41  
 transmission, 137  
 treatment, 170, 211, 223  
*Cryptococcus neoformans*, 12, 14, 91  
 action of antibiotics, 215, 216, 234  
 identification, 41, 43, 48, 49  
 immunological reactions, 65  
 Cyanein, 234-235  
 Cycloheximide, 210-212, 215
- Dematiaceous fungi, 273-275  
 Dermatophytes, producing systemic infections, 21  
 Diagnosis,  
 differential of fungal infections, 43-45  
 immunological techniques, 54-77  
 place of histological examination, 30-33, 43-45  
 radiological, 113-125
- Ecology of mycoses, 130-143  
 Endarteritis obliterans, 127  
 Endogenous fungi, 130-132  
*Entomorphthora coronata*, 12, 16, 99, 114, 184  
 morphology and habitat, 189-190, 197  
 Epidemiology of mycoses, 130-143, 197-205  
 research approaches, 275-276  
 Epizootic lymphangitis, 269  
 Erythrocytes, action of polyene antibiotics on, 218-219  
 Eulicin, 215  
 Exogenous fungi, 132-138
- Filipin, 212, 213  
 5-Fluorocytosine, 248  
*Fonsecaea* spp., 12, 17  
 Fungi  
 opportunistic, 9-10, 19-21, 22-23  
 structure in relation to antibiotic action, 207  
 tissue reactions to, 33-40, 48-53
- Geotrichosis, 12, 18, 67  
*Geotrichum candidum*, 12, 18  
 Griseofulvin, 21, 230-233  
 in mycetoma, 231, 241  
 mode of action, 232-233  
 resistance to, 263  
 specific activity, 215, 217
- Hamycin, 247-248  
 administration, 224  
 specific activity, 262  
 toxicity, 226
- Heart surgery, candidosis following, 141  
 Histopathology,  
 of deep seated fungal infections, 26-53  
 of mycetoma, 81-82, 85  
*Histoplasma capsulatum*, 10, 12, 20, 51, 101, 112, 175  
 action of antibiotics on, 215, 216, 233, 234  
 comparison with *H. duboisii*, 112  
 experimental infection with, 93  
 identification, 42, 43, 51, 200  
 immunological reactions, 54, 57-60, 74  
 inhalation of spores, 123-124  
*Histoplasma duboisii*, 14, 31, 37, 39, 101, 102, 106, 108, 112  
 inhalation of spores, 123-124  
 portal of entry into body, 109  
 skin testing, 109  
*Histoplasma farciminosum*, 269, 270-272  
 Histoplasmosis,  
 accidental infection, 13-14  
 acute disseminated, 13  
 aetiology, 109  
 African, *see* African histoplasmosis  
 amphotericin B in, 245, 251, 264  
 calcification in, 11, 12, 122  
 chronic disseminated, 13  
 climatic conditions and, 169-170  
 diagnosis, 31  
 ecology, 134-137, 143  
 effect of humidity and temperature, 111, 168-170, 175  
 epidemiology, 134-136, 137, 169, 197-198, 200, 201, 205  
 hamycin in, 248  
 in animals, 269, 272  
 incidence, 9, 12, 277  
 microscopic appearances, 37  
 pathogenesis, 12-14, 20  
 pulmonary, 13

- Histoplasmosis—*continued*  
 radiological appearances, 113-123  
 saramycetin in, 247, 267  
 schistosomiasis and, 272-273  
 staining methods, 39  
 sulphonamides in, 243  
 treatment, 223
- Humidity,  
 effect on growth of fungi, 176  
 histoplasmosis and, 111
- Hydrocephalus, 122
- Hydrocortisone, with amphotericin B,  
 245-246, 249, 250-251
- 2-Hydroxystilbamidine, 243-244
- Hypersensitivity, sporotrichosis and, 155
- Immunofluorescence microscopy, 42
- Immunological techniques in diagnosis,  
 54-77, 82-83, 85, 90
- Intravenous infusions, predisposing to  
 candidosis, 140-141
- Kidney, *candida albicans* infection of, 92
- Lagosin, 212, 213
- Leptosphaeria senegalensis*, 12, 17, 31, 81, 82,  
 97
- Loboa lobo*, 12, 15
- Lobo's disease, 12, 15, 22, 23, 168
- Lung lesions,  
 in blastomycosis, 119, 133  
 in candidosis, 119  
 in coccidioidomycosis, 119  
 in histoplasmosis, 106, 112, 119, 120-121,  
 123  
 in sporotrichosis, 178
- Lymphadenopathy, in African histoplas-  
 mosis, 105
- Madura foot, *see* Mycetoma
- Madurella grisea*, 23, 81, 82, 97
- Madurella mycetomi*, 81, 82, 83, 84, 114, 125,  
 126, 127  
 action of antibiotics on, 215, 217, 231  
 causing mycetoma, 97  
 immunological identification, 83
- Moniliasis, *see* Candidosis
- Monosporiosis, immunological diagnosis,  
 66-67
- Monosporium apiospermum*, 90, 215, *see also*  
*Allescheria boydii*
- Mossy foot, 100
- Mucor* spp., 12, 16, 23
- Mucormycosis, *see* Phycomycosis
- Mycetoma, 12, 17  
 action of antibiotics, 217  
 age incidence, 79  
 biopsy in, 81, 87  
 bone lesions, 114-115  
 clinical features, 97-99, 125  
 definition, 78  
 development, 10  
 diagnosis, 79-83, 89-90, 97  
 cultural methods in, 80-81, 85, 89  
 histopathological methods in, 81-82,  
 85  
 immunological methods in, 66-67, 72,  
 82-83, 85, 90  
 effect of griseofulvin, 231  
 effect of temperature, 171-172  
 epidemiology, 199, 204  
 excision, 89  
 experimental, 83-84, 86, 90  
 fungi causing, 31, 81, 82, 84, 85, 95  
 geographical distribution, 81  
 grains, 82, 84, 85, 97, 98, 241  
 incidence, 78, 79, 126  
 incubation period, 125  
 laboratory aspects, 78-91  
 microscopic appearances, 36  
 pain in, 127-129  
 radiological appearances, 85, 114-115,  
 124-125  
 site of lesion, 126  
 staining methods, 38  
 treatment, 128, 252, 260
- Mycobacterium ulcerans*, 194
- Nephrotic syndrome, association with  
 malaria, 273
- Nervous system, in African histoplasmosis,  
 104, 124
- Nocardia asteroides*, 12, 16, 22, 31, 36, 38,  
 41, 97, 126  
 effect of temperature, 171
- Nocardia brasiliensis*, 12, 17, 31, 36, 38, 97,  
 114, 125  
 action of griseofulvin, 231, 241  
 causing mycetoma, 86, 89, 90  
 invasive characteristics, 115
- Nocardia caviae*, 12, 17, 22
- Nocardia farcinica*, 126, 270
- Nocardia* spp., causing mycetoma, 81,  
 82

- Nocardiosis,  
 clinical features, 97  
 diagnosis, 31, 82  
 microscopic appearances, 36  
 pathogenesis, 12, 16  
 staining methods, 38, 41  
 treatment, 242, 252
- Nomenclature, 19-21, 22-23, 25
- North American blastomycosis, 12, 15, 198  
 diagnosis, 31  
 effect of temperature, 171  
 epidemiology, 132, 198-199, 204  
 hamycin in, 247  
 2-hydroxystilbamidine in, 243-244  
 immunological diagnosis, 60-61  
 in Africa, 53, 132, 198  
 microscopic appearances, 37  
 radiological appearances, 119  
 saramycetin in, 247, 267  
 skin lesions, 109  
 staining methods, 39  
 transmission, 137  
 treatment, 223, 224
- Nystatin, 131, 212, 213, 227  
 resistance to, 219, 240  
 route of administration, 222-223  
 specific activity, 215, 216  
 toxicity, 226
- Orbit, mycoses of, 193
- Pain, in mycetoma, 127-129
- Pathogenesis, of mycoses, 9-25, *see also*  
*under individual lesions*
- Paracoccidioides brasiliensis*, 12, 15, 23, 42, 167
- Penicillin, 243  
*Penicillium marneffei*, 51  
*Phialophora gougerotii*, 12, 17, 273-275  
*Phialophora jeanselmei*, 31, 273-275  
*Phialophora pedrosoi*, 100, 203, 204  
*Phialophora verrucosa*, 12, 17, 215
- Phycomycosis,  
 action of antibiotics, 217, 245  
 diagnosis, 31  
 effect of temperature, 180-181  
 epidemiology, of 179-197, 201-202, 204  
 microscopic appearances, 36  
 of intestine, 25  
 pathogenesis, 12, 16  
 radiological appearances, 114
- Phycomycosis—*continued*  
 staining methods, 38  
 subcutaneous, 12, 16, 36, 38, 99, 179-184, 193-194, 201-202  
 clinical features, 99  
 epidemiology, 199  
 incidence, 181-183  
 terminology, 192-193  
 treatment, 195-196
- Pimaricin, 212, 213  
 administration, 223  
 specific activity, 215, 216  
 toxicity, 226
- Potassium iodide, 196, 242
- Pyrenochaeta romeroi*, 12, 17, 23, 81, 82
- Radiology,  
 of deep mycoses, 113-125  
 of mycetoma, 85, 124-125, 126-127
- Rhino-entomophthoromycosis, 179-191  
 climatic conditions and, 186-187  
 clinical features, 99-100  
 diagnosis, 179-180  
 epidemiology of, 184-188, 199  
 geographical distribution, 186, 187, 195  
 incidence, 186  
 radiological appearances, 114  
 treatment, 196
- Rhinosporidiosis, 12, 17  
 microscopic appearances, 37  
 radiological appearances, 114  
 staining methods, 39
- Rhinosporidium seeberi*, 12, 17, 269
- Rhizopus* spp., 12, 16
- Saramycetin, 215, 233-234, 246-257, 266-267
- Schistosomiasis, 272-273
- Skin lesions, 128  
 in African histoplasmosis, 101, 111, 112  
 in blastomycosis, 110
- Skin testing in African histoplasmosis, 109-110
- Soil, fungi in, 143, 146, 147, 187-188
- South American blastomycosis, 12, 15, 276  
 effect of temperature, 167-168  
 immunological diagnosis, 61  
 microscopic appearances, 37  
 staining methods, 39
- Sporothrix gougerotii*, 273-274  
*Sporothrix schenckii*, 12, 17, 23  
 action of antibiotics, 215

- Sporothrix schenckii*,  
 animal vectors, 152-153  
 effect of temperature, 266  
 identification, 52, 145  
 morphology, 147  
 pathogenesis, 148  
 virulence, 154-155, 161
- Sporotrichin, 155, 156, 160
- Sporotrichosis, 15, 17  
 age and sex incidence, 150-152  
 climatic conditions, 154, 163, 164-165,  
 166  
 clinical features, 144-145  
 diagnosis, 113, 159-160  
 effect of temperature, 154, 164-167  
 epidemiology, 144-158, 199  
 factors in development, 153-156  
 geographical distribution, 150  
 hypersensitivity, 155, 160  
 immunological diagnosis, 66, 160  
 in animals, 269, 270  
 incidence, 150, 161, 162  
 occupational, 151-152  
 potassium iodide in, 242  
 saramycetin in, 247  
 seasonal incidence, 162-163, 165  
 staining methods, 38
- Steroids, as predisposing factor for can-  
 didosis, 140-141
- Streptimidone, 211
- Streptomyces madurac*, 81, 82, 83, 90  
 causing mycetoma, 97
- Streptomyces pelletieri*, 81, 82, 83, 89, 90,  
 97, 114, 115, 125
- Streptomyces somaliensis*, 81, 82, 83, 125,  
 126, 127  
 causing mycetoma, 97  
 invasive characteristics, 115
- Streptomyces* spp., 12, 17  
 causing mycetoma, 31  
 immunological identification, 83
- Sulphonamides, 242-243
- Temperature, effect on mycoses, 164-178,  
*see also under specific mycoses*
- Trauma, role in mycotic infections, 152,  
 153, 157, 184
- Trichomycin, 212, 213  
 specific activity, 215  
 toxicity, 226
- Trichophyton rubrum*, 12, 18, 21, 177
- Trichophyton schoenleinii*, 12, 18, 21
- Trichophyton* spp., action of antibiotics, 215
- Trichophyton verrucosum*, 21
- Variotin, 215, 234
- World Health Organization, 276

BRITISH INDIAN SIVA SAIKIAN COLLEGE  
 of Obstetrics Gynecology and  
 Child Health

LIBRARY MEMORANDUM



