

## INDEX OF SUBJECTS

- Abies*, 838.  
*Abraxas*, 785.  
*Acanthocystis*, mitosis, 181, 202; central bodies, 684.  
 Accessory chromosome (see Sex-chromosomes), 749.  
*Acholla*, 774.  
 Achromatic figure (see Amphiaster), 143.  
 Achromatin, 87; hypothesis of genetic continuity, 653, 895.  
*Achromatium*, 209.  
 Acroblast, 362, 364, 381.  
 Acrosome, 281; formation, 381; in fertilization, 435.  
*Actinophrys*, mitosis, conjugation, 585, 597.  
*Actinosphaerium*, regeneration, 658; chromidia, 701.  
 Activation of the egg, in fertilization, 409, 440; in parthenogenesis, 473 ff.  
 Agametes, 228.  
*Aggregata*, zygotic meiosis, 605.  
*Aglaozonia-Cutleria*, antithetic alternation, 626.  
*Albugo*, gametes, fertilization, 595.  
 Algæ, gametes, 590, 592; antithetic alternation, 626 ff.; regeneration, 661.  
 Alecithal, 260.  
 Alimentary type, 331.  
 Alloplasmatic, 58.  
 Allosomes, 839.  
*Alpheus*, reversal of symmetry, 1026.  
 Alternation of generations, antithetic, 492; and meiosis, 496, 617, 621.  
 Alveolar structure of protoplasm, 68; and metastructure, 721.  
 Amino-acids, 640.  
 Amitosis, general, 116, 214; physiological and theoretical aspects, 215; in living cells, 214, 222.  
*Amœba*, 7, 23; mitosis, 208, 213; *diploidea*, 601; experiments on, 659.  
 Amphiaster, 117; origin, 146; intra-nuclear, 149; achromatinic, 176; mechanism, 178 ff.; asymmetry, 145, 1002.  
 Amphiastral mitosis, 117, 1420.  
 Amphibia, gynogenesis, sperms, 289, 376, 378, 460; merogony, 466; experiments on eggs, 1044, 1069, 1102 ff.  
 Amphigony, 228.  
 Amphimixis, 233; and variation, 248.  
 Amphinucleoli, 94, 271.  
*Amphioxus*, experiments, 1052.  
 Amphitene, 543, 553.  
 Amphoteric proteins, 641; staining-reactions, 649.  
 Amyloplasts, 44, 709.  
 Anaphases, 131.  
 Anaphasic duality, in mitosis, 138; in meiosis, 561.  
*Anasa*, 304; sex and chromosomes, 750.  
 Anaschistic tetrads, 515.  
 Anastral mitosis, 150; meiosis, 508.  
*Ancyracanthus*, sperms, 300; fertilization and sex, 755, 766.  
 Androgenesis, 464.  
 Angiosperms, fertilization, 452; double fertilization, 454; antithetic alternation, 496, 620.  
*Angiostomum*, sex-chromosomes, 809.  
 Anisogamy, 584, 592.  
*Antedon*, hybrids, 971.  
 Antherozoids, 307, 387, 450.  
 Annelids, cleavage, 998; vestigial cells, 1009, 1011.  
 Alternation of generations, 492; historical, 617; 620 ff.  
 Antipodal cone, 179.  
 Anura, sperms, 289; sperm-formation, 373, 376.  
*Apanteles*, egg, 322.  
*Aphanochæte*, gametes, 592.  
 Apical growth, of plants, 1029.  
 Apyrene sperms, 299.  
 Aphids, life-cycle, 228, 467, 787; sex-chromosomes, 790.  
 Arachnida, sex, 794.  
*Arachnula*, chromidia, 702.  
*Arcella*, 23, 205; chromidia, 701.  
 Archiplasm (archoplasm), 52, 264, 723.  
 Archiplasm- (archoplasm-) sphere, 50, 364.  
*Aricia*, 1004; vestigial cells, 1011.  
*Arion*, centrosome, 679, 681, 683.  
*Artemia*, sex-relations, 231; parthenogenesis, 471; karyoplasmic ratio, 730; chromosomes, 886.  
 Artifacts (see Coagulation).

## INDEX OF SUBJECTS

- Artificial parthenogenesis, 4, 72; discovery, 472; in plants, 473; methods, 473; specificity, 474; incomplete activation, 474; Loeb's theory, 475; history of nucleus, 476; central bodies, asters, cytasters, 481, 684; mechanism, 485; sex in, 806.
- Ascaris*, mitosis, 124; chromonema, 136, 896; chondriosomes, 163; germ-line, diminution, 323; fertilization, 395; type of fertilization, 398-400; polyspermy, 417; pronuclei, 426; tetrads, 501, 515; intra-nuclear centers, 675; sex-chromosomes, 769, 772, 773; linkage, 781; hybrids, 831, 841; giant eggs, 831, 972; chromosome-continuity, 890; cytoplasmic determination of germ-line, 1091; dispermic eggs, 1092.
- Ascidia*, 343.
- Asilus*, parasympysis, 575.
- Asasia*, 206, 211.
- Aster, 117, 144; spiral, 145, 184; viscosity, 198; and centrosome, 678; in Protista, 680; division, 680; zones, 682.
- Asterias*, attraction-cone, 409; parthenogenesis, 478; cytasters, 678.
- Astral rays (see Aster), 119, 143; pushing, 149; in Heliozoa, 181; crossing, 144, 186; grouping, 178; nature, 179, 184, 191; as lines of flow, 192; action, 179 ff.
- Attraction sphere, 678.
- Aulacantha*, 211.
- Autocatalysis, 199.
- Autogamy, 581.
- Autophagy, 615.
- Autosomes, 839.
- Auxocytes, 314, 329, 492; stages, 536 ff.
- Auxosporeme, 544.
- Axial filament, of sperms, 283, 285, 357, 367, 379; in flagellates, 690.
- Axial gradients, 107, 1117.
- Axial relations of cleavage-planes, 1012.
- Axopodial system, 680.
- Bacteria, nucleus, 84; division, 209; and sex, 580.
- Bacterioids, 265.
- Balanced solutions, 639.
- Balfour, rules of cleavage, 996.
- Barnacles, sperms, 295.
- Basal apparatus, 692.
- Basal bodies, sperms, 283; Protista, 698; ciliated cells, 698.
- Basichromatin, 88.
- Basidiobolus*, 592.
- Basophilic, 87, 647.
- Batonettes, 50.
- Batrachoseps*, 554, 955.
- Batrachospermium*, 628.
- Batrachus*, 1013.
- Bausteine (building-stones), of proteins, 640.
- Bees, hybrids, 929; parthenogenesis, 787, 795; sex-determination, 795; spermatogenesis, 797; hybrids, 929.
- Beroe*, see Ctenophores.
- Bidder's organ, 820.
- Bilateral symmetry, of cells, 110; of egg-envelopes, 274; of ovum, 276, 1019, 1021.
- Binuclearity, 695, 726.
- Bioblasts, 75, 720.
- Biochemistry and cellular biology, 632.
- Biogen, 670.
- Biophore, 500, 718.
- Bioplasm, 21, 58.
- Birds, sperms, 293; sex-chromosomes, 786.
- Bivalents (see also Tetrads, Heterotypic chromosomes), 503, 515.
- Blaps*, prochromosomes, 539, 562; XY-complex, 778, 782, 824.
- Blastomeres (see Cleavage), rhythms, 996; size-relations, 997; prospective values, 1005; equipotent, 1007; isolated, 1042 ff.; totipotent, 1050; specification, 1065, 1082.
- Blatta*, 763.
- Blepharoplast, 31, 150, 156; in sperm-formation (animals), 364, 372; (plants), 387; in Protista, 591, 696.
- Block to polyspermy, 419, 421; to self-fertilization, 421.
- Bodo*, basal apparatus, 592, 696.
- Body-size and cell-number, 99.
- Bombinator*, sperms, 289, 291.
- Bombyx*, blepharoplasts, 357.
- Bonellia*, sex-determination, 743.
- Bouquet, 543, 551.
- Brachystola*, 763, 925, 933.
- Branchipus*, synapsis, 793.
- Brownian movement, 61.
- Bryonia*, sex, 743.
- Bufo*, 289, 560.
- Bulbochæta*, 604, 622.
- Calliphora*, 315.
- Cambium, cell-division, 161, 1004.
- Canalicular system (see Golgi-apparatus, 48).

*Curchesium*, 612.  
*Carex*, chromosomes, 560, 902, 907.  
*Carinaria*, gamete-nuclei, 428.  
*Carpogonium*, 628.  
*Caudal sheath*, 378.  
*Caulerpa*, 24, 981.  
Cell, in general, 3; definition, general sketch, 21 ff.; an elementary organism, 101, 1031; a colloidal system, 61, 633; a chemical machine, 635; a reaction-system, 635, 976; a moving equilibrium, 637.  
Cell-axis, 108.  
Cell-bridges, 103, 335.  
Cell-chemistry, 632 ff.  
Cell-components, proportionate growth, 656.  
Cell-division (see Mitosis, Amitosis, Cleavage), general significance, 10, 1114; general account, 114 ff.; cyclical character, 226; reductional and equational, 503; rules of, 982; relation to growth and differentiation, 1025; quantitative and qualitative, 1057.  
Cell-fragments, experiments on, 657.  
Cell-lineage, 15, 1007.  
Cell-plate, 144, 159.  
Cell-regénération, 658 ff.  
Cell-sap (see Enchylema).  
Cell-size (see Karyoplasmic ratio), general, 97; in polypoids, 100, 656; in dispermic frogs, 656.  
Cell-state, 5, 101, 103.  
Cell-substance, chemical composition, 638.  
Cell-theory, general sketch, 1-14.  
Cell-wall, cell-membrane, general, 54.  
Cells and cell-aggregates, 101, 581, 1031; criticisms, 103.  
Central apparatus (see Central bodies).  
Central bodies, 26, 29; in mitosis, 145; intra-nuclear, 149; in sperm-formation, 363; in fertilization, 438; in parthenogenesis, 481; surrounding formed elements, 684; structural relations, 675, 677, 680; division, 680; as blepharoplasts, 357, 690; origin *de novo*, 684; evolution, 735.  
Central capsule, 50.  
Central spindle, 143, 148.  
Centrifuge experiments, 1087.  
Centriole, 26, 119, 673; as blepharoplast, 357; in sperm-formation, 372 ff.; in flagellates, 692.  
Centrodesmus, 147.  
Centroplasm, 145, 683.  
Centroplast, 202.

*Centropyxis*, mitosis, 181, 204, 211.  
Centrosome, 26, 119, 145, 673; "moult-ing," 684.  
Centrosphere, 678.  
*Centrurus*, chondriokinesis, 165, 360; sperm-formation, 365, 366, 371.  
Cephalopods, micropyle, 273; cleavage, 1013; bilaterality of ovum, 1019.  
*Ceratium*, 211.  
*Cerebratulus* (see Nemertines), central bodies, 146; fertilization, 403, 405, 408; central apparatus, 674; cytasters, 687; experiments on, 1054, 1074, 1098; ovum, 1098.  
*Chara*, sex, 232; sperms, 391.  
*Chætopterus*, residual substance, 356; ovum, 403; androgenesis, 465; embryos without cleavage, 1083.  
Characters, preformed and epigenetic, 1107.  
Chemistry of the cell, 637 ff.  
Chemotaxis of sperms, 406.  
Chiasmatype theory, 949 ff.; two-strand and four strand, 955; doubtful aspects, 959.  
*Chimera*, egg-envelopes, 275.  
*Chironomus*, germ-cells, 320.  
*Chlamydomonas*, meiosis and segregation, 604, 930.  
*Chlamydophrys*, 207.  
Chondriocysts, 34, 46.  
Chondriokinesis, 47, 163.  
Chondriomites, 34, 46, 358.  
Chondriosomes, general, 17, 45, 706; functions, 48, 709; in auxocytes, 330; in yolk-formation, 344, 346; in spermatoocytes, 359; sperm-formation, 364, 369; in fertilization, 435; in histogenesis, 706; and plastids, 709; growth and division, 711.  
Chondriospheres, in Lepidoptera and scorpions, 361.  
*Chorthippus*, ring-tetrads, 529, 554.  
Chromatids, 504, 509.  
Chromatin, as idioplasm, 14, 1039; 87 ff., 647, 653; specificity, 644; "cytoplasmic," 645, 724; and nucleoli, 653; dimorphism, 725.  
Chromatin-nucleoli, 93.  
Chromatoid body, 365, 382.  
Chromidia, 25, 34, 700; in Protista, 701; in Metazoa, 703; relation to chondriosomes, 703.  
Chromidiogamy, 596.  
Chromioles, 34, 911.

## INDEX OF SUBJECTS

- Chromonema, 136, 896.  
 Chromomeres, 125, 907; in synapsis, 555; in pachytene, 570, 907 ff.  
 Chromoplasts (chromatophores), 44; (chromatin-nucleoli, 554).  
 Chromosomes, 116; forms, groupings, 127; spindle-attachments, 130; spindle-attachments, 130, 511; size, in cleavage, 237; in the life-cycle, 250; segregation and random assortment, 252, 927, 931; in Mendelian heredity, 253, 923; fertilization, 426; in parthenogenesis, 467 ff.; reduction, 488; heterotypic, 511; as modifiers, 637; relation to sex, 742 ff; individuality, 828; differences of size and form, 834; paired condition, 837; behavior, 839; of hybrids, 841; normal numbers, 835 ff.; deviations in number, 868; supernumerary, 872; non-disjunction, 877; fragmentation, 879; linkage, 779, 879; genetic continuity, direct evidence, 890; organization, 903; as compound bodies, 904; sutures, 904; as linear aggregates, 906; as differentials, 916; qualitative differences, 916 ff.; as sex-determiners, 815, 946; in determination, 975 ff.
- Chromosome-elimination, in hybrids, 963, 966, 969, 970.
- Chromosome-linkage, genetic, 945 ff.
- Chromosome-maps, 958.
- Chromosome-nucleoli, 93.
- Chromosome-reorganization, in meiosis, 577.
- Chromosomal vesicles, 133.
- Chromospires, 211.
- Cicindela*, sperms, 296.
- Ciliated cells, 41-43, 698.
- Ciliates, conjugation and rejuvenescence, 240; endomixis, 244, 613; conjugation, 607; anisogamy, 611.
- Circotetrix*, heteromorphic chromosome-pairs, 572; chromosome-attachments, 887; random assortment, 935, 937.
- Cladophora*, 584.
- Clathrina*, 695.
- Cleavage, 10; by constriction, 157, 981 ff.; geometrical relations, 982; general rules, 982; forms, 985; orthoradial, 986; spiral, 986; reversal of, 993; bilateral, 993; special modifications, 995; prospective character, 997; promorphology, 1006 ff.; axial relations, 1012.
- Cleavage-head, 158.
- Cleavage-path, 424.
- Clepsine*, polar rings, 415.
- Closterium*, conjugation, etc., 604.
- Clymenella*, cell-lineage, 1011.
- Clytia*, experiments, 1052.
- Coagulation-phenomena, 65.
- Coal-tar dyes, 646.
- Coelomesoblast, 1010.
- Cœnocytes, 981.
- Cœnogametes, 595.
- Coleochæte*, plastids, 162; alternation, 618, 622.
- Collar-cells, 696.
- Collodictyon*, basal apparatus, 698.
- Compound types of sex-chromosomes, 772.
- Conflexion, 568, 571.
- Conjugate division, 601, 624.
- Conjugate sperms, 305.
- Conjugation in Protista, 238; physiological effects, 238-247; types of, 581; in ciliates, 607.
- Coördination, between cells, 103, 635; within the cell, 637; in development, 1115.
- Copidosoma*, oosome, 321; diakinetic conjugation, 564.
- Copromonas*, conjugation, 598.
- Copulation, 581.
- Copulation-path, 424.
- Corallina*, mitosis, 200.
- Cortical changes in egg, 410.
- Cortical layer of ovum, 261, 409.
- Cortical zone, of attraction-sphere, 678.
- Crepidula*, size-relations, 99; fertilization, 443; cleavage, 1008; ectomesoblast, 1009; centrifuging, 1092; localizing activities, 1094.
- Criss-cross heredity, 940, 946.
- Critidia*, basal apparatus, 694, 698.
- Crossed insertion, 519.
- Crossing-over, period, 929, 960; chiasma-type-theory of, 954; other hypotheses, 961; sexual differences, 962; in parthenogenesis, 962.
- Ctenophores, cleavage, 196, 1013; experiments on, 1046, 1101.
- Culex*, chromosomes, 781, 871.
- Cumingia*, parthenogenesis, 477; centrifuging, 1090.
- Cunninghamella*, sex, 588.
- Cutleria*, alternation, 591, 626.
- Cyanophyceæ, 24, 83.
- Cycads, sperms, 309; blepharoplast, 390; fertilization, 451.

- Cyclops*, etherized eggs, 220; germ-cells, 320.  
*Cymbulia*, fertilization, 442.  
*Cynips*, 231, 564.  
*Cynthia* (see *Styela*).  
*Cypripedium*, embryo-sac, 621.  
Cytasters, 170, 481; division, 482; function, 483; origin, 684; in egg-fragments, 685.  
Cytochromatin (cytoplasmic chromatin), 264, 645, 724.  
Cytokinesis, 116, 142.  
Cytology, 2; origin, 13.  
Cytomorphosis, 236.  
Cytoplasm (see Protoplasm), 22; in fertilization, 434.  
Cytoplasmic components, relative size, 304, 656, 741.  
Cytoplasmic heredity, 17, 1106.  
Cytoplasmic maturation, 405.  
Cytosome, formed components, 28.
- Datura*, triploids and tetraploids, 567, 944; haploids, 572; hybrids, 845; chromosome-numbers, 920.  
Deconcentration, of chromosomes, 350.  
*Decticus*, chromosomes, 763.  
Deficiency, 948.  
*Delesseria*, life-history, 628.  
*Dendrocaelum*, parasympysis, 552, 554-556, 568, chromomeres, 910.  
*Dentalium*, ovum, 260, 1016; cleavage, 1016-1018; experiments on cleavage, 1047; on egg-fragments, 1064; prelocalization, 1097.  
Depression periods, 240.  
Desmids, zygotic meiosis, 604.  
Determinate and indeterminate cleavage, 1057.  
Determination, 1037, 1113.  
Deutoplasm (see Yolk), 58, 257, 261; chemistry, 262.  
Deutobroch, 536.  
Development 6; factors of, 980; and heredity, 1035; external conditions, 1036; defined, 1037; Roux-Weismann theory, 1057; mechanism, 1106; and environment, 1117.  
Dextropic, 988.  
Diakinesis, 511, 547.  
Diakinetic conjugation, 563.  
Diaschistic, 515, 520.  
Diastem, 158.  
Diatoms, mitosis, 200, 204; conjugation, meiosis, 599, 601, 626.
- Dictyokinesis, 165.  
Dictyosomes, 48, 50, 165.  
*Dictyota*, mitosis, 200; alternation, 627.  
Dictyotic stage, 351.  
Dicyemids, 622.  
*Didelphys*, sperms, 305.  
*Didinium*, gamete-nuclei, 611, 615.  
*Diemyctylus*, 1013.  
Differentiation and senescence, 235; without cleavage, 474, 1083; and cleavage, 1083; causes, 1085.  
*Diffugia*, chromidia, 597.  
Diffuse stage, 545.  
Digamety, sexual, of the sperms, 782; of the ova, 784.  
Digestion-tests, of nucleoproteins, 643; of basichromatin, 644.  
Dimegaly, of ovum, 277; in relation to chromosomes, 806; of sperms, pathological, 303; physiological, 304; sexual, 782.  
Diminution, 323; relation to cytoplasm, 325, 1091; and "histogenetic" plasm, 499, 726.  
Dimorphism, of ova, 277.  
*Dinophilus*, dimegaly of ova, 277, 807.  
*Diplocystis*, zygotic meiosis, 605.  
Diploid and haploid, general, 16, 250.  
Diploid, gametophytes, 920.  
Diplonema, diplotene, 544, 572.  
Diplosomes, 839.  
Diplont, 492.  
Diplotene (see *Diplonema*).  
Diptera, chromosomes, 575, 925.  
Direct division (see Amitosis).  
*Discoglossus*, sperms, 289.  
Disjunction and segregation, 569.  
Dispermic eggs, development of, 917; Boveri's studies, 918 ff.  
Dispermy, 416.  
Division-centers, 29, 119, 672.  
Double crosses, 523.  
Double fertilization, 454.  
Double eggs, 1079.  
Double embryos, 1051 ff.  
Double staining, 647.  
*Drosera*, hybrids, 842, 845.  
*Drosophila*, germ-cells, 320; triploids, 816; chromosomes, 836, 888; non-disjunction, 877, 947; linkage-groups, 939; sex-linked heredity, 940; X-linkage, 946; chromosome-maps, 958.  
Duplication, 948.  
Dyes, nuclear, plasma-, 87; basic, acidic, 87, 646.

## INDEX OF SUBJECTS

- Dytiscus*, sperms, 305; diminution, 326; nurse-cells, 335, 666.
- Dzierzon theory, 795.
- Echidna*, sperms, 293.
- Echinorachnius*, fertilization, 421; parthenogenesis, 485.
- Echinus* (see *Parechinus*).
- Ectomesoblast, 1009.
- Ectoplast, 22.
- Egg (see Ovum), as a reaction system, 1036.
- Egg-axis (see Ovum, Polarity), 1014; experimental displacement, 1021; in sea-urchins, 1067.
- Egg-cells, size, 99.
- Egg-envelopes, 272; entrance of sperm, 409.
- Egg-fragments, experiments on, 1062.
- Egg and sperm, approach, 405.
- Eggs, sexual, asexual, 229, 467, 793.
- Elaeoplasts, 45.
- Electosomes, 48.
- Elodea*, sex-chromosomes, 813.
- Embryo in the rough, 1106, 1108.
- Emulsoïd, 63.
- Enchylema, 64, 96.
- Encystment and rejuvenescence, in Protista, 615.
- Endogamy, 581.
- End-piece, 286.
- Endomixis, 244; and parthenogenesis, 613.
- Energid, 22, 58.
- Entelechy, 1116.
- Entrance-cone, 406, 410, 413.
- Entrance of sperm, 413.
- Enzymes, 636.
- Epigenesis and preformation, 6, 111, 1036.
- Epitheliofibrillæ, 111.
- Epithemia*, 601.
- Equation-division, 503.
- Equipotential system, 1115.
- Equisetum*, mitosis, 153; blepharoplast, 390; sex, 742.
- Ergastic, 58.
- Ergastoplasm, 264, 724.
- Euchenopa*, sex-chromosomes, 771.
- Euchromosomes, 839.
- Eudendrium*, germ-cells, 314.
- Eudorina*, artificial culture, 247.
- Euglena*, 206, 212.
- Euglypha*, 209.
- Eumitotic, 514.
- Eupyrene sperms, 299.
- Euschistus*, 552.
- Exogamy, 581.
- Experimental embryology, 15.
- "False hybrids," 467, 966.
- Female digamety, 783 ff.
- Fertilization, history, 13; general, 394; in animals, 395; relations to maturation, 397; general conditions of, 404; reaction of ovum, 409; chromosomes, 426; cytoplasmic structures, 434; chondriosomes, 435; central bodies, 438; Boveri's theory, 441; in plants, 449; in cycads, 451; higher gymnosperms, 452; angiosperms, 452; cytoplasmic structures in plants, 454; division-centers, 456; partial, 458; fertilization-membrane, 258, 272; in fertilization, 410; preëxistence, 411; throwing-off, 412; in parthenogenesis, 475.
- Fertilizin, 421.
- Fibrillæ, 40; ergastoplasmic, 41; in plasmodesms, 41; in histogenesis, 41, 707; archiplasmic, 42; in living cells, 42, 64, 72.
- Filar plasm, 723.
- First cleavage-plane and sperm, 1103-1105.
- Flagella, structure, 690; division, 691.
- Flagellates, structure of flagella, 690.
- Flagellum, of sperm, 285; formation, 356 ff.
- Follicle, 331.
- Forficula*, nurse-cells, 334, 664.
- Formative stimuli, 1111.
- Formative stuffs, 636, 1035.
- Formed bodies or cell-components, 59, 672.
- Fractional fertilization, 445.
- Fragmentation, 215, 877, 887.
- Frog, parthenogenesis, sex, 479; sex-determination, 743; first cleavage-plane, 1012, 1069, 1103; egg, 1014; mosaic development, 1043 ff.; development of inverted ova, 1077; half-development and whole development, 1078; localizing process, 1102.
- Fucus*, sperms, 391, 406, 594; fertilization, 457; meiosis, 625.
- Fulgur*, 731.
- Funea*, 784.
- Fundulus*, 843.
- Fusion-nucleus, 400.
- Galtonia*, 621.
- Gametes, general, 228, 256; of animals, 257 ff.; of plants, 387; formation, in animals, 310; in plants, 387; union, 404; relation to vegetative cells, 582; in

- Protista, 589; of algæ, 590; and swarm-spores, 591; physiological differences, 585; structure in lower forms, 589; chromidial formation, 596.
- Gametocytes and gametes, 582; and coenogametes, 594.
- Gametophyte (see Alternation of Generations), 492; reduction of, 496; diploid, 657, 871, 920.
- Gametozoön, 622.
- Gemini, 503.
- Genes, serial order, 951, 1131.
- Genetic continuity of chromosomes, general, 828 ff.; direct evidence, 890; achromatin-hypothesis, 895.
- Genetic instability of uneven chromosome-numbers, 942.
- Geometrical forms of cleavage, 985.
- Germ-cell determinants, 320.
- Germ-cells, in heredity, 11; origin of differentiation, 310; primordial, 314.
- Germ-line (germ-track), 312, **314**.
- Germ-nuclei, 422.
- Germ-plasm, 310, 498.
- Germinal matter, 58.
- Germinal prelocalization, theory, 1040.
- Germinal vesicle, general, 266; chromosomes, 267; 349; nucleoli, 269, 353; in growth-period, 349; residual substance, 355.
- Giant cells, 23.
- Giantism, and chromosomes, 100; in *Oenothera*, *Primula*, 101, 942.
- Giardia*, 111.
- Gigas* forms (see Giantism).
- Ginkgo*, 150, 309.
- Gnetum*, embryo-sac, 621.
- Golgi-apparatus, general, 48, 714 ff.; in mitosis, 165; in auxocytes, 330; in yolk-formation, 345; and sphere-substance, 361; in spermatocytes, 361.
- Gonads, 313.
- Gonia, 313.
- Gonomery, 431 ff.; in *Amœba diploidea*, 601; in fungi, 624.
- Gonothyræa*, germ-cells, 312.
- Grafts, 1032.
- Granules, general, 31; secretory, 37; storage, 38; in fat-synthesis, 39; pigment, 40.
- Granule theory of protoplasm, 74.
- Gravity, effect on the egg, 276, 1015.
- Gregarines, 597.
- Growth, 980, 1025; and cell-division, 1025, 1029; and morphogenesis, 1029.
- Gryllus*, 759.
- Guinea-pig, sperm, 295; sperm-formation, 378-381.
- Gymnosperms, ova, 306; sperms, 307; fertilization, 452.
- Gynandromorphs, 811.
- Gynogenesis, 460.
- Hadrobracon*, hybrids, 929.
- Haminea*, 895.
- Haploid and diploid, general, 16, 250.
- Haploid sporophytes, 481, 920.
- Haplomitosis, 211.
- Haplont, 492.
- Heliozoa, mitosis, 202; conjugation and meiosis, 585.
- Helix*, 335, 380.
- Hemiptera, sperm-formation, 369, 372, 375, 384; sex-chromosomes, 794.
- Heredity, general, 11; and the nucleus, 14, 666, 1039; biparental, 233; and variation, 248; and proteins, 641, 653, 895, 1111; and the chromosomes, 916 ff.; definition, 1037.
- Hermaphrodites, 808.
- Hesperotettix*, chromosomes, 780.
- Heterochromosomes, 839.
- Heterogamy, 256, 584.
- Heterogeneous crosses, 461, **970** ff.
- Heteromorphic tetrads, 532; reduction division, 571, 573; random assortment, 931, 949.
- Heteropycnosis, 759.
- Heterospory, 498.
- Heterothallic moulds, 588.
- Heterotypic chromosomes, 511 ff.
- Heterotypic division, 509, 511; types of, 514; general course, 515 ff.
- Hippiscus*, ring-tetrads, 529.
- Heterosis and vigor, 247.
- Histogenetic (oögenetic) plasm, 498, 725.
- Histology, 2.
- Historical problems of the cell, 732.
- Hologamy, 582.
- Homeotypic division, 509, **532**.
- Homolecithal, 260.
- Homomorphic chromosome-pairs, 937.
- Homothallic moulds, 588.
- Hormones, 636.
- Hyaloplasm, 31, 59, 61, 64, 70, 77; organization, 74, **722**, 1090; in mitosis, 192, 198.
- Hyaloplasm-sphere, 192.
- Hybrids, of *Ascaris*, 831, 841; *Drosera*, *Triticum*, *Oenothera*, 842; sea-urchins, 459, 842, 963; fishes, 843; *Datura*, moths,

## INDEX OF SUBJECTS

- 843; meiosis of, 844; sterility, 844; of *Drosera*, *Triticum*, 846; *Papaver*, 846; *Oenothera*, 847; *Hieracium*, roses, 847; from giant eggs, 972; merogonic, 973. *Hydatina*, parthenogenesis and sex, 229, 743; sexual eggs, dimegaly, 801 ff. *Hydrodictyon*, 622, 1031. *Hydroides*, reversal of symmetry, 1026. Hymenoptera, parthenogenesis and sex, 467, 795, 800, 869; hybrids, 929.
- Idiochromatin, 328, 725, 726 ff. Idioplasm, 722, 1037; as chromatin, 1039. Idiozome (idiosome), 30, 50, 259, 329; and yolk-nucleus, 341; in sperm-formation, 329, 358, 361, 382. Ids, 500. *Ilyanassa*, experiments, 1063. Individuality of chromosomes, 828; general evidence, 830; sceptics, 833. "Initial structure" of cytoplasm, 1110. Inner cell-wall, 136. Interkinesis, 28; meiotic, 532. Internal reticular apparatus (see Golgi-apparatus), 48. Interzonal fibers, 144. Intracellular pangenesis (see De Vries), 1085. Insects, promorphology of egg, 1020. Intersexes, 808. Inversion experiments, 1076. *Isoëtes*, fertilization, 201, 406. Isogamy, 256. Isopods, metamerism, 1029.
- Julus*, sperms, 298.
- Karyogamy, 250, 394; and the chromosomes, 426, 581. Karyokinesis (see Mitosis), definition, 116; general account, 121 ff. Karyokinetic axis, 157. Karyolysis, 115. Karyomeres, 133, 894. Karyomerites, 429. Karyoplasm (nucleoplasm), 22. Karyoplasmic ratio, 79, 101, 727; and senescence, 236 ff. Karyoplast, 37. Karyosomes, 93; in Protista, 204. Karyospheres, 93, 353. Karyotin, 90. Kinetonucleus, 695, 736. Kinoplasm, 72, 153, 723.
- Lamblia*, 23. Lamp-brush chromosomes, 350. *Lanice*, experiments on, 1048. *Largus*, meiosis, 556. *Larix*, mitosis, 154. Larval mesoblast, 1009. Lata-types, in *Oenothera*, 944 ff.; in *Datura*, 945. Leiotropic, 988. Lepidoptera, sperms, 303; diminution, 326; chondriosomes, 359; sperm-formation, 374; acrosome, 381; sex-chromosomes, 784; parthenogenesis, 804. *Lepidosiren*, conjugation and deconjugation, 564, 793; chromosomes, 905. *Lepisma*, sperms, 296. *Leptisma*, presynapsis, 562. *Leptonema*, leptotene, 349, 539, 556. Leptonene threads, number, 556. *Leptomonas*, 590. Leucocytes, 23; origin, 218; asters, 682. Leucoplasts, 43. Life-cycle, general, 226. *Lilium*, fertilization, 453; tetrads, 518, 519. *Limax*, spiral asters, 145; Golgi-bodies, 167; pronuclei, 426; asters, 681. Limosphere, 391. Linin, 88. Linkage (chromosome), of sex-chromosomes, 779; of chromosomes, 879 ff.; *Hesperotettix*, 881; *Lymantria*, 883, 887. Linkage (genetic), linkage-groups, 17, 927, 938; sex-linkage, 939 ff. *Litomastix*, oösome, 321; polocytes, 495. Living and lifeless matter, 58, 59. Localization, 980, 1040; and differentiation, 1083; and environment, 1117. Localizing activities, 1094 ff.; rôle of the sperm in, 1102. *Locusta*, tetrads, 554; X-chromosome, 760. *Loligo*, cleavage, 996, 1001; ovum, 1020. Loop-formation, theory of, 557. *Lygaeus* type, 764. *Lymantria*, 961. *Lymnaea*, Golgi-bodies, 51, 167, 714; cleavage, 993.
- Macrogametes, 584. Macrogamy, 582. Macromeres, 987, 1000. Macromitosome, 372. Macrosomes (megasomes), 68. *Mactra*, artificial parthenogenesis, 477.

- Magnetic models of mitosis, 189 ff.  
 Main-piece, 285.  
 "Male" and "female," in Protista, 584.  
 Male and female digamety, relations, 821.  
 Mammals, sperms, 293; sperm-formation, 377; acrosome, 382.  
 Mantle-fibers, 143.  
*Marsilia*, sperms, 388.  
 Maturation (see Meiosis), 251, 314; cytoplasmic, 405.  
 Maturation, quartets, 493, 497.  
 Measurements, microscopical, 33.  
 Mechanism of mitosis, general analysis, 174 ff.; influence of chromosomes, 177.  
 Mechanism and vitalism, 1114 ff.  
 Mechanistic interpretation, 671, 1117.  
*Mecostethus*, presynapsis, tetrads, 522, 529.  
 Medullary zone, 678.  
 Megaspore (macrospore), 496.  
 Meiosis (maturation, meiotic), 251, 314; general, 488; types, 490; external aspects in animals, 492; in plants, 496; internal phenomena, 498; gametic (terminal), 490, 597; zygotic (initial), 491, 603; sporic (intermediate), 491, 617 ff.; historical and theoretical, 498; preliminary outline, 503; and recombination-phenomena, 577, 949 ff.; origin of, 616; in hybrids, 844; and random assortment, 931.  
 Meiotic divisions, general characteristics, 508; course of, 515; reduction, 569; order of, 572.  
 Meiotic recombination, 576, 950.  
 Membranes, general, 54; of ovum, 272.  
 Membrane-formation, in fertilization, 411; and self-fertilization, 421; in parthenogenesis, 475.  
 Mendelian heredity, 667; segregation and meiosis, 928.  
 Mendelian phenomena, cytological basis, 923 ff.  
*Menidia-Fundulus* hybrids, 433.  
 Meristic division, nuclear, 116; cytoplasmic, 162.  
*Mermiria*, chromosomes, 780.  
 Meroblastic cleavage, 997.  
 Merocytes, 415.  
 Merogamy, 583.  
 Merogony, 465; source of error in, 465; in *Dentalium*, 466; in vertebrates, 466; chromosomes, 466; hybrids, 973.  
 Merokinesis, 895.  
*Mesotenia*, meiosis, 604.  
 Metachromatic granules, 36.  
 Metamerism, 1029.  
 Metamitosis, 202, 209.  
 Metaphase, 127 ff.  
 Metaplasma, 58.  
*Metapodium*, ovum, 273, 1021; XO-males, 785, 815; non-disjunction, 874; supernumeraries, 875, 876.  
 Metastructure of protoplasm, 717.  
*Miaslor* germ-cells, 315, 320; diminution, 326.  
 Micellæ, 634.  
 Microcentrum, 26, 29, 672.  
 Microchemistry, 638.  
 Microdissection-apparatus, 55.  
 Microgametes, 584.  
 Microgamy, 583.  
 Micromeres, 987, 1000.  
 Micropyle, 258, 273, 408, 1017.  
 Microsomes, 32, 64.  
 Mid-body, 144.  
 Middle lamella, 56.  
 Middle-piece, 280, 284.  
 Minimal contact-area, 991.  
 Mitochondria (see Chondriosomes), 17, 34, 46, 706.  
 Mitome, 64.  
 Mitosis (see Karyokinesis cell-division), general, 14, 116; phases, 120; anastral, 150; monocentric, 168; multipolar, 171; mechanism, 174; fibrillar hypotheses, 178; dynamical hypotheses, 184 ff.; in etherized eggs, 183; and polarized fields, 186; diffusion-streams, currents and surface-tension, 192 ff.; changes of viscosity, 197; chromosomes, 198; in lower organisms, 199 ff.  
 Mitosome, 120, 159, 366.  
 Mitotic (Karyokinetic), figure, 117.  
 Mixochromosomes, 506, 569.  
 Models of cleavage, 991.  
 Modifiers, 635.  
*Moina*, germ-cells, 315.  
*Molgula*, 343.  
 Monaster, 168, 447, 484, 729, 972.  
 Monera, 24, 25.  
*Moniezia*, amitosis, 219.  
*Monocystis*, 203.  
 Monogony, 228.  
 Monosome, 839.  
 Monospermy, 416.  
 Morphallaxis, 980, 1030.  
 Mosaic theory, 1042 ff.  
 Mosaic, and regulative eggs, 1057, 1067.

## INDEX OF SUBJECTS

- Mosses, sperm-formation, 391; sex, 746; karyoplasmic ratio, 730.
- Moth-hybrids, chromosomes, 842, 850; genetics, 929.
- Movements, protoplasmic, 61; of pro-nuclei, 422 ff.; of nuclei, 662.
- Mucor*, 24; sex, 588, 745.
- Multipolar mitosis, 171; Boveri's studies, 916 ff.
- Myoblasts, 999.
- Myofibrils, 40, 705.
- Myxine*, chromatoid body, 385.
- Myxomycetes, 204.
- Myzostoma*, nurse-cells, 333; fertilization, 442; pigment, 1017; localizing, 1096.
- Nägleria*, 693.
- Navicula*, conjugation, 601.
- Nebenkern, 360, 364, 371.
- Nebenkern-organ, 287, 373.
- Nemalion*, meiosis, 622, 628.
- Nephrodium*, fertilization, 451.
- Nematodes (see *Ascaris*), cleavage, 1013.
- Nemertines (see *Cerebratulus*), experiments on cleavage, 1054, 1074, 1079; on localization, 1098.
- Nereis*, cortical layer, 261, 273; sperm, 281, 285; fertilization, 444; cleavage, 994, 999; unequal division, 1002; vestigial cells, 1011; pressure-experiments, 1059; first cleavage and sperm, 1105; fertilization, 444.
- Net-knots, 93.
- Neuroblasts, 998.
- Neurofibrils, 40, 708.
- Neuroterus*, parthenogenesis, 799.
- Nezara*, Y-chromosome, 768.
- Noctiluca*, mitosis, 204, 210.
- Non-disjunction, 872, 877, 885; genetics of, 947.
- Notonecta*, karyosphere, 141, 353; sperms, 289; X-chromosome, 777, 904; linkage, 889; chromomeres, 909.
- Nuclear framework, 85.
- Nuclear membrane, 85.
- Nuclear dyes, 87, 646.
- Nuclear vacuole, 135.
- Nuclease, test for basichromatin, 644.
- Nucleic acid, 642; derivatives, 643; relations to protein-bases, 653.
- Nuclein, 642, 643.
- Nuclein-bases, 643.
- Nucleoli, 23, 91; fat-formation, 39; functions, 94; and formed bodies, 96; in mitosis, 141; of germinal vesicle, 269, 353; extrusion, 354; and yolk-formation, 345.
- Nucleolini, 97.
- Nucleolo-centrosome, 97, 204, 206.
- Nucleo-proteins, 642; staining-reactions, 648; and determination, 652.
- Nucleus, in heredity, 14, 666; polymorphic, 23, 79; physiological relations, 25, 653; general account, 78; in living cells, 78; labyrinthine, 79, 664; types of structure, 82; chromidial, 83; and growth, 100, 654; in mitosis, 121; of ovum, 266; of sperm, 281; in sperm-formation, 369; in oogenesis, 349; in spermatogenesis, 369; in organic synthesis, 653; in growth, 654; in regeneration, 657 ff.; and membrane-formation, 660; positions, movements, 662; of nurse-cells, 664; organization, 1112.
- Numbers of chromosomes, 853 ff.; normal, 855-868; variations, 868-884; permanent changes, 884-890.
- Nurse-cells, 331, 336.
- Nutritimentary type, 331.
- Oedogonium*, fertilization, 8, 450, 585; meiosis, 604, 622; alternation (?), 618.
- Oenothera*, telosynapsis, 559; *gigas* forms, 100, 731, 942; *lata* forms, 944.
- Oligopyrene sperms, 299.
- Oncopeltus*, sex-chromosomes, 768.
- Oöcytes, 314, 331; oöplasmic components, 338; nucleus, 349, 492.
- Oögonia, 313.
- Oöplasm, 260; general history, 338; movements in fertilization, 415.
- Ophiura*, protoplasm, 263.
- Oösome, 321.
- Ophryotrocha*, nurse-cells, polarity, 333, 665; ovum, 403.
- Opilio*, sperm, 281.
- Opisthacanthus*, dictyokinesis, 163, 363.
- Order of meiotic divisions, 572.
- Organ-forming substances, 1087.
- Organism as a whole, 103, 976, 1117.
- Organization, 635, 670; of the egg, 115, 1035, 1093.
- Orthoptera, telophases, 134; prophases, 137, 899; tetrads, 522, 525, 529, 546; double rings, 528; parasympapsis, 554.
- Orthoradial type, 986.
- Osmotic pressure of the blood, 638.
- Osmunda*, meiosis, 551, 561.

- Ovum** (see Oöcyte), a cell, 7, 1035; general, 257; yolk, 261; pigment, 263; chondriosomes, 264; secondary nuclei, 265; germinal vesicle, 266; chromosomes, 267; nucleoli, 269; envelopes, 272; micropyle, 273; promorphology, 275, 1014, 1021; polarity, 275, 1014, 1115, 1117; bilaterality, 276, 1019; and gravity, 276; sexual dimorphism, 277; of plants, 306; and accessory cells, 331; dimegaly, 806; a reaction-system, 1036.
- Oxnerella*, mitosis, 202.
- Oxychromatin**, 88, 647.
- Oxyrrhis*, mitosis, 207, 211, 212.
- Pachynema** (pachytene), 543.
- Pachytene**, 350.
- Pædomesoblast**, 1009.
- Paired condition of chromosomes**, 575, 837, 925.
- Paludina*, dictyokinesis, 165; sperms, 283, 300; sperm-formation, 371, 380.
- Pangensis**, etc., 718.
- Pangens**, 1113.
- Parabasal body**, 691.
- Paracentrotus* (*Strongylocentrotus*), 1087; hybrids, 842, 963, 966; chromosomes, 965; ovum, pigment, 1016; experiments on, 1067; polarity and cleavage, 1067.
- Paramitome**, 64.
- Paramecium*, racial sizes, 97; mitosis, 209, 210; life-cycle, 240; conjugation, 240 ff., 608 ff.; endomixis, 243, 613.
- Paraplasm**, 64.
- Paraplastic**, 58.
- Parasynapsis**, parasyndesis, 508, 550.
- Parental homologues**, 503.
- Paris*, mitosis, 139; chromonema, 900.
- Parechinus* (*Echinus*), sperm, 373; chromosome-number, 370; heterogeneous crosses, 970.
- Parthenogenesis**, 228 ff.; 467 ff.; natural, diploid, haploid, 467; in plants, 469; in *Astropecten* and *Artemia*, 371; artificial, 472 ff.; and endomixis, 613; relations to sex, 787 ff.; problematical cases, 803; and sexual dimeromy of ova, 806; and crossing-over, 966.
- Partial development**, conditions, 1082.
- Partial fertilization**, 458.
- Particulate conceptions of protoplasm**, 718.
- Patella*, cleavage, 987, 1009 ff.; experiments on, 1043, 1046.
- Pectose**, 56, 161.
- Penetration-path**, 424.
- Pennatulaceæ**, 103.
- Pentatoma*, chromatoid body, 384.
- Peperomia*, embryo-sac, 621.
- Percnosome**, 391.
- Perforatorium** (acrosome), 281.
- Perigenesis**, 1038.
- Peripatus*, sperms, 558.
- Periplasms**, 683.
- Perla*, sex-chromosomes, 820.
- Periplast**, 30, 678.
- Pholcus*, yolk-formation, 342.
- Photinus*, sex-chromosomes, 756.
- Photosynthesis**, 654.
- Phragmatobia*, diminution, 326; sex-chromosomes, 785.
- Phragmoplast**, 159.
- Phrynotettix*, tetrads, 525, 547, 574; synapsis, 552, 554; plasmosome, 763; chromosomes, 909.
- Phycomyces*, sex, 745.
- Phyllactinia*, mitosis, 200.
- Phyllirhoe*, pronuclei, 428.
- Phylloxera*, sex-chromosomes, 773, 790; life-history and sex, 788, 790; sex-determination, 806, 817.
- Physa*, reversal of cleavage, 993; localizing activities, 1094.
- Pieris*, sperms, 303.
- Pigment**, in ovum, 263, 1016.
- Pinus*, microgamete, 309; fertilization, 455; gametophyte, 621.
- Pisciola*, central bodies, 259; nurse-cells, 333.
- Planosomes**, 872.
- Plants** (higher), mitosis, 150; gametes 305; ovum, 306; sperm, 367; fertilization 449; meiosis, 496; antithetic alternation 496, 616.
- Plasma-dyes**, 87, 646.
- Plasma-membrane**, 22, 55.
- Plasmodesms**, 103.
- Plasmodium**, 24.
- Plasmosomes**, 91, 911.
- Plastids**, 43; origin, 45; relation to chondriosomes, 45, 709; in cytokinesis, 162.
- Plastin**, 88, 91.
- Plastogamy**, 250, 581.
- Plastosomes**, 45.
- Platyplax*, nuclei, 81.
- Plumbagella*, embryo-sac, 621.
- Polar area**, 1016.
- Polar bodies** (see Polocytes), 398.

## INDEX OF SUBJECTS

- Polar caps, 153.  
 Polar granules, 763, 910.  
 Polarity, of cells, 106; of ovum, 275, 1014, 1019; nature and origin, 1014, 1021 ff.; and axial gradients, 1117.  
 Polar lobe (in mitosis), 158; in cleavage, 261, 1016, 1017, 1063.  
 Polar rings, 261, 415, 1096.  
 Polarized field, in mitosis, 184.  
 Polocytes (polar bodies), 398, 493; giant, 494; and antithetic alternation, 619.  
 Polyclades, cleavage, 1013.  
*Polyphemus*, germ-cells, 323.  
*Polymastix*, basal apparatus, 698.  
 Polyploidy, 169, 870, 885.  
*Polypodium*, hybrids, 849.  
*Polysiphonia*, alternation, 628.  
 Polyspermy, 416; prevention, 419, 421.  
*Polystomella*, life-history, 584, 586, 606; regeneration, 659.  
*Polytoma*, gametes, 583, 698.  
*Polytrichum*, mitosis, 201; sperm-formation, 388.  
*Polyzonium*, 341.  
 Post-heterokinesis, 755.  
 Post-synaptic spireme, 544.  
 Precession, 755.  
 Preformation (evolution) and epigenesis, 6, 1036, 1110.  
 Pre-heterokinesis, 755.  
 Prelocalization, cytoplasmic, 1042, 1062; experiments on, 1099; in *Dentalium*, 1097.  
*Preissia*, fertilization, 1457.  
 Pressure-experiments on cleavage, 1002, 1014, 1059.  
 Presynaptic duality, 562.  
 Primary spindle, 147.  
 Primordial germ-cells, 313, 314; cytoplasmic characters, 320; nuclear characters, 323.  
*Pristiurus*, germinal vesicle, 349, 563, 653.  
 Proacrosomic granules, 329, 361, 364, 382.  
 Prochromosomes, in meiosis, 538; general, 903.  
 Promitosis, 205.  
 Promorphology of ovum, 275, 1014.  
 Pronuclei, 259, 396, 401; general history, 422; movements, 422; union, 426; and chromosomes, 426.  
 Prophases, 121.  
 Proteins, in heredity, 357, 652; solutions, 634; general, 640; simple, and compound, 641; specificity, 641, 644, 652; combining power, basic and acid, 641.  
*Protenor*-type, 749, 752 ff.  
*Proteus*, meiosis, 556.  
 Prothallia, and sex, 742.  
 Protista, mitosis, 201; sex and reproduction, 580 ff.; gametes, 589; gametes and gametocytes, 594; chromidial gametes, 596.  
 Protoplasm, history, 4; general, 57 ff.; physical and chemical properties, 59, 637; fibrillar theories, 63; alveolar theory, 68; granule theory, 74; meta-structure, 717; dualistic conceptions, 722.  
 Protoplasmatic, 58.  
 Protoplast, 22.  
 Prototroch, 349, 536.  
 Protozoa and Metazoa, 101, 238, 581.  
 Pseudalveolar structure, 72.  
 Pseudo-blepharoplast, 375.  
 Pseudo-chromosomes, 50.  
 Pseudo-conjugation, 594.  
 Pseudo-mitotic, 514.  
 Pseudo-nucleins, 643.  
 Pseudo-reduction, in nutritive cells, 336; general, 503, 556; in diploid parthenogenesis, 793; to semi-haploid number, 869.  
 Pseudo-vitellus, 266.  
*Psychidæ*, sex-chromosomes, 784.  
 Pteridophytes, sperms, 308; fertilization, 450; spores, 498.  
*Pterotrachea*, pronuclei, 428 (see also *Physa*, *Lymnaea*).  
 Pulmonates, Golgi-bodies, 714; localizing activities, 1094.  
*Pygæra*, sperms, 302, 374; hybrids, 853.  
 Pyrenoids, 45.  
*Pyronema*, 595; fertilization, 595, 598.  
*Pyrrhocoris*, diakinetic conjugation, 563; sex-chromosomes, 748, 751.  
 Quadrille of centers, 439.  
 Qualitative division, nuclear, 1057; cytoplasmic, 1073.  
 Quantitative relations of cells (see Karyoplasmic ratio), 97, 727.  
 Quartet-cells, 987, 1007.  
*Rana* (see Frog), sperms, 289.  
 Random assortment, 927, 931.  
 Reaction of the egg, 409.  
 Reaction-system, 635, 822, 1036.  
 Reciprocal crosses, 963 ff.

- Receptive spot, 409.
- Recombination-phenomena, 949 ff.; chromosomal and chromomeric, 950.
- Reconstruction, 133.
- Reduction (see Meiosis), 251, 488 ff.
- Reduction-division, 503; and transverse division, 503, 557, 569; and segregation, 928.
- Reduction-nuclei, in *Actinophrys*, 599; in diatoms, 600; in *Spirogyra*, 603; in desmids, 604; in ciliates, 609 ff.
- Reduplication, 870, 885.
- Reduplication-theory, 961.
- Regulative phenomena, in development, 1076.
- Rejuvenescence and syngamy, 232 ff.
- Reproduction, general, 227, 580; somatogenic, cytogenic, 227; sexual, asexual, 228.
- Residual substance, of germinal vesicle, 355, 725; in sperm-formation, 367; in development, 1086.
- Reticular apparatus, 48.
- Reticular theories of protoplasm, 64.
- Reversal of spiral cleavage, 993.
- Rhabditis*, sex, 230; gynogenesis, 460; sex-chromosomes, 809.
- Rhizoplast, 694.
- Rhizopus*, sex, 588.
- Rhodites*, life-cycle, chromosomes, 231, 564, 803.
- Rhopalodia*, conjugation, 600.
- Rhynchelmis*, 146, 415; central bodies and aster, 146, 682, 683; polar rings, 1096.
- Rhythm, in cell-division, 226; in ciliates, 241; in cleavage, 996.
- Ring-tetrads, 524; double or multiple, 527; in division, 528; axial or atelomitic, equatorial or telomitic, 528-531; interlocked, 569.
- Rod-tetrads, 515 ff., 531.
- Rotation of sperm-head, 396, 423.
- Rotifers, life-cycle, parthenogenesis and sex, 229, 467, 788, 801.
- Rules of cell-division, 982.
- Sagitta*, germ-cells, 315, 322; pronuclei, 428.
- Salmo*, sperm, 373.
- Sauropsida, sperms, 293.
- Schizopods, sperms, 296.
- Scinaia*, zygotic meiosis, 622, 628.
- Scolopendra*, nucleoli, 353.
- Scorpions, chondriosomes, 46; chondrio- kinesis, 163, 165; spermatocyte-divisions, 360-366; sperm-formation, 371.
- Scrobicularia*, polarity, micropyle, 331, 1024.
- Scyllium*, germinal vesicle, 351.
- Sea-urchins, protoplasm, 70; fertilization, 395; type of fertilization, 398; mitosis, 118-120, 135, 176; monasters, 168; polyasters, 185; fertilization, 395 ff.; dispermy, polyspermy, 419; paths of pronuclei, 423; etherized eggs, 447; partial fertilization, 458; merogony, 465; artificial parthenogenesis, 472 ff.; sex-chromosomes, 757; hybrids, 842; dispermic eggs and larvæ, 917 ff.; reciprocal crosses, 963; parthenogenesis and crossing, 966 ff.; giant eggs, 972, 1080; merogonic hybrids, 973; cleavage, 986; isolated blastomeres, 1050, 1075; pressure-experiments, 1059; egg-fragments, 1067; polarity and prelocalization, 1067 ff.; centrifuged eggs, 1089; localizing activities, 1094.
- Sea-water and inorganic salts of protoplasm, 638.
- Second synizesis or contraction-figure, 545.
- Secondary nuclei, 265, 346.
- Senescence, general, 233; views of Spencer and Minot, 235; of Hertwig, 236; and conjugation in Protista, 238 ff.
- Sex, in Protista, 580 ff.; germ-cells, external conditions, 742; Mendelian interpretation, 744; in moulds, 745; in mosses and liverworts, 746; in parthenogenesis, general, 787; life-cycles, 788 ff.; in diploid parthenogenesis, 789; in haploid parthenogenesis, 794; in artificial parthenogenesis, 806; in hermaphrodites and gynandromorphs, 808; physiological problems, 815.
- Sex-chromosomes, 745, 748 ff.; in sea-urchins, 758; in vertebrates and man, 766; in plants, 812; evolution of, 822.
- Sex-determiners, 816, 817.
- Sex-linked factors, 939.
- Siredon*, ovum, 403.
- Solanum*, polyploidy, 729.
- Solenobia*, parthenogenesis, 231; sex, 805.
- Somatoblasts, 1008, 1010.
- Specification of blastomeres, 1065.
- Sperms (Spermatozoa), general, 278; general structure, 279 ff.; comparative details, 288 ff.; of lower invertebrates, 286;

## INDEX OF SUBJECTS

- of molluscs, 288; arthropods, 289; of vertebrates, 289; atypical flagellate, 295; non-flagellate, 297; of Crustacea, 297; dimorphism, polymorphism, 299; conjugate, 305; of plants, 307; origin and differentiation, general, terminology, 356; origin of materials, 357; formation, 368 ff.; rôle in localization, 1102; movements, chemotaxis, 406; entrance, 413.
- Sperm-aster, 400.
- Sperm-center, 396, 440 ff.
- Spermatia, 628.
- Spermatid, 279, 356; composition and general history, 363; central apparatus, 363; chondrioma, acroblast, 364; chromatoid body, 365; spindle-remnant or mitosome, 366; residual cytoplasm, 367; later history, 366, 368.
- Spermatocytes, 314, 356; divisions, 357.
- Spermatocyte-divisions, central bodies, 357; chondriosomes, 358; Golgi-apparatus, sphere-substance, 361.
- Spermatogonia, 313.
- Spermatozoids, 307.
- Spermioteleosis (spermiogenesis), 368; telokinetic movements, 368; nucleus, 369; chondriosomes, 369; nebenkern, 370; central apparatus, blepharoplast, 372; acroblast and acrosome, 381; chromatoid body, 382.
- Sphærechinus*, hybrids, 842, 963, 966; merogony, 975.
- Sphaerella*, gametes, 584.
- Sphaerocarpus*, sex, sex-chromosomes, 746, 812.
- Sphere, 50, 148, 259.
- Sphere-substance, 329.
- Spinacea*, spireme, 560.
- Spindle, 143; synthetic formation, 149; multipolar (diarchal, polyarchal), 152; diagonal, 188.
- Spindle-attachments of chromosomes, in mitosis, 130; in meiosis, 511, 516-518.
- Spindle-remnant, 159, 366.
- Spiral type of cleavage, 986.
- Spireme, 121.
- Spireme-nuclei, 86, 89.
- Spirogyra*, experiments on growth, 100, 655, 730, 832; amitosis, 219; sex, 586; meiosis, 603.
- Sponges, regeneration, 1031.
- Spongioplasm, 64, 1093.
- Spores, 228, 491, 497.
- Sporocytes, 387.
- Sporogenesis, 492.
- Sporophyte, 492, 496; haploid, 920.
- Sporozoa, gametes, 592.
- Stachelzellen, 104.
- Staining reactions, general, 645; nature, 646; as indicators, 646; chemical theory, 646, 648 ff.; physical theory, 647; changes of, 650 ff.
- Stem-cells, 313, 315, 323.
- Stentor*, regeneration, 658, 659.
- Stenobothrus*, ring-tetrads, 529, 531.
- Stereoblastula, 917.
- Sterility of hybrids, 845.
- Stigma, 591.
- Strepsinema (strepsitene), 126, 544.
- Strombus*, sperms, 303.
- Structure and function, 670.
- Styela (Cynthia)*, 263; localizing movements, 415, 1094, 1103; movements of pronuclei, 425; cleavage, 995, 1017; experiments on cleavage, 1049; ooplasmic stuffs, 1065; localizing activities, 1094.
- Styloynchia*, life-cycle, 239; experiments on, 615.
- Succession, 755.
- Superior protoplasm, 724.
- Surface-tension in mitosis, 194.
- Surirella*, conjugation, 599.
- Suspensoid, 63.
- Sutton-Boveri theory of Mendelism, 923.
- Symbionts (in ovum), 265.
- Synapsis, 249, 503, 541; general, 549; parasyntapsis, 550; telosyntapsis, anaphasic duality, 561; diakinetic, 563; critical, 565; mechanism, 566; in polyploids, 567; indirect evidence, 574; in diploid parthenogenesis, 793, 804, 805.
- Synapta*, cleavage, 10, 984.
- Synaptic mates, 503; heteromorphic, 931.
- Synaptic period, 535.
- Synaptic stage, 541.
- Syncytium, 24.
- Syndesis (see Synapsis), 503.
- Syngamy, 228; effects, 232; and variation, 248; stabilizing element, 250; origin, 615.
- Sinistral snails, cleavage, 993; heredity, 1109.
- Synizesis, 541, 551.
- Synkaryon, 396.
- Synthesis in the cell, 653.
- Syromastes*, chromosomes, 563, 839.
- Talæporia*, sex-chromosomes, 784.
- Taxodium*, fertilization, 454, 455.

- Teleosts, cleavage, 1013.  
 Teloblasts, 998, 1001, 1009.  
 Telokinesis, 139.  
 Telokinetic movements, 158, 368.  
 Telophases, 133; gonial, 536; relations in interphase and prophase, 890.  
 Telophasic conjugation, 558, 576.  
 Telosynapsis (Metasyndesis), 508, 557.  
*Tenodera*, sex-chromosomes, 769, 777.  
 Tetrad (see also Heterotypic chromosomes, Bivalents), 504, 509; final transformation, 548; in somatic divisions, 905.  
*Tetramitus*, division, 210.  
 Tetraploids, genetics of, 942; origin, 943.  
 Tetraspores, 626, 627.  
*Thalassema*, centrosome, 146, 682; parthenogenesis, 477; vestigial cells, 1010, 1084.  
 Theory of development, Roux-Weismann, 1057.  
*Theridium*, fertilization, 442.  
*Thyanta*, chromosomes, 775, 823, 866, 889.  
*Thysanozooön*, 146, 259; centrosome, 679, 681.  
 Tissue-cultures, *in vitro*, 102, 234, 1050.  
*Tomopteris*, nurse-cells and synapsis, 333; parasympysis, 552, 553, 568.  
 Tonofibrillæ, 41.  
 Tonoplasts, 54.  
*Torreya*, fertilization, 454.  
 Totipotent blastomeres, 1050, 1052.  
 Totipotence, and cleavage, 1073.  
*Toxopneustes* (see Sea-urchins), 13; protoplasm, 73; fertilization, 401, 402, 410; etherized eggs, 447; artificial parthenogenesis, cytasters, egg-fragments, 684 ff.  
*Trachelocerca*, nucleus, 39.  
 Traction-fibers, 143.  
*Trialeurodes*, sex-chromosomes, 232.  
 Triasters, and polarized fields, 189.  
*Trichomonas*, mitosis, 204, 210; central bodies, 697.  
*Trichosphærium*, gametes, 606.  
*Trimerotropis*, heteromorphic tetrads, 532, 572, 835, 934.  
 Triploids, genetics of, 942; in *Canna*, *Datura*, 944.  
*Triton*, yolk, 343; merogony, 466; tetrads, 529.  
 Trochoblasts, 1008, 1048.  
*Trochus*, cleavage, 987, 990.  
 Trophochromatin, 328, 375 ff.  
 Trophoplasm, 72, 722, 1038.  
 Trophocytes, 52.  
 Trophospongium, 53.  
*Tryxalis*, X-chromosome, 759.  
 Tumors, 173.  
 Tunicates (see *Styela*), cleavage, 994, 995; experiments on cleavage, 1043, 1049; localizing activities, 1095.  
 Turbellaria, sperms, 295.  
 Twisting, in synapsis, 555.  
 Tyndall effect, 634.  
*Ulothrix*, gametes, 584, 586, 590.  
 Ultra-microscope, 33, 61, 720, 737.  
 Ultra-microscopical organisms, 720, 737.  
 Unequal division, 145, 997 ff.  
 Unicellular organisms (see Protista, Protozoa).  
*Unio*, centrosome, 679; cleavage, 997; larval mesoblast, 1009.  
 Unravelling stage, 539.  
 Urodeles, sperms, 291; sperm-formation, 378.  
*Uredinales*, antithetic alternation, 624.  
*Uroleptus*, experiments on conjugation, 244 ff.  
 Vacuoles, 54.  
*Vallisneria*, fertilization, 455.  
*Vanessa*, nurse-cells, 334, 664.  
*Vaucheria*, 24.  
*Vejovis*, chondriosomes, 163.  
*Vespa*, spermatogenesis, 796.  
 Vestigial cells, 999, 1001, 1011.  
*Vicia*, mitosis, 131; chondriokinesis, 163.  
 Viscosity of protoplasm, 60; in mitosis, 197.  
 Vitalism, 1056, 1115.  
 Vitelline body (see Volk-nucleus).  
 Vitelline membrane (see Fertilization-membrane), 258, 272.  
 Volutin, 36.  
*Volvox*, cell-bridges, 104; gametes, 585, 591.  
 Vortical currents in mitosis, 194.  
*Vorticella*, conjugation, 610.  
*Wagnerella*, aster, 202.  
 X-chromosome, 748 ff.; special peculiarities, 758; and secondary sexual characters, 817; and sex-linked heredity, 752, 939, 945.  
*Xiphidium*, X-chromosome, 761.  
 XO-XX, or *Protenor* type, 752 ff.  
 XY-XX, or *Lygaeus*-type, 764 ff.  
 Y-chromosome, 764, 815; functions, 822, 877, 948.

## INDEX OF SUBJECTS

- |   |   |
|---|---|
| Yolk, general characters, 261; formation, 341.                      | Zona radiata, 261, 273, 335.                                      |
| Yolk-nucleus, 339.  | Zygnemaceæ, mitosis, 162; conjugation and sex, 586; meiosis, 603. |
| <i>Zamia</i> , blepharoplasts, germ-cells, 390; fertilization, 451. | Zygosomes, 569.   |
|   | Zygotes, 228, 394.  |
|   | Zygotic meiosis, 602 ff.  |

GUDEWALA MEMORIAL LIBRARY • CHITTARAJALA CANCER HOSPITAL